

# **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: VAICO ATF CVT V60-0117, V60-0211

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

**Uses advised against:**No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier VIEROL AG

Karlstraße 19

26123 Oldenburg

Telephone: +49 0441 210 20 - 0 Fax: +49 0441 210 20 - 111

Contact for request of safety data sheets

E-mail: Automotive lubricants info@vierol.de

Industrial lubricants

Telephone: +49 0441 210 20 - 0

Informing department for safety data sheets

E-mail: info@vierol.de

**1.4 Emergency telephone number:** Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

**Hazard summary** 

Physical Hazards: No data available.

## 2.2 Label Elements

EUH210: Safety data sheet available on request.

Revision Date: 23.11.2023 Version: 1.1



2.3 Information on other hazards

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

**Endocrine disrupting prop-**

erties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
base oil, low viscous	EINECS: 276-738-4	20,00% - <50,00%	01-2119474889-13	
Base oil, low viscous	EINECS: 265-158-7	1,00% - <10,00%	01-2119487077-29	
Base oil, low viscous	EINECS: 276-737-9	1,00% - <10,00%	01-2119474878-16	
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%	01-2119488911-28	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Identifier	Classification	
base oil, low viscous	EINECS: 276-738-4	CLP: Asp. Tox. 1;H304	
Base oil, low viscous	EINECS: 265-158-7	CLP: Asp. Tox. 1;H304	
Base oil, low viscous	EINECS: 276-737-9	CLP: Asp. Tox. 1;H304	
alkarylamine, longchained	EINECS: 253-249-4	CLP: Aquatic Chronic 4;H413	

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."

# **SECTION 4: First aid measures**

General: Instantly remove any clothing soiled by the product.

#### 4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

**Eve contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

Revision Date: 23.11.2023 Version: 1.1

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



4.2 Most important symptoms and effects, both acute and delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** 

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

SDS\_DE - EN - 000000000602018649

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

Version: 1.1



## SECTION 7: Handling and storage:

7.1 Precautions for safe han-

dling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Pro-

vide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibili-

ties:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash

point.

**7.3 Specific end use(s):** No data available.

Storage Class: 10, Combustible liquids

# **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control Parameters**

**Occupational Exposure Limits** 

Chemical name	Туре	Exposure Limit Values	Source
Base oil, paraffinic - Respirable fraction.	MAK	5 mg/m3	Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as amended (2021)
Base oil, low viscous - Respirable fraction.	MAK	5 mg/m3	Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as amended (2017)

#### 8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Revision Date: 23.11.2023 Version: 1.1

Print date: 08.12.2023



Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

**Environmental Controls:** No data available.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Amber

Odor: Characteristic

**pH:** substance/mixture is non-soluble (in water)

Freezing point: not determined Boiling Point: not determined

Flash Point: 208 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): not determined

Explosion Limit - Upper (%):

Explosion Limit - Lower (%):

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 0,85 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water:Insoluble in waterSolubility (other):No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature: not determined

Revision Date: 23.11.2023 Version: 1.1



**Decomposition Temperature:** not determined **Kinematic viscosity:** 34 mm2/s (40 °C)

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

Particle characteristics:Not applicable9.2 Other informationNo data available.

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.000 mg/kg (OECD 401)

Base oil, low viscous LD 50 (Rat): > 5.000 mg/kg

Base oil, low viscous LD 50 (Rat): > 5.001 mg/kg (OECD 401)

alkarylamine, long-

chained

LD 50 (Rat): > 5.000 mg/kg (OECD 401)

**Dermal** 

**Product:** ATEmix: 92.949 mg/kg

Specified substance(s)

Base oil, low viscous LD 50 (Rabbit): > 5.000 mg/kg

Base oil, low viscous LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)

Revision Date: 23.11.2023 Version: 1.1

Print date: 08.12.2023



Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil, low viscous LC 50 (Rat, 4 h): > 5 mg/l

Base oil, low viscous LC 50 (Rat, 4 h): > 5,53 mg/l

Dust and mist

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

alkarylamine, long- OECD 404 (Rabbit):

chained Not irritant.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

alkarylamine, long- OECD 405 (Rabbit):

chained Not irritant.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

alkarylamine, long-

chained No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

11.2 Information on other haz-

ards

**Endocrine disrupting properties** 

Revision Date: 23.11.2023 Version: 1.1

Print date: 08.12.2023 SDS\_DE - EN - 000000000602018649



**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation

(EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Base oil, low viscous LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

alkarylamine, long-

chained

LC 50 (Zebra Fish, 96 h): > 100 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

base oil, low viscous EL50 (Water Flea, 48 h): > 10.000 mg/l (OECD 202)

Base oil, low viscous EL50 (Water Flea, 48 h): > 10.000 mg/l

alkarylamine, long-

chained

EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

Base oil, low viscous NOEL (Fish, 14 d): 1.000 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

Base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

Toxicity to Aquatic Plants Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

Base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

alkarylamine, long-

chained

EC 50 (Alga, 72 h): > 100 mg/l (OECD 201)

#### 12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Revision Date: 23.11.2023 Version: 1.1

Print date: 08.12.2023



Specified substance(s)

alkarylamine, long-

chained

1 % (28 d) Not readily degradable.

12.3 Bioaccumulative potential

Product:

Not applicable for mixtures

12.4 Mobility in soil:

Product:

Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Endocrine disrupting properties

**Product:** 

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects:

The classification of this product is based all or in part on test data.

**Water Hazard Class** 

(WGK):

WGK 1: slightly water-endangering.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

**European Waste Codes** 

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

9/11

# **SECTION 14: Transport information**

#### ADR/RID

14.1 UN number or ID number: 14.2 UN Proper Shipping Name: -

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –
14.5 Environmental hazards: –

Revision Date: 23.11.2023 Version: 1.1



10/11

Product name: VAICO ATF CVT

14.6 Special precautions for user: -

**IMDG** 

14.1 UN number or ID number: —
14.2 UN Proper Shipping Name: —

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): – EmS No.: –

14.3 Packing Group: -14.5 Environmental hazards: -

14.6 Special precautions for user:

**IATA** 

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Maritime transport in bulk according to IMO instruments: Not applicable.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

**National Regulations** 

**Water Hazard Class** 

(WGK):

WGK 1: slightly water-endangering.

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Revision Date: 23.11.2023 Version: 1.1

Print date: 08.12.2023 SDS\_DE - EN - 000000000602018649



Other information:

The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially similar mixtures" - Expert Judgement

Revision Date: Disclaimer:

23.11.2023

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Revision Date: 23.11.2023