

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

VAICO ATF III

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Lubricant

Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	VIEROL AG
	Karlstraße 19
	26123 Oldenburg
Telephone:	+49 441 210 20 - 0
Fax:	+49 441 210 20 - 111

#### Contact for request of safety data sheets

E-mail:	Automotive lubricants	info@vierol.de
	Industrial lubricants	-
Telephone:	+49 441 210 20 - 0	

#### Informing department for safety data sheets

E-mail:

info@vierol.de

**1.4 Emergency telephone number:** Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

# Classification according to Regulation (EC) No 1272/2008 as amended.

<b>Environmental Hazards</b>			
Chronic hazards to the a environment	quatic	Category 3	H412: Harmful to aquatic life with long lasting effects.
Hazard summary			
Physical Hazards:	No da	ata available.	

## 2.2 Label Elements



Hazard Statement(s):	H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement	S
Prevention:	P273: Avoid release to the environment.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
2.3 Information on other haz- ards	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Endocrine disrupting prop- erties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	ldentifier	Concentration *	REACH Registra- tion No.	Notes
Base oil, low viscous	EINECS: 265-158-7	1,00% - <10,00%	01-2119487077-29	
Alkyl amine	EC: 620-540-6	0,25% - <1,00%	01-2119510877-33	
prim. alkanolamine ether	EC: 939-485-7	0,001% - <0,10%	01-2119974116-35	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

# Classification

Chemical name	Identifier	Class	ification
Base oil, low viscous	EINECS: 265-158-7	CLP:	Asp. Tox. 1;H304
Alkyl amine	EC: 620-540-6		Skin Corr. 1C;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1
prim. alkanolamine ether	EC: 939-485-7	CLP:	Acute Tox. 4;H302, Skin Corr. 1B;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 100; M-Factor (aquatic chronic): 1

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."



#### SECTION 4: First aid measures

General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu	Ires
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measures	6
5.1 Extinguishing media Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed
Unsuitable extinguishing media:	Water with a full water jet.

- **5.2 Special hazards arising** from the substance or mixture:
- 5.3 Advice for firefighters
   Special fire-fighting procedures:
   Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
   Special protective equip Self-contained breathing apparatus and full protective clothing must be

ment for fire-fighters: worn in case of fire.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environ- mental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.



6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:
7.1 Precautions for safe han-	Prevent formation of aerosols. Do not eat, drink or smoke when working
dling:	with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	Not applicable
Storage Class:	10, Combustible liquids

# SECTION 8: Exposure controls/personal protection

# **8.1 Control Parameters**

### **Occupational Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
Base oil, low viscous - Res- pirable fraction.	МАК	5 mg/m3	Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as amended (2017)

#### 8.2 Exposure controls

Appropriate engineering	Provide adequate ventilation. Ventilation rates should be matched to condi-
controls:	tions. If applicable, use process enclosures, local exhaust ventilation, or
	other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-
	borne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling. Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.



Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pock- ets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Red
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	Not applicable
Flash Point:	190 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%):	Not applicable for mixtures
Flammability Limit - Lower (%):	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,86 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Auto-ignition temperature:	not determined



Decomposition Temperature: Kinematic viscosity: Explosive properties: Oxidizing properties: Particle characteristics: 9.2 Other information not determined 35,9 mm2/s (40 °C) Value not relevant for classification Value not relevant for classification Not applicable No data available.

# SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.	
10.2 Chemical Stability:	Stable under normal use conditions.	
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.	
10.4 Conditions to avoid:	Stable under normal use conditions.	
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.	
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.	

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil, low viscous	LD 50 (Rat): > 5.000 mg/kg
Alkyl amine	LD 50 (Rat): 1.350 mg/kg (OECD 401)
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil, low viscous	LD 50 (Rabbit): > 5.000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil, low viscous	LC 50 (Rat, 4 h): > 5 mg/l



Skin Corrosion/Irritation:	Deced on evolution data the electricities with visions and mot
Product: Specified substance(s)	Based on available data, the classification criteria are not met.
Alkyl amine	OECD 404 (Rabbit, 14 d): Causes severe skin burns.
Serious Eye Damage/Eye Irr	itation:
Product:	Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz	
Product:	Skin sensitizer: Based on available data, the classification criteria are not met.
	Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s)	
Alkyl amine	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
11.2 Information on other haz- ards	
Endocrine disrupting propert	
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# SECTION 12: Ecological information

# 12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Alkyl amine	LC 50 (Fish, 96 h): 0,1 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Alkyl amine	EC 50 (Water Flea, 48 h): 0,043 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
Aquatic Invertebrates Specified substance(s) Alkyl amine	EC 10 (Water Flea, 21 d): 0,0107 mg/l (OECD 211)
Toxicity to Aquatic Plants Specified substance(s) Alkyl amine	EC 50 (Alga, 72 h): 0,0538 mg/l (OECD 201) NOEC (Alga, 72 h): 0,0156 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s) Alkyl amine	Not applicable for mixtures 63 % (28 d, OECD 301D) Readily biodegradable
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB crite- ria.
12.6 Endocrine disrupting properties	
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects:	Harmful to aquatic life with long lasting effects.
Water Hazard Class	WGK 2: significantly water-endangering.



# (WGK):

# SECTION 13: Disposal considerations 13.1 Waste treatment methods General information: Dispose in accordance with all applicable regulations. Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local laws.

# European Waste Codes

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

# SECTION 14: Transport information

ADR/RID 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– Non-dangerous goods – – – –
IMDG 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –
IATA 14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– Non-dangerous goods – – –

# 14.7 Maritime transport in bulk according to IMO instruments: Not applicable.



#### SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **EU Regulations**

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

## EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulation	IS
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
15.2 Chemical safety as- sessment:	- No Chemical Safety Assessment has been carried out.
SECTION 16: Other inform	mation
Revision Information:	Vertical lines in the margin indicate an amendment.
Wording of the H-statem	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Other information:	The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi- lar mixtures" - Expert Judgement
Revision Date: Disclaimer:	30.08.2023 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be de- duced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of pro- cessing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig- nature.