

Montageanleitung

Ambient LED light

Mounting instructions

Ambient LED light

Instructions de montage

Ambient LED light

Monteringsanvisning

Ambient LED light

Montagehandleiding

Ambient LED light

Instrucciones de montaje



Ambient LED light

Istruzioni di montaggio

Ambient LED light

Asennusohje

Ambient LED light




Lieferumfang
Kit includes
Fourniture

Leveransomfatning
Inhould set
Volumen del suministro

Dotazione di fornitura
Osaluettelo

A,B

1 x



1 x



1 x




2

1 x



1 x







3 x




2JA 344 170-...

3



4


A



Nicht im Lieferumfang enthalten
Not included with kit
Non fornita
Ingår ej i leveransen
Worden niet meegeleverd
No se incluyen en el suministro
Non in dotazione
Eivät kuulu toimitukseen



M max 1.5 Nm







2 X





**ø3.5 mm
DIN 7981**

B




5


6





7



2 -



4 *masse, ground, masse, jord, massa, masa, terra, maa*



Technische Daten		Ambient LED light	
Art.-Nr.	2JA-	344 170-...	
Eingangsspannung		12 V	24 V
Stromverbrauch		0,1 / 0,3 W	0,1 / 0,6 W
Materialien	Rahmen: ABS, Lichtscheibe: PC, Befestigungsscheibe: PP, Dichtscheibe: PE		
IP Klasse	3X		

Technical Data		Ambient LED light	
Part No	2JA-	344 170-...	
Input voltage		12 V	24 V
Power consumption		0,1 / 0,3 W	0,1 / 0,6 W
Materials	Frame: ABS, Lens: PC, Fixing bracket: PP, Sealing: PE		
IP Class	3X		

Données Techniques		Ambient LED light	
Référence	2JA-	344 170-...	
Tension d'entrée		12 V	24 V
Consommation		0,1 / 0,3 W	0,1 / 0,6 W
Matériaux	Enjoliveur: ABS, Voyant: PC, Support de fixation: PP, Joint: PE		

Teknisk Information		Ambient LED light	
Artikelnr	2JA-	344 170-...	
Inspänning	12 V	24 V	
Effektförbrukning	0,1 / 0,3 W	0,1 / 0,6 W	
Material	Ram: ABS, Lins: PC, Monteringsfäste: PP, Tätning: PE		
IP klass	3X		

Technische Gegevens		Ambient LED light	
Artikelnr.	2JA-	344 170-...	
Ingångsspanning	12 V	24 V	
Opgenomen vermogen	0,1 / 0,3 W	0,1 / 0,6 W	
Materialien	Frame: ABS, Lens: PC, Bevestigingsklem: PP, Afdichting: PE		
IP Klasse	3X		

Datos Técnicos		Ambient LED light	
Nºde artículo	2JA-	344 170-...	
Tensión de entrada	12 V	24 V	
Consumo de corriente	0,1 / 0,3 W	0,1 / 0,6 W	
Materiales	Marco: ABS, Lente: PC, Soporte de fijación: PP, Empalme: PE		
Clase IP	3X		

Dati Tecnici		Ambient LED light
N. art.	2JA-	344 170-...
Tensione di ingresso	12 V	24 V
Assorbimento di potenza	0,1 / 0,3 W	0,1 / 0,6 W
Materiali	Telaio: ABS, Lente: PC, Staffa di fissaggio: PP, Chiusura a tenuta: PE	
Classe IP	3X	

Tekniset Tiedot		Ambient LED light
Tuotenro.	2JA-	344 170-...
Jännite	12 V	24 V
Teho	0,1 / 0,3 W	0,1 / 0,6 W
Materiaalit	Kehys: ABS, Lasi: PC, Kiinnitysrenkas: PP, Tiiviste: PE	
IP Luokka	3X	