# Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024

Version 4.0. Supersedes version: 3.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1	Product identifier		
		Engine Oil SAE 5W-30 HC C2 Article number: 173443, 173444, 173445	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Engine oil	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	2.1 Classification of the substance or mixture [REGULATION (GB) CLP]		
		Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation CLP.	
	Hazard pictograms		
	Hazard statements	H412 Harmful to aquatic life with long lasting effects.	
	Precautionary statements	P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/national regulation.	
2.3	Other hazards		
	Physico-chemical hazards	No particular hazards known.	
	Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.	
	Environmental hazards	Does not contain any PBT or vPvB substances. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
	Other hazards	Further hazards were not determined with the current level of knowledge.	
SEC	SECTION 3: Composition / Information on ingredients		

- 3.1 Substances
  - not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 2 / 13

### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance
30 - <60	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - <15	Hydrocarbon Oil Liquid
	GHS/CLP: Asp. Tox. 1: H304
1 - <2,5	Calcium branched alkyl phenate sulphide (overbased)
	CAS: -, EINECS/ELINCS: -, EU-INDEX: -
	GHS/CLP: Aquatic Chronic 4: H413
<0,1	Phenol, dodecyl-, branched
	CAS: 121158-58-5, EINECS/ELINCS: 310-154-3, EU-INDEX: 604-092-00-9, Reg-No.: 01-2119513207-49-XXXX
	GHS/CLP: Skin Corr. 1C: H314 - Repr. 1B: H360F - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Eye Dam.
	1: H318,
	M-Factor (acute): 10, M-Factor (chronic): 10

```
Comment on component parts
```

For full text of H-statements and R-phrases: see SECTION 16. All chemical substances in this material are included on or exempted from listing on the IECSC Inventory.

## **SECTION 4: First aid measures**

4.1	1.1 Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.
4.2	2 Most important symptoms and effects, both acute and delayed	
		If swallowed or in the event of vomiting, risk of product entering the lungs.
4.3	.3 Indication of any immediate medical attention and special treatment needed	
		Treat symptomatically. Forward this sheet to your doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
-	Suitable extinguishing media	Fire extinguishing method of surrounding areas must be considered. Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet.
5.2 Special hazards arising from the substance or mixture		substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx). Hydrogen sulfide ((H2S).

# Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 3 / 13

5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water. Ensure adequate ventilation. Use personal protective equipment (protective gloves, safety glasses, protective clothing).
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols.
		Do not smoke. Fire class (DIN EN 2): B
		Wash hands before breaks and after work.
		Do not eat, drink or smoke when using this product. Use barrier skin cream.
		Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.
7.2	Conditions for safe storage, including any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.
		Keep container tightly closed. Protect from heat/overheating.
7.3	Specific end use(s)	
		See product use, SECTION 1.2

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 4 / 13

### **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

### Ingredients with occupational exposure limits to be monitored (UK)

Х
` 

Long-term exposure: 5 mg/m<sup>3</sup>, Oil mist, 84

#### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

#### DNEL

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
Industrial, inhalative (mist), Acute - systemic effects, 44,18 mg/m <sup>3</sup>
Industrial, dermal, Acute - systemic effects, 166 mg/kg bw
Industrial, dermal, Long-term - systemic effects, 0,25 mg/kg bw
general population, dermal, Long-term - systemic effects, 0,075 mg/kg bw
general population, dermal, Acute - systemic effects, 50 mg/kg bw
general population, oral, Long-term - systemic effects, 0,075 mg/kg bw
general population, inhalative (mist), Acute - systemic effects, 13,26 mg/m <sup>3</sup>
general population, inhalative (mist), Long-term - systemic effects, 0,79 mg/m <sup>3</sup>
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

PNEC

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
oil, 0,188 mg/kg
eawater, 0,0000074 mg/l
ediment (seawater), 0,0226 mg/kg
ediment (freshwater), 0,226 mg/kg
reshwater, 0,000074 mg/l
ral (food), 4 mg/kg
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
ral (food), 9,33 mg/kg

# Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0

Page 5 / 13

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. >0,11 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	>200 (ISO 2592)
Flammability	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0,01 (20°C)
Density [g/cm <sup>3</sup> ]	ca. 0,853 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	ca. 10,2 mm²/s (100°C) (DIN 51562/T1) >20,5 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 6 / 13

#### 9.2 Other information

Pour point: ca. -30°C

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

#### 10.4 Conditions to avoid

Strong acids. Strong heating, because the thermal decomposition starts from >100°C.

### 10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

#### 10.6 Hazardous decomposition products

In the case of heating following (decomposition) products may occure: Hydrogen sulfide (H2S).

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024

Version 4.0. Supersedes version: 3.0 Page

Page 7 / 13

### **SECTION 11: Toxicological information**

Product

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Based on available data, the classification criteria are not met.

ATE-mix, oral, >2000 mg/kg bw

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, oral, Rat, 2100 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Hydrocarbon Oil Liquid
LD50, oral, Rat, > 5000 mg/kg

#### Acute dermal toxicity

Based on available data, the classification criteria are not met.

### Product

ATE-mix, dermal, >2000 mg/kg bw

Substance

Phenol, dodecyl-, branched, CAS: 121158-58-5

LD50, dermal, Rabbit, 15000 mg/kg bw

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Hydrocarbon Oil Liquid

LD50, dermal, Rabbit, > 5000 mg/kg

#### Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, inhalation (vapour ), >20 mg/L

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Hydrocarbon Oil Liquid
LC50, inhalativ (mist), Rat, > 5 mg/l (4h)

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.	
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.	
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.	
Substance		
Phenol, dodecyl-, br	Phenol, dodecyl-, branched, CAS: 121158-58-5 NOAEL, oral, Rat, 60 - 100 mg/kg bw/day	
NOAEL, oral, Rat, 6		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54		

bfe00223

# Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024

Version 4.0. Supersedes version: 3.0 Pa
---

	NOAEL, dermal, Rabbit, 1000 mg/kg bw/day		
	NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air		
	LOAEL, oral, Rat, 125 mg/kg bw/day		
Mutagenicity	Based on the	available information, the classification criteria are not fulfilled.	
Reproduction tox	city Based on the	available information, the classification criteria are not fulfilled.	
- Fertility			
	Substance		
	Destillates (petroleum), hydrotreat	ed heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
	NOAEL, oral, Rat, 1000 mg/kg bw	/d (Effect on fertility), no adverse effect observed	
- Development			
	Substance		
	Destillates (petroleum), hydrotreat	ed heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
	NOAEL, oral, Rat, 1000 mg/kg bw	/d (Effect on fertility), no adverse effect observed	
Carcinogenicity	Based on the	available information, the classification criteria are not fulfilled.	
Aspiration hazard	Based on the	available information, the classification criteria are not fulfilled.	
General remarks	General remarks		
	Toxicological	data of complete product are not available.	
11.2 Information on (	Information on other hazards		
11.2.1 Endocrine of properties	properties ac	e/mixture does not contain components considered to have endocrine disrupting cording to REACH Article 57(f) or Commission Delegated regulation (EU) Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
11.2.2 Other inform	nation none		



## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0

Page 9 / 13

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
EC50, (48h), Invertebrates, 37 - 92.7 μg/L
EC50, (24h), Invertebrates, 106 μg/L
EC50, (21d), Invertebrates, 7.9 - 8.6 µg/L
EC50, (72h), Algae, 150 - 765 μg/L
EL50, (4d), fish, 40 mg/L
NOEC, (72h), Algae, 70 - 442 µg/L
NOEC, (48h), Invertebrates, 11 µg/L
NOEC, (21d), Invertebrates, 3.7 µg/L
NOELR, (4d), fish, 25 mg/L
EC0, (48h), Invertebrates, 56 μg/L
EC10, (72h), Algae, 530 - 765 μg/L
LOEC, (21d), Invertebrates, 12 μg/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Hydrocarbon Oil Liquid
LC50, fish, >100 mg/L
EC50, Daphnia magna, >10000 mg/L
EC50, (72h), Algae, >100 mg/L

#### 12.2 Persistence and degradability

Behaviour in environment compartments	
Behaviour in sewage plant	
Biological degradability	The product is not readily biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 10 / 13

#### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities. In according to RoHS!
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable

Marine transport in accordance with	not applicable
IMDG	

Air transport in accordance with IATA not applicable

## 14.2 UN proper shipping name

Transport by land according to	NO DANGEROUS GOODS	
ADR/RID		

Inland navigation (ADN) N	O DANGEROUS GOODS
---------------------------	-------------------

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

# Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 11 / 13

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 12 / 13

### **SECTION 15: Regulatory information**

15.1	.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EG (2000/532/EG ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021	
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
	- Annex I (REACH)	The product is not subject to Annex I restrictions.	
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq$ 0.1% that are subject to authorisation.	
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	not relevant	
15.2	Chemical safety assessment		
		For this product a chemical safety assessment has not been carried out.	
SEC	TION 16: Other information		
16.1	Hazard statements (SECTION 3)		

H410 Very toxic to aquatic life with long lasting effects. H400 Very toxic to aquatic life.

H360F May damage fertility. H314 Causes severe skin burns and eye damage. H413 May cause long lasting harmful effects to aquatic life.

H304 May be fatal if swallowed and enters airways.

Route

## Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2024, Revision 06.03.2024



Version 4.0. Supersedes version: 3.0 Page 13 / 13

16.2 Abbreviations and acronyms:

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

**Classification procedure** 

1.3, 2.3, 3.2, 5.1, 6.1, 8.1, 9.1, 9.2, 11.1, 11.2, 12.1, 12.6, 12.7, 15.1, 16.2, 16.3