SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date printed 15.03.2024, Revision 15.03.2024



Version 13.0. Supersedes version: 12.0 Page 1 / 11

1.1	Product identifier		
		automatic transmission fluid (ATF) Article number: 30 93 4608, 30 93 8935, 30 93 8936, 30 93 8937	
1.2	Relevant identified uses of the su	ibstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Lubricant	
122	Uses advised against		
1.2.2	uses auvised against	None known.	
1.3	Details of the supplier of the safe	-	
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6	
		42117 Wuppertal / GERMANY	
		Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000	
		Homepage www.swag.de E-mail info@swag.de	
	Address enquiries to		
	Technical information	info@swag.de	
	Safety Data Sheet	info@swag.de	
	-		
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance o	r mixture [REGULATION (GB) CLP]	
		No classification.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation CLP.	
	Hazard pictograms	none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
2.3	Other hazards		
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	
	Other hazards	No particular hazards known.	
SEC	TION 3: Composition / Information	on ingredients	
2 1	Substances		

3.1 Substances

not applicable



Version 13.0. Supersedes version: 12.0 Page 2 / 11

Date printed 15.03.2024, Revision 15.03.2024

# 3.2 Mixtures

The product is	The product is a mixture.		
Range [%] Substance			
50 - < 100			
		EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX	
	GHS/CLP: Asp. Tox. 1: H304		
Comment on c	omponent parts	For full text of H-statements: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)	
ECTION 4: First a	CTION 4: First aid measures		
.1 Description of	of first aid measures	S	
General inform	ation	Take off contaminated clothing and wash before reuse.	
Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Ingestion		Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.	
.2 Most importa	int symptoms and e	effects, both acute and delayed	
		Headache	
.3 Indication of	3 Indication of any immediate medical attention and special treatment needed		
		Treat symptomatically. Forward this sheet to your doctor.	
ECTION 5: Fire-fig	ghting measures		
5.1 Extinguishing media			
0	uishing media	Foam, dry powder, water spray jet, carbon dioxide.	
-	media that must not	Full water jet.	
.2 Special hazar	rds arising from the	e substance or mixture	
·	Ū.	Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
5.3 Advice for firefighters			
	-	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
ECTION 6: Accide	ental release measu	ures	
		a aquipment and emergency procedures	

# 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product. Forms slippery surfaces with water.

Safety Data Sheet (UK REACH) (UK)
automatic transmission fluid (ATF)
Article number 30 93 4608, 30 93 8935, 30 93 8936, 30 93 8937
SWAG Autoteile GmbH
42117 Wuppertal



Version 13.0. Supersedes version: 12.0 Page 3 / 11

Date printed 15.03.2024, Revision 15.03.2024 6.2 Environmental precautions Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. 6.3 Methods and material for containment and cleaning up Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations. Reference to other sections 6.4 See SECTION 8+13 **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Avoid formation of aerosols. Use only in well-ventilated areas. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container in a well-ventilated place. Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2



Version 13.0. Supersedes version: 12.0 Page 4 / 11

42117 Wuppertal

Date printed 15.03.2024, Revision 15.03.2024

# **SECTION 8: Exposure controls / personal protection**

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>		
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day		
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>		
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day		

#### PNEC

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
oral (food), 9.33 mg/kg food	

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	No special measures necessary.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 12.0 Page 5 / 11

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

0.1	information on baolo physical and	
	Physical state	liquid
	Form	liquid
	Color	light brown
	Odor	characteristic
	Odour threshold	No information available.
	pH-value	not applicable
	pH-value [1%]	No information available.
	Boiling point or initial boiling point and boiling range [°C]	not applicable
	Flash point [°C]	200 (EN ISO 2592)
	Flammability	No information available.
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	No information available.
	Density [g/cm <sup>3</sup> ]	0,84 15°C (DIN 51757)
	Relative density	not determined
	Bulk density [kg/m³]	not applicable
	Solubility in water	immiscible
	Solubility other solvents	No information available.
	Partition coefficient n-octanol/water (log value)	No information available.
	Kinematic viscosity	29,6 mm <sup>2</sup> /s (40°C) (DIN 53211/4)
	Relative vapour density	No information available.
	Melting point [°C]	No information available.
	Auto-ignition temperature [°C]	not applicable
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
9.2	Other information	

none

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

Strong heating.



Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 12.0 Page 6 / 11

### 10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.



Version 13.0. Supersedes version: 12.0 Page 7 / 11

# 42117 Wuppertal

Date printed 15.03.2024, Revision 15.03.2024

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

### Acute inhalational toxicity

Product inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Substance	

Oubstance		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day		
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air		
LOAEL, oral, Rat, 125 mg/kg bw/day		

Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 12.0 Page 8 / 11

11.2 Information on other hazards	
11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
11.2.2 Other information	none

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOELR, (14d), fish, 1 g/L	
LL50, (4d), Invertebrates, 10 g/L	
LL50, (4d), fish, 100 mg/L	

# 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

# 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.



Version 13.0. Supersedes version: 12.0 Page 9 / 11

42117 Wuppertal

Date printed 15.03.2024, Revision 15.03.2024

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product		
		In according to RoHS! Coordinate disposal with the authorities if necessary.	
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils	
	Contaminated packaging		
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.	
	Waste no. (recommended)	150102 150104 150110* packaging containing residues of or contaminated by hazardous substances	
SEC	SECTION 14: Transport information		
14.1	UN number or ID number		
	Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable



Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 12.0 Page 10 / 11

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

15.1	1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
	- Annex I (REACH)	The product is not subject to Annex I restrictions.	
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq$ 0.1% that are subject to authorisation.	
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\ge 0.1\%$ that are restricted.	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	not relevant	
45.0			

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.



Version 13.0. Supersedes version: 12.0 Page 11 / 11

42117 Wuppertal

Date printed 15.03.2024, Revision 15.03.2024

# **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure

**Modified position** 

none