

Safety Data Sheet

SECTION 1. Identification of the substance and of the Company/undertaking

1.1. Product identifier

Name	Fluid for Brake Systems
Code	COMLINE DOT5.1
Part number	CODOT51-1; CODOT51-4; CODOT51-5; CODOT51-20; CODOT51-60; CODOT51-200; CODOT51-1SK; CODOT51-4SK; CODOT51-5SK; CODOT51-20SK; CODOT51-60SK; CODOT51-200SK;
UFI	854A-T8HH-U00F-GF1Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main uses: Fluid for Brake Systems

All other uses are forbidden.

1.3. Details of the supplier of the safety data sheet

Company Name	Comline Auto Parts Limited
Address	Unit B1, Luton Enterprise Park, Sundon Park Road,
Location and State	Luton, LU3 3GU, England

Ph. T+44(0)1582 578 888

e-mail for the reference person for the safety data

contact@comline.uk.com

1.4. Emergency telephone number

For urgent information contact

Poison Centers (24/24 h):

Austria Poison Information Centre (AT):	+43 1 31304 5620
Belgium Poison Centre (BE):	+32 70 245 245
Croatia Poison Control (CR):	+385 1 2348 342
Czech Republic Poison Control (CS): +	+420 224 919 293, +420 224 915 402
Denmark Poison Control Hotline (DK):	+45 82 12 12 12
Estonia Poison Control (ET):	+37 2626 93 90
Finland Poison Information Centre (FI):	+35 89 471 977
France Orfila (FR):	+ 01 45 42 59 59
Germany Poison Centre Berlin (DE):	+49 03030686790 (German and English)
Greece Poison Information Center (EL):	+30 2107793777
Hungary Poison Information Service (HU):	+ 36 80 201-199
Iceland Poison Information Center: Italy	+54 3 2222
Poison Centre, Milan (IT):	+39 02 6610 1029

Latvia Poison Information Center (LV):	+37 167042473
Lithuania Poison Information Office (LT):	+370 5236 20 52 or +370 687 53 378
Luxembourg Belgian Poison Center:	+35 2 8002-5500
Netherlands National Poisons Center (NVIC):	+30 274 8888
Norway Poison Center:	+22 59 13 00
Portugal Poison Information Centre (PT):	+351 21 330 3284
Spain Poison Information Service (ES):	+34 91 562 04 20
Sweden: Information	112 – ask for Poisons information

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as dangerous according to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments). The product therefore requires a safety data sheet in compliance with the provisions of Regulation (EC) 1907/2006 and subsequent amendments. Any additional information regarding risks to health and / or the environment are given in sect. 11 and 12 of this sheet.

2.1.1 Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments).

Hazard classification of the mixture:

Eye Irrit. 2

H319

2.2. Label elements.

Hazard label for the substance(s), resulting from the application of Regulation (EC) No 1272/2008



Signal Word:

H319

Warning

Causes serious eye irritation

P264

Wash the hands thoroughly after handling

P280

Wear protective gloves and clothing, eye and face protection

P305+P351

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

+P338

P337+P313

If eye irritation persists: Get medical advice.

2.3. Other hazards.

Contains: Diethylene glycol

The physical state: Liquid



SECTION 3. Composition/information on ingredients.

3.2. Mixture.

Identification.	Conc. %	Classification 1272/2008 (CLP).
2,2' -oxybisethanol diethylene glycol		
CAS. 111-46-6 CE. 203-872-2 INDEX. 603-140-00-6 REACH Registration Number 01-2119457857-21-XXXX	5 – 10	Acute Tox. 4 – H302
2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether		
CAS. 112-34-5 CE. 203-961-6 INDEX. 603-096-00-8 REACH Registration Number 01-211947510444-XXXX	1 – 5	Eye Irrit. 2 – H319

Full text of H and EUH – phrases are available in section 16.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: In case of eye contact with the product or with oily mists, rinse with running water for at least 15 minutes. If necessary, contact your doctor.

SKIN: Wash contaminated skin with soap and water.

INHALATION: The product is not dangerous, in case of exposure to high concentration oil mists, move the patient to fresh air. If liquid is inhaled, consult a doctor.

INGESTION: Do not induce vomiting. Call a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects due to the substances contained, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Seek immediate medical attention and special treatments. Depending on the level of exposure, it is Periodic medical check-up is recommended..

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING MEDIA

Carbon dioxide, foams, powders.

UNSUITABLE EXTINGUISHING MEDIA

Water jets directly on the flames. Water can be used to cool closed containers exposed to the flame, preventing bursts and explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF A FIRE

In the event of combustion, hazardous fumes of carbon monoxide, carbon dioxide, fumes of unburnt hydrocarbons and other pyrolysis products may be generated from the mixture or from the mixture.

5.3. Advice for firefighters.

GENERAL INFORMATIONS

Cool the containers with jets of water to avoid product decomposition and the development of substances potentially hazardous for health. Always wear equipment complete with fire protection. Collect the extinguishing water which must not be discharged into the sewers. Dispose of the contaminated water used for extinguishing and the residue of the fire according to current regulations.

EQUIPMENT

Normal fire fighting clothing, such as an open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN469), flame retardant gloves (EN 659) and boots for the Fire Brigade (HO A29 or A30).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

For non-emergency personnel

Leave the accident site if you do not have devices protected by respiratory and eye protection (see section 8).

For emergency responders

Stop the leak if there is no danger. Limit the accident area. Wear protective equipment Avoid breathing vapors, mists and gases.

6.2. Environmental precautions.

Prevent the product from entering drains, surface waters, groundwater. Notify the competent authorities in case of spills / leaks.

6.3. Methods and material for containment and cleaning up.

Dike the spill area and absorb the inert materials (eg: sand); remove using suitable equipment and dispose of in containers for recovery or disposal. Remove the residue with jets of water if there are no contraindications.

Provide sufficient ventilation of the place affected by the leak. Check for any incompatibilities for container material in section 7. Disposal of contaminated material should be organized in accordance with the provisions of point 13.

6.4. Reference to other sections.

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Avoid the formation of oily mists and prevent the release of the product into the environment. Do not inhale any vapors or mists. Avoid dispersal of the product in the environment. Work in adequately ventilated areas. Avoid flames and sparks. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering areas where you eat.

7.2. Conditions for safe storage, including any incompatibilities.

Conditions for safe storage, including any incompatibilities. Keep only in the original container. Keep containers closed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, checking section 10. Do not store in open and unlabeled containers. Do not store near sources of heat, sparks, flames or strong oxidants.

7.3. Specific end use(s).

See annex 1 of the safety data sheets.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Reference:

OEL EU	Directive 2009/161/UE; Directive 2006/15/CE; Directive 2004/37/CE; Directive 2000/39/CE; Directive 2017/164/UE; Directive 2017/2398/UE
TLV-ACGIH	ACGIH 2019
ECHA	REACH Registration Dossier

2,2' -oxybisethanol diethylene glycol						
Threshold limit value.						
Type	State	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Note*
DNEL Workers	UE	44				Long term exposure - Inhalation
DNEL Workers	UE	43 mg/kg/day				Long term exposure - Dermal
DNEL General Population	UE	12 mg/kg/day				Long term exposure - Inhalation
2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether						
Threshold limit value.						
Type	State	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Note*
TLV-ACGIH	US	66	10	-		Blood, Liver
VLEP – 81/08	ITA	50.1	10	101.2	15	Cute
DNEL Workers	UE	67.5				Long term exposure - Inhalation
DNEL Workers	UE	83 mg/kg/day				Long term exposure - Dermal
DNEL General Population	UE	40.5 mg/kg/day				Long term exposure - Inhalation

8.2. Exposure controls.

Considering that the use of adequate technical measures should always have priority over personal protective equipment, make sure that you have good ventilation in the workplace through effective local extraction.

Activities involving the use of chemicals must be assessed for health risks to ensure adequate exposure control. The use of personal protective equipment should only be considered after appropriately assessing the other control measures (e.g. engineering controls). The personal protective equipment must comply with the appropriate standards, suitable for the specific use, maintained in good condition and subjected to correct maintenance. For the choice of personal protective equipment, if necessary ask for advice from your chemical suppliers and check that the individual protection devices must bear the CE marking which certifies their compliance with the standards in force. Absolute ban on consuming or taking food or drinks in the workplace.

HAND PROTECTION

The substances contained in the article are not dangerous for skin contact, however in case of prolonged contact it is advisable to protect the hands with work gloves made of nitrile, butyl rubber or neoprene resistant to penetration (ref. Standard EN 374). Gloves with a minimum breakthrough time of 240 minutes or > 480 minutes if suitable gloves can be found. Wash your hands after using the product or when finished.

EYE PROTECTION

In the event of dust formation during the use of the product, it is recommended to wear airtight protective goggles (ref. Standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (eg TLV-TWA) of the substance or one or more of the substances present in the product is exceeded, it is advisable to wear a mask with filter type P for powder and for organic vapors of type A whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use. (ref. Standard Half face filtering mask: EN 149, Half face filtering mask with valve: EN 405, Half face mask: EN 140 plus filter, Full mask: EN 136 plus filter, Particulate filters: EN 143, Gas / combined filters: EN 14387)

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Physical state	Liquid.
Color	Amber.
Odour	Typical.
Odour threshold	Not applicable.
pH.	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point	>265°C
Boiling range	
Flash point	>100°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower flammability limits	Not available.
Upper flammability limits	Not available.
Lower explosive limits	Not available.
Upper explosive limits	Not available.
Vapour pressure	< 0.01 hPa
Vapour density	>2.
Relative density	1,010-1.060 Kg/l
Solubility	Negligible.

Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	>350°C
Decomposition temperature	Not available.
Viscosity at 40°C	Not available
Viscosity at 100°C	Not available
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information.

Complete miscibility, in hydrocarbons and in most organic solvents.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

Non reactive.

10.2. Chemical stability.

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

None

10.4. Conditions to avoid.

Avoid exposing the product, especially if in closed containers, sources of intense heat. Avoid overheating, open flames and sparks.

10.5. Incompatible materials.

Strong oxidizing agents.

10.6. Hazardous decomposition products.

None.

SECTION 11. Toxicological information.

11.1. Toxicological information.

The health hazards of the product have been assessed for the substances contained, according to the criteria established by the reference legislation for classification. Therefore consider the concentration of the single dangerous substances eventually mentioned in sect. 3, to evaluate the toxicological effects deriving from exposure to the product.

a) *Acute toxicity;*

The product is not classified for this hazard class.

2,2' -oxybisethanol diethylene glycol

- LD50 (Oral). 12565 mg/kg Rat
- LD50 (Dermal). 11890 mg/kg Rabbit

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether

- LD50 (Oral). 3384 mg/kg Rat
- LD50 (Dermal). 2700 mg/kg Rabbit

b) Skin corrosion / irritation;

The product is not classified for this hazard class.

c) Serious eye damage / serious eye irritation;

The product as irritant in case of eye contact.

d) Respiratory or skin sensitization;

The product is not classified for this hazard class.

e) Germ cell mutagenicity;

The product is not classified for this hazard class.

f) Carcinogenicity;

The product is not classified as cangerogen by oral, dermal or inhalation exposure (OECD 453).

g) Reproductive toxicity;

The product is not classified as toxic for reproduction (OECD 421)

h) Specific target organ toxicity (STOT) - single exposure;

The product is not classified for this hazard class.

i) Specific target organ toxicity (STOT) - repeated exposure;

The product is not classified for this hazard class.

j) Aspiration hazard;

The product is not classified for this hazard class.

SECTION 12. Ecological information.

The product is not dangerous for the environment and does not present a high toxicity for aquatic organisms with long-term negative effects for the aquatic environment.

12.1. Toxicity.

2,2' -oxybisethanol diethylene glycol

- LC50 (96h) > 75 g/l Fish

12.2. Persistence and degradability.

The product is biodegradable; moderately persistent, especially in anaerobic conditions

12.3. Bioaccumulative potential.

Bioavailability for aquatic organisms is minimal and therefore bioaccumulation appears unlikely.

12.4. Mobility in soil.

Information not available.



12.5. Results of PBT and vPvB assessment.

The product does not contain PBT or vPvB substances in a percentage higher than 0.1%.

12.6. Other adverse effects .

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

The hazardousness of the waste must be assessed on the basis of the current laws.

Disposal must be entrusted to a company authorized to manage waste, in compliance with national and possibly local regulations.

Absolutely avoid dispersing the product in the ground, in sewers or waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in compliance with national waste management rules and must not be abandoned after use. Dispose of safely according to local and national regulations in force. Do not cut, weld, puncture, burn or incinerate containers or drums without having been reclaimed and declared safe.

SECTION 14. Transport information.

The product is not dangerous under current provisions governing the transport of dangerous goods by road (A.D.R.) and by Rail (RID), by sea (IMDG Code) and by air (IATA).

14.1 UN number; 14.2. UN proper shipping name; 14.3. Transport hazard class(es); 14.4. Packing group; 14.5. Environmental hazards; 14.6. Special precautions for user.

Non applicabile

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category. None

Restrictions for the substances contained according to Annex XVII Regulation (EC) 1907/2006.

Product.

Point 3

Substance in Candidate List (Art. 59 REACH).

None

Substance under authorization (Annex XIV REACH).

None

Sostanze subject to export notification obligation Reg. (CE) 649/2012:

None

Substances under to the Rotterdam Convention:

None

Substances under to the Rotterdam Convention:

None.

Other UE Regulation

None.

15.2. Chemical safety assessment .

A chemical safety assessment has been realized for the substances contained in the mixture.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox 4	Harmful if swallowed
H302	Harmful if swallowed
Eye Irrit 2	Causes serious eye irritation
H319	Causes serious eye irritation

LEGEND:

- ADR: European agreement for the transport of dangerous goods
- CAS NUMBER: Chemical Abstract Service number
- CE50: Concentration that gives effect to 50% of the population subject to testing
- CE NUMBER: Identification number in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived no effect level
- EmS: Emergency Schedule
- GHS: Global harmonized system for the classification and labeling of chemical products
- IATA DGR: Regulations for the transport of dangerous goods of the International Air Transport Association
- IC50: Immobilization concentration of 50% of the test population
- IMDG: International maritime code for the transport of dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of the CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%

- OEL: Occupational exposure level
- PBT: Persistent, bioaccumulating and toxic according to REACH
- PEC: Predictable environmental concentration
- PEL: Predictable level of exposure
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulations for the international transport of dangerous goods by train
- TLV: Threshold limit value
- TLV CEILING: Concentration that must not be exceeded during any moment of the work exposure.
- TWA STEL: Short term exposure limit
- TWA: Weighted average exposure limit
- VOC: Volatile organic compound
- vPvB: Very persistent and very bioaccumulating according to REACH
- WGK: Aquatic hazard class (Germany).

GENERAL BIBLIOGRAPHY:

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
3. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)
4. Regulation (EC) 286/2011 of the European Parliament (II Atp. CLP)
5. Regulation (EC) 618/2012 of the European Parliament (III Atp. CLP)
6. Regulation (EU) no. 487/2013 of the Commission (IV Atp. CLP)
7. Regulation (EU) no. 944/2013 of the Commission (V Atp. CLP)
8. Regulation (EU) no. 605/2014 of the Commission (VI Atp. CLP)
9. Commission Regulation (EU) 2015/1221 (VII Atp. CLP)
10. Commission Regulation (EU) 2016/918 (VIII Atp. CLP)
11. Commission Regulation (EU) 2016/1179 (IX Atp. CLP)
12. Commission Regulation (EU) 2017/776 (X Atp. CLP)
13. Commission Regulation (EU) 2018/669 (XI Atp. CLP)
14. Commission Regulation (EU) 2018/1480 (XIII Atp. CLP)
15. Commission Regulation (EU) 2019/521 (XII Atp. CLP)
16. The Merck Index. Ed.10
17. Handling Chemical Safety
18. Niosh - Registry of Toxic Effects of Chemical Substances
19. ECHA Agency website

Note for the user:

The information contained in this sheet is based on the knowledge available from us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document must not be interpreted as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, it is the user's obligation to observe the laws and regulations in force on hygiene and safety under his own responsibility. No liability is assumed for improper use.

Provide adequate training to personnel involved in the use of chemicals.

Revision n.2