




P10

workshop tool trolley
with 370 tools for 6 drawers
810.6370


Workshop trolley P10

with 8 compartments

873.0008

THE ENTRY MODEL TO SATISFY HIGH STANDARDS





DUO Lock Brilliant locking system




Eight drawers each load capacity up to 50 kg



Stable **ball bearing**



Stainless steel surface



Lock lockable



Anti-static castors with brakes






Integrated **corner protection**



Paper roll holder included



Can holder included




P10 workshop tool trolley set with 370 tools for 6 drawers

810.6370



M



Screwdriver set in foam insert

811.0024




1/4" + 3/8" socket spanner set in foam insert

811.0148



1/2" socket spanner set in foam insert

811.1095



Screw spanner set in foam insert

811.0053



Pliers and file set in foam insert

811.0019



Hammer and chisel set in foam insert

811.0022

811.0024

M Screwdriver set



568 x 398

P10

P10TC



P15

P20

P30

P35

P45



Pos.	Code	Description	pcs
1	911.8102	Pry bar, 15 x 185 mm	1
2	911.8101	Pry bar, 11 x 115 mm	1
3	159.1133	ERGOTORQUEplus screwdriver, Torx, T5	1
4	159.1134	ERGOTORQUEplus screwdriver, Torx, T6	1
5	159.1135	ERGOTORQUEplus screwdriver, Torx, T7	1
6	159.1030	ERGOTORQUEplus screwdriver, Torx, T8	1
7	159.1031	ERGOTORQUEplus screwdriver, Torx, T9	1
8	159.1032	ERGOTORQUEplus screwdriver, Torx, T10	1
9	159.1033	ERGOTORQUEplus screwdriver, Torx, T15	1
10	159.1034	ERGOTORQUEplus screwdriver, Torx, T20	1
11	159.1035	ERGOTORQUEplus screwdriver, Torx, T25	1
12	159.1036	ERGOTORQUEplus screwdriver, Torx, T27	1
13	159.1037	ERGOTORQUEplus screwdriver, Torx, T30	1
14	159.1038	ERGOTORQUEplus screwdriver, Torx, T40	1
15	159.1024	ERGOTORQUEplus screwdriver, Torx, PH3, 265 mm	1
16	159.1022	ERGOTORQUEplus screwdriver, Torx, PH2, 230 mm	1
17	159.1020	ERGOTORQUEplus screwdriver, Torx, PH1, 180 mm	1
18	159.1027	ERGOTORQUEplus screwdriver, Torx, PH0, 155 mm	1
19	159.1002	ERGOTORQUEplus screwdriver for slotted screws, 3 mm, 155 mm	1
20	159.1112	ERGOTORQUEplus screwdriver for slotted screws, 3,5 mm, 180 mm	1
21	159.1004	ERGOTORQUEplus screwdriver for slotted screws, 4 mm, 180 mm	1
22	159.1006	ERGOTORQUEplus screwdriver for slotted screws, 5,5 mm, 230 mm	1
23	159.1009	ERGOTORQUEplus screwdriver for slotted screws, 6,5 mm, 255 mm	1
24	159.1011	ERGOTORQUEplus screwdriver for slotted screws, 8 mm, 315 mm	1

M 1/4" + 3/8" socket spanner set



Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
1	911.3965	3/8" Bit socket Torx tamperproof, TB30	1	26	911.3889	3/8" Bit socket Torx, T60	1	51	917.3819	3/8" Hexagonal socket, 19 mm	1
2	911.3966	3/8" Bit socket Torx tamperproof, TB40	1	27	917.3921	3/8" RIBE" Bit socket, M4	1	52	911.1418	1/4" Bit socket slot, 4 mm	1
3	911.3967	3/8" Bit socket Torx tamperproof, TB45	1	28	917.3922	3/8" RIBE" Bit socket, M5	1	53	911.1419	1/4" Bit socket slot, 5,5 mm	1
4	911.3968	3/8" Bit socket Torx tamperproof, TB50	1	29	917.3923	3/8" RIBE" Bit socket, M6	1	54	917.1421	1/4" Bit socket slot, 6,5 mm	1
5	911.3969	3/8" Bit socket Torx tamperproof, TB55	1	30	917.3924	3/8" RIBE" Bit socket, M7	1	55	917.1541	1/4" Bit socket spline (XZN), M4	1
6	911.3970	3/8" Bit socket Torx tamperproof, TB60	1	31	917.3925	3/8" RIBE" Bit socket, M8	1	56	917.1542	1/4" Bit socket spline (XZN), M5	1
7	911.3916	3/8" Bit socket spline (XZN), M6	1	32	917.3926	3/8" RIBE" Bit socket, M9	1	57	917.1543	1/4" Bit socket spline (XZN), M6	1
8	911.3917	3/8" Bit socket spline (XZN), M8	1	33	917.3927	3/8" RIBE" Bit socket, M10	1	58	917.1545	1/4" Bit socket spline (XZN), M8	1
9	917.3901	3/8" Bit socket spline (XZN), M9	1	34	917.3928	3/8" RIBE" Bit socket, M12	1	59	911.1436	1/4" Bit socket hexagon, 3 mm	1
10	911.3920	3/8" Bit socket spline (XZN), M10	1	35	911.3892	Adaptor, 3/8" Fx1/2" M	1	60	911.1437	1/4" Bit socket hexagon, 4 mm	1
11	917.3903	3/8" Bit socket spline (XZN), M12	1	36	911.3826	3/8" Sliding / reducing adaptor, 1/2" F x 3/8" M	1	61	911.1438	1/4" Bit socket hexagon, 5 mm	1
12	911.3866	3/8" Bit socket hexagon, 6 mm	1	37	911.4342	3/8" Torx E Socket, E8	1	62	911.14385	1/4" Bit socket hexagon, 5,5 mm	1
13	911.3867	3/8" Bit socket hexagon, 7 mm	1	38	911.4318	3/8" Torx E Socket, E10	1	63	911.1439	1/4" Bit socket hexagon, 6 mm	1
14	911.3868	3/8" Bit socket hexagon, 8 mm	1	39	911.4319	3/8" Torx E Socket, E11	1	64	911.1440	1/4" Bit socket hexagon, 7 mm	1
15	917.3969	3/8" Bit socket hexagon, 9 mm	1	40	911.4320	3/8" Torx E Socket, E12	1	65	911.1441	1/4" Bit socket hexagon, 8 mm	1
16	917.3857	3/8" Bit socket hexagon, 10 mm	1	41	911.4321	3/8" Torx E Socket, E14	1	66	911.1401	1/4" Bit socket, PZ1	1
17	911.3862	3/8" Bit socket hexagon, 12 mm	1	42	917.3810	3/8" Hexagonal socket, 10 mm	1	67	911.1402	1/4" Bit socket, PZ2	1
18	911.3897	Reducing adaptor, 3/8" Fx1/4" M	1	43	917.3811	3/8" Hexagonal socket, 11 mm	1	68	911.1403	1/4" Bit socket, PZ3	1
19	911.3871	3/8" Bit socket Torx, T25	1	44	917.3812	3/8" Hexagonal socket, 12 mm	1	69	917.1578	1/4" Torx Plus bit socket 8IPR	1
20	911.3872	3/8" Bit socket Torx, T27	1	45	917.3813	3/8" Hexagonal socket, 13 mm	1	70	911.1701	1/4" Bit socket five star tamperproof, TS10	1
21	911.3873	3/8" Bit socket Torx, T30	1	46	917.3814	3/8" Hexagonal socket, 14 mm	1	71	911.1702	1/4" Bit socket five star tamperproof, TS15	1
22	911.3874	3/8" Bit socket Torx, T40	1	47	917.3815	3/8" Hexagonal socket, 15 mm	1	72	911.1703	1/4" Bit socket five star tamperproof, TS20	1
23	911.3885	3/8" Bit socket Torx, T45	1	48	917.3816	3/8" Hexagonal socket, 16 mm	1	73	911.1704	1/4" Bit socket five star tamperproof, TS25	1
24	911.3884	3/8" Bit socket Torx, T50	1	49	917.3817	3/8" Hexagonal socket, 17 mm	1	74	911.1705	1/4" Bit socket five star tamperproof, TS27	1
25	911.3888	3/8" Bit socket Torx, T55	1	50	917.3818	3/8" Hexagonal socket, 18 mm	1	75	911.1706	1/4" Bit socket five star tamperproof, TS30	1

Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
76	911.1707	1/4" Bit socket five star tamperproof, TS40	1	101	911.1444	1/4" Bit socket Torx, T20	1	126	150.4370	perfectLight torch 85 lumen	1
77	911.1708	1/4" Bit socket five star tamperproof, TS45	1	102	911.1445	1/4" Bit socket Torx, T25	1	127	517.0338	Double-joint-spanner for 1/4" and 3/8" sockets	1
78	911.1709	1/4" Bit socket five star tamperproof, TS50	1	103	911.1449	1/4" Bit socket Torx, T27	1	128	911.1434	1/4" Square drive screwdriver, 150 mm	1
79	911.1494	Adaptor, 1/4"xM3/8"F	1	104	911.1446	1/4" Bit socket Torx, T30	1	129	911.3990	3/8" Special spark plug socket, thin-walled, 14 mm	1
80	911.1482	1/4" Bit socket, PH0	1	105	911.1447	1/4" Bit socket Torx, T40	1	130	911.3804	3/8" Spark plug socket, 16 mm	1
81	911.1415	1/4" Bit socket, PH1	1	106	514.1106	Socket adaptor, 1/4"x1/4"	1	131	911.3823	3/8" Spark plug socket, 18 mm	1
82	911.1416	1/4" Bit socket, PH2	1	107	911.0101	1/4" socket with magnet	1	132	911.3805	3/8" Spark plug socket, 21 mm	1
83	911.1417	1/4" Bit socket, PH3	1	108	911.4313	1/4" Torx E Socket, E4	1	133	911.1424	1/4" Extension with hexagon drive, 100 mm	1
84	917.1456	1/4" Bit socket Torx tamperproof, TB6	1	109	911.4314	1/4" Torx E Socket, E5	1	134	911.1423	1/4" Extension with hexagon drive, 50 mm	1
85	917.1457	1/4" Bit socket Torx tamperproof, TB7	1	110	911.4315	1/4" Torx E Socket, E6	1	135	911.1451	1/4" Extension with hexagon drive, 150 mm	1
86	911.1461	1/4" Bit socket Torx tamperproof, TB8	1	111	911.4316	1/4" Torx E Socket, E7	1	136	911.1450	1/4" Universal joint	1
87	911.1485	1/4" Bit socket Torx tamperproof, TB9	1	112	911.4317	1/4" Torx E Socket, E8	1	137	911.1543	1/4" Wobble extension with hexagon drive, 250 mm	1
88	911.1462	1/4" Bit socket Torx tamperproof, TB10	1	113	911.4332	1/4" Torx E Socket, E10	1	138	911.3802	3/8" Extension with knurling, 150 mm	1
89	911.1463	1/4" Bit socket Torx tamperproof, TB15	1	114	917.1404	1/4" Hexagonal socket, 4 mm	1	139	911.3801	3/8" Extension with knurling, 75 mm	1
90	911.1464	1/4" Bit socket Torx tamperproof, TB20	1	115	917.14045	1/4" Hexagonal socket, 4,5 mm	1	140	911.3856	3/8" Extension with knurling, 200 mm	1
91	911.1465	1/4" Bit socket Torx tamperproof, TB25	1	116	917.1405	1/4" Hexagonal socket, 5 mm	1	141	911.3850	3/8" Universal joint	1
92	911.1466	1/4" Bit socket Torx tamperproof, TB27	1	117	917.14055	1/4" Hexagonal socket, 5,5 mm	1	142	920.1490	1/4" SlimPOWER Reversible ratchet, 72 teeth	1
93	911.1467	1/4" Bit socket Torx tamperproof, TB30	1	118	917.1406	1/4" Hexagonal socket, 6 mm	1	142	911.4884	Extension, 3/8", 450 mm	1
94	911.1468	1/4" Bit socket Torx tamperproof, TB40	1	119	917.1407	1/4" Hexagonal socket, 7 mm	1	143	914.1410	Mini hand reversible ratchet, 1/4", 72 teethh	1
95	911.4407	1/4" Bit socket Torx, T6	1	120	917.1408	1/4" Hexagonal socket, 8 mm	1	144	914.3810	Mini hand reversible ratchet, 3/8", 72 teethh	1
96	911.4362	1/4" Bit socket Torx, T7	1	121	917.1409	1/4" Hexagonal socket, 9 mm	1	146	914.1425	Twister-ratchet-handle, 1/4", 60 teeth	1
97	911.1448	1/4" Bit socket Torx, T8	1	122	917.1410	1/4" Hexagonal socket, 10 mm	1	147	920.3890	3/8" SlimPOWER Reversible ratchet, 72 teeth	1
98	911.1478	1/4" Bit socket Torx, T9	1	123	917.1411	1/4" Hexagonal socket, 11 mm	1	148	914.3825	Twister-ratchet-handle, 3/8", 60 teeth	1
99	911.1442	1/4" Bit socket Torx, T10	1	124	917.1412	1/4" Hexagonal socket, 12 mm	1				
100	911.1443	1/4" Bit socket Torx, T15	1	125	917.1413	1/4" Hexagonal socket, 13 mm	1				

811.1095

M 1/2" Socket spanner set



Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
1	911.1306	1/2" Bit socket hexagon, short, 6 mm	1	17	911.4514	Bit socket for RIBE screws, M8, length 55 mm	1	32	911.1370	1/2" Bit socket Torx, T70	1
2	911.1307	1/2" Bit socket hexagon, short, 7 mm	1	18	911.4515	Bit socket for RIBE screws, M9, length 55 mm	1	33	911.1340	1/2" Bit socket spline (XZN), M5, 55 mm	1
3	911.1308	1/2" Bit socket hexagon, short, 8 mm	1	19	911.4516	Bit socket for RIBE screws, M10, length 55 mm	1	34	911.1341	1/2" Bit socket spline (XZN), M6, 55 mm	1
4	911.1309	1/2" Bit socket hexagon, short, 9 mm	1	20	911.4551	Bit socket for RIBE screws, M10.1, length 55 mm	1	35	911.1342	1/2" Bit socket spline (XZN), M8, 55 mm	1
5	911.1310	1/2" Bit socket hexagon, short, 10 mm	1	21	911.4517	Bit socket for RIBE screws, M12, length 55 mm	1	36	911.1313	1/2" Bit socket spline (XZN), M9, 55 mm	1
6	911.1312	1/2" Bit socket hexagon, short, 12 mm	1	22	911.4518	Bit socket for RIBE screws, M13, length 55 mm	1	37	911.1343	1/2" Bit socket spline (XZN), M10, 55 mm	1
7	911.1314	1/2" Bit socket hexagon, short, 14 mm	1	23	911.4519	Bit socket for RIBE screws, M14, length 55 mm	1	38	911.1344	1/2" Bit socket spline (XZN), M12, 55 mm	1
8	911.1317	1/2" Bit socket hexagon, short, 17 mm	1	24	911.1348	1/2" Bit socket spline (XZN) tamperproof, M16, 55 mm	1	39	911.1345	1/2" Bit socket spline (XZN), M14, 55 mm	1
9	911.1373	1/2" Bit socket Torx tamperproof, TB27	1	25	911.1363	1/2" Bit socket Torx, T27	1	40	911.1346	1/2" Bit socket spline (XZN), M16, 55 mm	1
10	911.1374	1/2" Bit socket Torx tamperproof, TB30	1	26	911.1364	1/2" Bit socket Torx, T30	1	41	911.5306	1/2" Bit socket spline (XZN), M17, 55 mm	1
11	911.1375	1/2" Bit socket Torx tamperproof, TB40	1	27	911.1365	1/2" Bit socket Torx, T40	1	42	911.4335	1/2" Torx E Socket, E12	1
12	911.1376	1/2" Bit socket Torx tamperproof, TB45	1	28	911.1366	1/2" Bit socket Torx, T45	1	43	911.4336	1/2" Torx E Socket, E14	1
13	911.1377	1/2" Bit socket Torx tamperproof, TB50	1	29	911.1367	1/2" Bit socket Torx, T50	1	44	911.4322	1/2" Torx E Socket, E16	1
14	911.1378	1/2" Bit socket Torx tamperproof, TB55	1	30	911.1368	1/2" Bit socket Torx, T55	1	45	911.4323	1/2" Torx E Socket, E18	1
15	911.1379	1/2" Bit socket Torx tamperproof, TB60	1	31	911.1369	1/2" Bit socket Torx, T60	1	46	911.4324	1/2" Torx E Socket, E20	1
16	911.1380	1/2" Bit socket Torx tamperproof, TB70	1					47	911.4325	1/2" Torx E Socket, E22	1


Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
48	911.4326	1/2" Torx E Socket, E24	1	64	917.1343	1/2" Hexagonal socket, 26 mm	1	80	911.0909	1/2" Impact bit socket, hexagon, short, 17 mm	1
49	917.1210	1/2" Hexagonal socket, 10 mm	1	65	917.1227	1/2" Hexagonal socket, 27 mm	1	81	911.0911	1/2" Impact bit socket, hexagon, short, 19 mm	1
50	917.1211	1/2" Hexagonal socket, 11 mm	1	66	917.1344	1/2" Hexagonal socket, 28 mm	1	82	515.0992	SlimPOWER 1/2"Alloy rim impact socket, 17 mm	1
51	917.1212	1/2" Hexagonal socket, 12 mm	1	67	917.1230	1/2" Hexagonal socket, 30 mm	1	83	515.0993	SlimPOWER 1/2"Alloy rim impact socket, 19 mm	1
52	917.1213	1/2" Hexagonal socket, 13 mm	1	68	917.1232	1/2" Hexagonal socket, 32 mm	1	84	515.0994	SlimPOWER 1/2"Alloy rim impact socket, 21 mm	1
53	917.1214	1/2" Hexagonal socket, 14 mm	1	69	515.1010	1/2" Hexagon impact socket short, 10 mm	1	85	150.1705	Special drive shaft impact socket, 1/2", 30 mm	1
54	917.1215	1/2" Hexagonal socket, 15 mm	1	70	515.1011	1/2" Hexagon impact socket short, 11 mm	1	86	150.1706	Special drive shaft impact socket, 1/2", 32 mm	1
55	917.1216	1/2" Hexagonal socket, 16 mm	1	71	515.1012	1/2" Hexagon impact socket short, 12 mm	1	87	150.1704	Special drive shaft impact socket, 1/2", 34 mm	1
56	917.1217	1/2" Hexagonal socket, 17 mm	1	72	515.1013	1/2" Hexagon impact socket short, 13 mm	1	88	150.1707	Special drive shaft impact socket, 1/2", 36 mm	1
57	917.1218	1/2" Hexagonal socket, 18 mm	1	73	515.1014	1/2" Hexagon impact socket short, 14 mm	1	89	515.1133	1/2" Impact universal ball joint	1
58	917.1219	1/2" Hexagonal socket, 19 mm	1	74	515.1015	1/2" Hexagon impact socket short, 15 mm	1	90	911.1250	1/2" Universal joint	1
59	917.1220	1/2" Hexagonal socket, 20 mm	1	75	515.1016	1/2" Hexagon impact socket short, 16 mm	1	91	911.1202	1/2" Extensions, 125 mm	1
60	917.1221	1/2" Hexagonal socket, 21 mm	1	76	515.1017	1/2" Hexagon impact socket short, 17 mm	1	92	911.1381	Wobble extension, 1/2", 50 mm	1
61	917.1222	1/2" Hexagonal socket, 22 mm	1	77	515.1018	1/2" Hexagon impact socket short, 18 mm	1	93	911.1203	1/2" Extensions, 250 mm	1
62	917.1223	1/2" Hexagonal socket, 23 mm	1	78	515.1019	1/2" Hexagon impact socket short, 19 mm	1	94	920.1290	1/2" SlimPOWER Reversible ratchet, 72 teeth	1
63	917.1224	1/2" Hexagonal socket, 24 mm	1	79	911.0908	1/2" Impact bit socket, hexagon, short, 14 mm	1	95	917.1455	1/2" Flexi head drive handle	

811.0053

M Screw spanner set



Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
1	517.0606	Combination spanners, offset, 6 mm	1	12	517.0617	Combination spanners, offset, 17 mm	1	22	911.0373	Double ring spanner for Torx E profile, E10 x E12	1
2	517.0607	Combination spanners, offset, 7 mm	1	13	517.0618	Combination spanners, offset, 18 mm	1	23	911.0374	Double ring spanner for Torx E profile, E14 x E18	1
3	517.0608	Combination spanners, offset, 8 mm	1	14	517.0619	Combination spanners, offset, 19 mm	1	24	911.0375	Double ring spanner for Torx E profile, E16 x E22	1
4	517.0609	Combination spanners, offset, 9 mm	1	15	517.0620	Combination spanners, offset, 20 mm	1	25	911.0376	Double ring spanner for Torx E profile, E20 x E24	1
5	517.0610	Combination spanners, offset, 10 mm	1	16	517.0621	Combination spanners, offset, 21 mm	1	26	517.0252	Open double ring spanner, offset, 8 x 10 mm	1
6	517.0611	Combination spanners, offset, 11 mm	1	17	517.0622	Combination spanners, offset, 22 mm	1	27	517.9244	Open double ring spanner, offset, 11 x 13 mm	1
7	517.0612	Combination spanners, offset, 12 mm	1	18	517.0623	Combination spanners, offset, 23 mm	1	28	517.0258	Open double ring spanner, offset, 12 x 14 mm	1
8	517.0613	Combination spanners, offset, 13 mm	1	19	517.0624	Combination spanners, offset, 24 mm	1	29	517.0263	Open double ring spanner, offset, 16 x 18 mm	1
9	517.0614	Combination spanners, offset, 14 mm	1	20	911.0371	Double ring spanner for Torx E profile, E6 x E8	1	30	517.0264	Open double ring spanner, offset, 17 x 19 mm	1
10	517.0615	Combination spanners, offset, 15 mm	1	21	911.0372	Double ring spanner for Torx E profile, E7 x E11	1				
11	517.0616	Combination spanners, offset, 16 mm	1								




Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
31	517.0266	Open double ring spanner, offset, 19 x 22 mm	1	39	503.4615	GEARplus reversing combination ratcheting spanner, 15 mm	1	47	503.4298	GEARplus socket adaptor, 1/2" x 19 mm	1
32	503.4608	GEARplus reversing combination ratcheting spanner, 8 mm	1	40	503.4616	GEARplus reversing combination ratcheting spanner, 16 mm	1	48	517.0301	Double revolving head spanner, 8 x 9 mm	1
33	503.4609	GEARplus reversing combination ratcheting spanner, 9 mm	1	41	503.4617	GEARplus reversing combination ratcheting spanner, 17 mm	1	49	517.0302	Double revolving head spanner, 10 x 11 mm	1
34	503.4610	GEARplus reversing combination ratcheting spanner, 10 mm	1	42	503.4618	GEARplus reversing combination ratcheting spanner, 18 mm	1	50	517.0303	Double revolving head spanner, 12 x 13 mm	1
35	503.4611	GEARplus reversing combination ratcheting spanner, 11 mm	1	43	503.4619	GEARplus reversing combination ratcheting spanner, 19 mm	1	51	517.0304	Double revolving head spanner, 14 x 15 mm	1
36	503.4612	GEARplus reversing combination ratcheting spanner, 12 mm	1	44	503.4290	GEARplus bit adaptor, 1/4" x 10 mm	1	52	517.0305	Double revolving head spanner, 16 x 17 mm	1
37	503.4613	GEARplus reversing combination ratcheting spanner, 13 mm	1	45	503.4296	GEARplus socket adaptor, 1/4" x 10 mm	1	53	517.0306	Double revolving head spanner, 18 x 19 mm	1
38	503.4614	GEARplus reversing combination ratcheting spanner, 14 mm	1	46	503.4297	GEARplus socket adaptor, 3/8" x 13 mm	1				

811.0019

M Pliers and file set



Pos.	Code	Description	pcs
1	157.0405	Tri-bastard file, form C, cut 2, 200 mm	1
2	157.0105	Halfround file, form E, cut 2, 20 mm	1
3	157.0005	Flat file, form B, cut 2, 200 mm	1
4	157.0205	Round file, form F, cut 2, 200 mm	1
5	907.2166	Snap off blades 0,5 x1 8 x 100 mm, dispenser with 10 pieces	10
6	300.0114	Tape measure with locking device and belt clip, black red, 5 m, 19 mm	1
7	300.0510	Pocket vernier calliper 0-150 mm, 235 mm	1
8	300.0600	Feeler gauge, 20 Blades, 0,05-1 mm	1
9	907.2135	Universal snap off blade knife 18 mm	1
10	115.1033	Self grip wrench, 220 mm	1
11	115.2010	Water pump pliers, 240 mm	1
12	500.1026	Circlip pliers for external circlips, angled, 160 mm	1
13	500.1029	Circlip pliers for external circlips, 160 mm	1
14	500.1032	Circlip pliers for internal circlips, angled, 160 mm	1
15	500.1035	Circlip pliers for internal circlips, 160 mm	1
16	115.1012	ERGOTORQUE diagonal side cutter, 160 mm	1
17	115.1021	ERGOTORQUE combination pliers, 180 mm	1
18	115.1019	ERGOTORQUE bent nose pliers serrated, 210 mm	1
19	115.1024	ERGOTORQUE long nose pliers serrated cutter, 200 mm	1



811.0022

M Hammer and chisel set



568 x 398



P10



P10TC



P15



P20



P30




P35



P45



Pos.	Code	Description	pcs
1	911.8138	Trim plastic wedge, 195 x 30 mm	1
2	140.5252	Recoil free soft faced Hammer, 400 g	1
3	142.1402	Fitters Hammer, fibreglas handle, 400 g	1
4	142.5101	Club Hammer, fibreglas handle, 1000 g	1
5	550.1025	Flexible magnet lifter, 510 mm, Øhead=15 mm	1
6	550.1001	2in1 Telescopic solenoid holder with washer jet cleaning and setting tool, 150 - 675 mm	1
7	150.4370	perfectLight torch 85 lumen	1
8	911.8146	Tyre lever, 370 mm	1
9	201.2335	Steel wire brake saddle brush, 2-row, straight 225 mm	1
10	156.0241	Flat chisel, octagon, 20 mm	1
11	156.0254	Flat chisel, octagon, 18 mm	1
12	156.0242	Cross chisel, octagon, 7 mm	1
13	156.0243	Centre punch, octagon 10 mm	1
14	156.0244	Punch, Ø 5 mm, conical	1
15	156.0238	Punch, Ø 4 mm, conical	1
16	156.0237	Punch, Ø 3 mm, conical	1
17	156.0231	Pin punch, Ø 3 mm, cylindrical shaft	1
18	156.0232	Pin punch, Ø 4 mm, cylindrical shaft	1
19	156.0233	Pin punch, Ø 5 mm, cylindrical shaft	1
20	156.0234	Pin punch, Ø 6 mm, cylindrical shaft	1
21	156.0235	Pin punch, Ø 8 mm, cylindrical shaft	1
22	907.2232	Gasket scraper, 25 x 200 mm	1



INDIVIDUAL PARTS LIST

14 PERFORMANCE PLUS



873.7014-R101P...R200P
Replacement key for lock number xyz



873.7014-R201P...R300P
Lock with 2 keys for lock number xyz



873.3008-R008P
Full extension (with ball-bearing guide) with automatic retraction, right



873.3008-R009P
Full extension (with ball-bearing guide) with automatic retraction, left



873.5008-R009P
Fixed castors, incl. screws



873.5008-R011P
Swivel castors with brakes, incl. screws



873.5008-R014P
Roller set, incl. screws



873.0008-R003P
Stainless steel work surface



873.3008-R006P
Storage for work surface, including screw cover, usable on both sides



873.1008-R004P
Compartment with website and ball-bearing guide, 568x398x65 mm



873.1008-R003P
Compartment with ball-bearing guide, 568x398x65 mm



873.0008-R002P
Compartment with logo and ball-bearing guide, 568x398x145 mm



873.5008-R002P
Can holder, 310 mm



873.3008-R002P
Paper roll holder, 320 mm



873.4008-R005P
Plastic bumpers, front left, back right



873.4008-R002P
Plastic bumpers, front right, back left



873.7014-R004P
M8 screws (16 pcs.)



873.7014-R003P
M6x12 screw (1 pcs.)



873.0008-R001P
Body with handle



A thousand great
parts for tough guys!

