

MQN 5W-30 C4

1 LITRE	5 LITRE
VOL181	VOL182

PRODUCT SPECIFICATION

Description

Premium specification fully synthetic low-SAPS Catalyst Compatible engine oil designed to maximise diesel particulate filter (DPF) and three-way catalyst (TWC) life and improve fuel economy.

MQN 5W-30 is a low-SAPS, fully synthetic multi-grade engine oil formulated to achieve the performance and efficiency demands of modern petrol and diesel engines requiring low viscosity oils. Advanced additive technology provides long-term benefits including reduced wear on critical valve-train components. Particularly formulated for protection of DPF and TWC systems. Manufacturers include: Renault, Nissan, Suzuki, etc.

- Improved engine efficiency and fuel economy
- Low volatility levels
- Excellent cold starting characteristics to protect against engine wear and reduce engine noise
- Offers improved flow rates at low temperatures and increased film strength at high temperatures
- Reduced levels of return pressure caused by exhaust gases
- Offers improved flow rates at low temperatures and increased film strength at high temperatures
- Anti-sludge control

Performance Levels

ACEA C4
MB 226.51
Renault RN0720

Physical Characteristics	
Viscosity at 100°C, cSt.	12.11
Viscosity @ 40°C, cSt.	72.8
Viscosity Index	164
TBN, mg/KOH/g	7.6
Flash Point (Closed), °C	204
Density at 15.6°C	0.85
Pour Point, °C	-39

Figures based on average production values.

TDS Oil MQN 5W-30 C4 - 01.04.19 Issue 3

