

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 1/(12)

## SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

**A.Z. Meisterteile Getriebeöl ATF 1200**

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: automatic transmission fluid (ATF).

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category:

Aquatic Chronic 3

Hazard statement:

H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 2/(12)

## 2.2 Label elements

Product identification: Trade name: **A.Z. Meisterteile Getriebeöl ATF 1200**

Hazardous component(s): -

GHS Pictogram: not required

Signal word: not required

Hazard statement:

**H412** Harmful to aquatic life with long lasting effects.

Supplemental hazard information:

**EUH208** Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.;  
1-(tert-Dodecylthio) propan-2-ol;  
1,2-Propanediol, 3-amino-, N,Ndicoco alkyl derivs.;  
Benzene, polypropene derivatives, sulfonated, calcium salts;  
C14-18 alpha-olefin epoxide, reaction products with boric acid.  
May produce an allergic reaction.

Precautionary statements – General: -

Precautionary statements – Prevention:

**P280** Wear protective gloves, protective clothing.

**P273** Avoid release to the environment.

Precautionary statements - Response

**P302+P352** IF ON SKIN: Wash with plenty of soap and water.

**P333+P313** If skin irritation or rash occurs: Get medical advice/attention.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 3/(12)

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

## SECTION 3 Composition/information on ingredients

### 3.2 Mixtures

Chemical description: Mixture of refined mineral oils and syntetic oil containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated neutral oil-based, C20-C50*	276-738-4	72623-87-1	Asp. Tox. 1 (Note L)	H304	max. 65
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH registr. No.: 01-2119484622-25	265-157-1	64742-54-7	- (Note L)	-	max. 25
Distillates (petroleum), hydrotreated light paraffinic REACH registr. No.: 01-2119487077-29	265-158-7	64742-55-8	Asp. Tox. 1 (Note L)	H304	max. 5
Mineral oil raffinate*		mixture	Asp. Tox. 1 (Note L)	H304	max. 5
Thiophene, tetrahydro-, 1,1-dioxide, 3- (C9-11-isoalkyloxy) derivs., C10-rich REACH registr. No.: 01-2119969520-35	800-172-4		Aquatic Chronic 2	H411	max. 1,8
Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs. REACH registr. No.: 01-0000019770-68	471-920-1	-	Skin Sens. 1B	H317	max. 0,9
1,2-Propanediol, 3-amino-, N,Ndicoco alkyl derivs. REACH registr. No.: 01-0000020142-86	482-000-4	-	Skin Sens. 1 Aquatic Chronic 3	H317 H412	max. 0,9

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 4/(12)

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
1-(tert-Dodecylthio) propan-2-ol REACH registr. No.: 01-2119953277-30	266-582-5	67124-09-8	Skin Sens. 1  Aquatic Acute 1 Aquatic Chronic 1	H317  H400 H410	max. 0,5
Benzene, polypropene derivatives, sulfonated, calcium salts	Polymer		Skin Sens. 1 Eye Irrit. 2	H317 H319	max. 0,2
C14-18 alpha-olefin epoxide, reaction products with boric acid REACH registr. No.: 01-2119976364-28	939-580-3		Skin Sens. 1	H317	max. 0,2

\*: with exposure limit

The full text of each relevant H- phrase, Hazard classes and cat. see in Section 16.

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment need

Not required.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 5/(12)

## SECTION 5 Fire-fighting measures

Fire hazards:

Combustible

### 5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

### 5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, nitrogen-oxides, sulphur-oxides, various hydrocarbons and soot can be formed.

### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

-

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 6/(12)

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

### 7.3 Specific end use(s)

Automatic transmission fluid (ATF).

## SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles, if splashing is possible (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 7/(12)

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Physical state:	liquid
Colour:	red, clear
Odour:	characteristic

#### Change in physical state:

Pour point (ISO 3016):	typ. -51°C
Boiling point (DIN 51356):	not available

#### Others:

Flash point (COC) (EN ISO 2592):	typ. 205°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize
Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	0.845 - 0.865 g/cm <sup>3</sup>
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 35.7 mm <sup>2</sup> /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 7.5 mm <sup>2</sup> /s
pH:	not applicable

### 9.2 Other information

no data available

## SECTION 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 8/(12)

## SECTION 11 Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity: No data for the product.

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

If vapours are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Respiratory or skin sensitisation: not sensitising (based on components), but may produce an allergic skin reaction.

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

NOTE L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according to 1272/2008/EC.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect (based on components)

STOT-single exposure: not classified

STOT-repeated exposure: not classified

Aspiration hazard: not classified

## SECTION 12 Ecological information

12.1 Toxicity Not available.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability No data available.

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 9/(12)

## 12.4 Mobility

Mobility in soil: Absorbs in soil.

Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances.

## 12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated hydrocarbons: None.

Environmental effects: Harmful to aquatic life with long lasting effects.

Water hazard class (German): WGK 2 (Classification by VwVwS)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 10/(12)

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

- |       |                               |   |
|-------|-------------------------------|---|
| 14.1. | UN number:                    | - |
| 14.2. | UN proper shipping name:      | - |
| 14.3. | Transport hazard class(es):   | - |
| 14.4. | Packing group:                | - |
| 14.5. | Environmental hazards:        | - |
| 14.6. | Special precautions for user: | - |

Waterways:

Inland waterways/ Sea transport ADN/IMDG:

Not apply to the product.

Air transport: ICAO / IATA:

Not apply to the product.

## SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture.  
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.  
not available

## SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 11/(12)

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aquatic Chronic 3 H412 calculation method

*The full text of each relevant Hazard classes and cat., H- phrase in Section 3.:*

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Asp. Tox. 1 Aspiration hazard Category 1

Skin Sens. 1B Respiratory/skin sensitization 1B Category

Eye Irrit: 2 Serious eye damage/eye irritation Category 2

Aquatic Acute 1 Hazardous to the aquatic environment, Acute Category 1

Aquatic Chron. 1 Hazardous to the aquatic environment, Chronic Category 1

Aquatic Chron. 2 Hazardous to the aquatic environment Category 2

Aquatic Chron. 3 Hazardous to the aquatic environment Category 3

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Getriebeöl ATF 1200**

Version: 1

Latest revision:

Date of issue: 05. 12. 2017

Page: 12/(12)

CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
Ed <sub>x</sub>	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate;
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version