according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 1/(13)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: winter screenwash

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

Trader identification: Technical information:

UNIX Autó és Alkatrészkereskedelmi UNIX Autó és Alkatrészkereskedelmi Kft.

Kft.

H-1139 Budapest, Frangepán u. 55-57. H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Tel.: 06 1 270 8700 Fax: 06 1 270 8799 Fax: 06 1 270 8799

E-mail: cs@unixauto.com E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Fax: 06 1 270 8799

E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

Flam. Liq. 3 H226 Flammable liquid and vapour.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 2/(13)

2.2 Label elements

Product identification: Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR

Winter/Blueberry

Hazardous components: -

GHS Pictogram:

Signal word: Warning

Hazard statement:

H226 Flammable liquid and vapour.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements - Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P233 Keep container tightly closed.

Precautionary statements - Prevention

P303+P361+ IF ON SKIN (or hair): Take off immediately all contaminated clothing.

P353 Rinse skin with water/shower.

Precautionary statements - Storage: -

Precautionary statements - Disposal

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: in case of distribution for population

Transport classification: see section 14.

By regulation No 648/2004/EC on detergents:

Contains: fragrance (Ethyl-2,3-epoxy-3-phenylbutyrate, Methyl-delta-ionone, Methyl

linolenate)

The website, where the list of ingredients is available: www.az-meisterteile.de

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 3/(13)

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of water, alcohols, monoethylene glycol, tenside, flavour,

colorific and other additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes	Hazard	Conc.
name	number	number	and cat.	statements	%(m/m)
Ethanol	200-578-6	64-17-5	Flam.Liq.2	H225	max.32
Propan-2-ol	200-661-7	67-63-0	Flam.Liq.2	H225	max.3
REACH Registration Nr.:			Eye Irrit. 2	H319	
01-2119457558-25			STOT SE 3	H336	
Ethanediol	203-473-3	107-21-1	Acute Tox. 4	H302	max. 0.5
REACH Registration Nr.:			STOT RE 2	H373	
01-2119456816-28					

The full text of each relevant H-phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General Never give anything by mouth to an unconscious person, or never induce

information: vomiting. Place patient in recovery position.

Unconscious patient, place in recovery position.

Inhalation: Remove exposed person to fresh air and keep warm. If breathing is difficult,

apply artificial respiration or administer oxygen. Get medical attention.

Skin contact: Wash with soap and water. Remove contaminated clothing.

Eye contact: Flush immediately with plenty of running water for at least 15 minutes,

holding the eyelids open. Get medical attention.

Ingestion: Give plenty of water! Get immediately medical attention.

Protection of first-aid person: No individual specifications.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 4/(13)

4.2 Most important symptoms and effects, both acute and delayed

Inhalation or swallowing of material may have narcotic effects, which may cause losing consciousness.

4.3 Indication of any immediate medical attention and special treatment need Treat symptomatically.

SECTION 5 Fire-fighting measures

Fire hazards:

Explosive

5.1 Extinguishing media

Suitable extinguishing media:

Alcohol resistant foam, dry chemical, water spray, CO₂.

Unsuitable extinguishing media:

No data.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning carbon-monoxide can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

Accordance with current regulations.

Recommend wearing self-contained breathing apparatus.

Further information:

Cool containers exposed to fire with water spray from save distance.

Vapours may form explosive mixture with air.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. Notify relevant authority.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 5/(13)

6.3 Methods and material for containment and cleaning up

On soil: Exclude source of ignition. Adequate ventilation required in enclosed areas.

Recover free liquid by pumping. Contain spilled liquid with sand, earth or other suitable absorbents. Dispose of according to local regulations. Clean

up with large amount of water the contaminated area.

On water: Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals and flammable liquids. Adequate ventilation required.

Keep material away from and open flame. No smoking.

Take precautionary measures against static discharges.

Avoid contact with skin and eyes, inhalation of vapours.

Avoid contact with skin and eyes. Avoid breathing of vapours.

Ensure washing facilities after working hours and before breaks. Take off contaminated clothing, wash with warm water and soap.

When using do not eat or drink and do not smoke.

Handling temperature: no data

7.2 Conditions for safe storage, including any incompatibilities

Store in cool, well-ventilated area, in original, tightly closed containers.

Keep out of the reach of children. Keep away from food, drink.

Storage temperature: max. 35°C

7.3 Specific end use(s)

Winter screenwash.

SECTION 8 Exposure controls / personal protection

Engineering control measures:

Adequate ventilation.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 6/(13)

8.1 Control parameters:

EU [2000/39/EC]

Ethanediol: 8 h 52 mg/m^3

Short-therm 104 mg/m³

USA [ACGIH]

Ethanol: TLV (TWA) $1920 \text{ mg/m}^3 (1000 \text{ ppm})$

Isopropyl alcohol: TLV (TWA) 980 mg/m³ (400 ppm)

8.2 Exposure controls

Personal protection:

Respiratory protection: Required, when vapours / aerosols are generated (Filter A for

vapours of organic compounds).

Hand protection: chemical gloves
Eye protection: protective goggles
Skin protection: protective clothing

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid Colour (ASTM D 1500): blue

Odour: fragrance of blueberry

Change in physical state:

Crystallization point (ASTM D 1177): -23°C

Boiling point: not determined

Others:

Flash point: 29°C (closed cup)

Ignition point: no data Flammability: no data

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 7/(13)

Explosion limits: lower/upper: does not flash Decomposition temperature: unknown Oxidizing properties: no data Vapour pressure at 20°C: no data
Density at 20°C (DIN 51757): 0.953 g/cm³

Solubility in water at 20°C: soluble in all proportion

Thermal decomposition: no data n-Octanol/water partition coefficient: no data pH: no data

9.2 Other information

no data available

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity: No data for the product.

Note: In high concentration and prolonged exposure the vapours are narcotic if

inhalated.

Inhalation of vapours may cause drowsiness, indisposition, stomachache,

headache, depression, and unconsciousness.

Components:

Ethanol:

Oral (OECD 401): LD_{50} (rat): 7 060 mg/kg

Dermal (OECD 402): no data

Inhalation (OECD 403): LC_{50} (rat): $20\,000$ ppm/10/h

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry Trade name:

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 8/(13)

Propan-2-ol:

Oral (OECD 401): LD_{50} (rat) 2000 mg/kg Dermal (OECD 402): LD₅₀ (rabbit) 2000 mg/kg

Inhalation (OECD 403): no data

Acute toxicity: irritation

Skin contact: not irritant (based on components) not irritant (based on components) Eve contatact:

Prolonged and/or repeated contact may cause skin irritation, depending Note:

on individual sensitivity. May be irritating to eyes.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

Germ cell mutagenicity: not known, resp. not mutagen (based on components) Carcinogenicity: not known, resp. not carcinogen (based on components) Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: not known STOT-repeated exposure: not known Aspiration hazard: not known

SECTION 12 Ecological information

12.1 Toxicity No data available for the preparation.

Components:

Ethanol:

Aquatic organisms: Fish toxicity: LC_{100} 9000 mg/l/24 h

> Daphnia toxicity: > 7800 mg/l EC_0 Algae toxicity: > 5000 mg/l EC_0

Propan-2-ol:

Aquatic organisms: Fish toxicity: LC_{50} > 100 mg/l/48 h

> Daphnia toxicity: EC_{50} >100 mg/l/48 h

Algae toxicity: no data

Soil organisms: no data Plants: no data

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 9/(13)

12.2 Persistence and degradability

Biodegradability: Readily degradable.

Biodegradability of surfactants comply with the criteria of

regulation 648/2004/EG.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil: Soil soaks the product.

Mobility in water: Soluble in water.

12.5 Results of PBT and vPvB

assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Biological oxygen demand: No data. Chemical oxygen demand: No data. Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: May be harmful to aquatic organisms. Water hazard class (German): WGK 1 (Classification by VwVwS)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 07 01 04*

Other organic solvents, washing liquids and mother liquors.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: no data

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry Trade name:

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 10/(13)

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

14.1. UN number: 1170

14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es): 3

Classification code: F1

Packing group: Ш 14.4. Labels: 3

14.5. Environmental hazards:

14.6. Special precautions for user:

> Hazard identification Number: 30

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.

not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 11/(13)

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Flam. Liq. 3 H226 test data

The full text of each relevant Hazard classes and cat., H-phrase in Section 3.:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure through prolonged or repeated exposure.
Flam. Liq. 2 Acute Tox. 4 Eye Irrit. 2 STOT SE 3 STOT RE 2	Flammable liquid Category 2 Acute toxicity Category 4 Serious eye damage/eye irritation Category 2. Specific target organ toxicity — single exposure Category 3 Specific target organ toxicity — repeated exposure Category 2

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 12/(13)

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Biocontrentration Factor
BOD Biological Oxigen Demand

Bw Body Weight

C&L Classification and Labeling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging
CMR Carcigonic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Cheamicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

ESIS European Chemical Substances Information System IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x %

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level
LOEC Lowest Observed Effect Concentration
Lowest Observed Effect Lovel

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 1 Latest revision: Date of issue: 09. 10. 2017 Page: 13/(13)

Revision Indicators:					
Section	Subject of change	Date	Version		