RDW



NEDERLAND (THE NETHERLANDS)



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning:

- type-approval
- extension of type-approval
- withdrawal of type-approval

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*2445*00

Reason for extension:

SECTION I

0.1. Make (trade name of manufacturer) **Bosal** 0.2. Type and general commercial description(s) 031792 0.3. Means of identification of type marked on the : Type approval number component 0.3.1. Location of that marking On type plate 0.5. Name and address of manufacturer **Bosal** Tweede industrieweg 6 4921 XH Made, the Netherlands 0.7. In the case of components and separate technical: On type plate

units, location and method of

affixing of the EEC type approval mark

Address(es) of assembly plant(s) 0.8.

: See information document

(annex III, item 0.8)



Type-approval number: e4*94/20*2445*00

SECTION II

1. Additional information (where applicable) : See Appendix I

Technical service responsible for carrying out

the tests

2.

RDW

Testbaan|Centrum

Talingweg 76 8218 NX Lelystad

3. Date of test report

4. Number of test report

RDW-94/20-3545

5. Remarks (if any)

: See Appendix I

18-02-2004

6. Place

: Zoetermeer

7. Date

: 18-02-2004

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
 - Application form relating to annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Test report as mentioned in item 4.

Appendix I to EEC type-approval certificate No: e4*94/20*2445*00

concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1	Additional	. с	, •
	A ddiftonal	111 TOTO	へつけいへい
1.	Audinonai	ппоп	iauon

1.1. Class of the type of coupling : F

1.2. Categories or types of vehicles for which : See fitting instructions the device is designed or restricted

1.3. Maximum D-value : 10,72 kN

1.4. Maximum vertical load S at the coupling point : 85 kg

1.5 Maximum load U at the fifth wheel : ---- ton

coupling point

1.6. Maximum V-value : ---- kN

1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles

1.8 Information on the fitting of special towing : See fitting instructions brackets or mounting plates

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.

