

THE NETHERLANDS (NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

type-approval (1)

extension of type approval (1)

refusal of type approval (+)

withdrawal of type approval (+)

of a type of a component with regard to Directive 94/20/EC

Type-approval number (2) : e4*94/20*4241*00

Reason for extension Not applicable

Approval mark See example of type plate

SECTION I

0.1. Make (trade name of manufacturer) Bosal

0.2. Type and general commercial

description(s)

049173

Type approval number

0.3. Means of identification of type if marked on the component (3)

Location of that marking On type plate

Bosal

Name and address of manufacturer

0.5.

0.3.1.

Tweede industrieweg 4-5-6

4921 XH Made, the Netherlands


07. In the case of components and separate

technical units, location and method of affixing of the EEC approval mark On type plate

0.8 Name(s) and address(es) of assembly

plant(s)

See information document (annex III, item 0.8)



P.O. Box 777 2700 AT Zoetermeer The Netherlands

Tel. +31 (0)79 345 81 43 Fax +31 (0)79 345 80 43 www.rdw.nl

Vehicle Approval and Information

Type-approval number: e4*94/20*4241*00

SECTION II

:-Additional information (where

applicable) see Appendix I

ы carrying out the tests Technical service responsible for RDW

Talingweg 76 Test Centre Lelystad

8218 NX Lelystad

Date of test report

08-12-2010

4. Number of test report RDW-94/20-6512


S Remarks (if any) see Appendix I

6 Place Zoetermeer

: 7 Date 08-12-2010

œ

Signature



- 9 type-approval, which may be obtained on request, is attached: The index to the information package lodged with the competent authority that has granted
- Application form relating to Annex III and annexed drawings.
- Drawings and instructions for attachment.
- Fitting instructions.

⁽i) Delete where not applicable.

(ii) The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive, as last amended by Directive 92/53/EEC. The component itself shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

EEC type-approval certificate number: e4*94/20*4241*00

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC.

: Additional information

1.1 Class of the type of coupling A50-X

12 which the device is designed or Categories or types of vehicles for

restricted

<u>..</u> Maximum D-value (1) 12,20 $\hat{\mathbf{z}}$

٠.

See fitting instructions

1.4. Maximum vertical load S at the coupling point (1)

• • 85

6

1.5. Maximum load U at the fifth wheel coupling point $^{(1)}$

tonnes

1.6. Maximum V-value (1) Ξ

1.7. photographs or drawings of the fixing coupling type to the vehicle and Instructions for attachment of the

manufacturer; additional information if points at the vehicle given by the

restricted to special types of vehicles the use of the coupling type is See fitting instructions

1.8. Information on the fitting of special

Ņ

Remarks (2)

towing brackets or mounting plates (1) See fitting instructions

requirements given in Annex VII (see Annex I vehicle must be checked according to the The installation of the coupling device on the

Paragraph 5.10.)



⁽¹⁾ Delete where not applicable.
(2) Including information as to whether fifth wheel couplings are unsuitable for positive steering.