



**VARTA Powersports AGM batteries are engineered for riders who demand more.**

Built to perform in tough environments, they are ideal for motorcycles, scooters, and quads with higher energy needs. These batteries deliver powerful starting performance and 3x longer cycle life compared to conventional alternatives – for reliability that lasts. Advanced AGM technology for greater flexibility and performance. Thanks to their absorbent glass mat construction, VARTA AGM batteries can be installed at angles of up to 25°, making them ideal for challenging mounting positions. Backed by 135 years of battery expertise, VARTA combines a legacy of trusted German engineering – delivering maximum peace of mind, no matter the conditions.

**VEHICLE KEY BENEFITS**



**3x cycle life**

3x cycle life compared with a conventional battery.



**High vibration resistance**

Built to withstand highly demanding road and off-road conditions, ensuring long-lasting reliability and performance.



**Highest starting power**

Developed for exceptional starting power and reliability, ensuring a stable starting process.



**Flexible mounting - up to 25°**

Designed for flexible installation, mount at angles of up to 25°, offering greater versatility for compact or angled spaces – all without compromising safety or performance.



**Maintenance-free**

Maintenance-free battery designed to deliver dependable performance for your vehicle.

**TECHNICAL DATA**

---

|                |                         |                     |                       |
|----------------|-------------------------|---------------------|-----------------------|
| Capacity:      | <b>12 Ah</b>            | CCA:                | <b>200 A</b>          |
| Voltage:       | <b>12 V</b>             | Dimensions (L/W/H): | <b>152/88/147</b>     |
| Case Size:     | <b>TX14-BS (TX14-4)</b> | Short Code:         | <b>TX14-4/TX14-BS</b> |
| UK-Code:       |                         | ETN:                | <b>512014020</b>      |
| Weight filled: | <b>4,37 kg</b>          | Base Hold-down:     | <b>B00</b>            |

**DRAWINGS**

---

