Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024

Version 14.0. Supersedes version: 13.0 Page 1 / 12

1.1	Product identifier	
		heavy duty grease Article number: 03514
.2	Relevant identified uses of th	e substance or mixture and uses advised against
.2.1	Relevant uses	
		Lubricant
.2.2	Uses advised against	
	j.	None known.
.3	Details of the supplier of the	safety data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG
		Wilhelmstr. 47 58256 Ennepetal / GERMANY
		Phone +49 2333 911-0
		Fax +49 2333 911-444 Homepage www.febi.com
		E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
.4	Emergency telephone numbe	r
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identification	
2.1	Classification of the substand	ce or mixture [REGULATION (GB) CLP]
		No classification.
.2	Label elements	
		The product is required to be labelled in accordance with regulation CLP.
	Hazard pictograms	none
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.
2.3	Other hazards	
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
	Other hazards	No particular hazards known.

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 2 / 12

3.2 Mixtures

	The product is a m	ixture.	
	Range [%]	Substance	
			acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts
	1 2,5		EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61
			t. 2: H319 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
	0,1 - < 1		roleum, calcium salts
	0,1 11		EINECS/ELINCS: 263-093-9, Reg-No.: 01-2119488992-18-XXXX
		GHS/CLP: Skin Se	
		SCL [%]: >= 10: Sk	
	L		
	Comment on comp	oonent parts	For full text of H-statements: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)
EC	TION 4: First aid r	neasures	
1	Description of first aid measures		5
	General informatio	n	Change soaked clothing.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and east to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
.2	Most important s	symptoms and e	ffects, both acute and delayed
			No information available.
.3	Indication of any	immediate med	lical attention and special treatment needed
			Treat symptomatically. Forward this sheet to your doctor.
EC	TION 5: Fire-fighti	ing measures	
1	Extinguishing m	edia	
	Suitable extinguish	ning media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing med be used	lia that must not	Full water jet.
.2	Special hazards	arising from the	substance or mixture
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Not combusted hydrocarbons.
.3	Advice for firefig	hters	
			Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
			Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance withir the local regulations.

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 3 / 12

SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures Some risk of slipping due to spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets. Wash hands before breaks and after work.
7.2	Conditions for safe storage, inclu	iding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container in a well-ventilated place. Keep container tightly closed.
7.3	Specific end use(s)	
		See product use, SECTION 1.2

bfe00041

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024



Page 4 / 12 Version 14.0. Supersedes version: 13.0

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance	
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4	
Industrial, inhalative, Long-term - systemic effects, 11,75 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 3,33 mg/kg bw/d	
Industrial, dermal, Long-term - local effects, 1,03 mg/cm ²	
general population, inhalative, Long-term - systemic effects, 2,9 mg/m ³	
general population, dermal, Long-term - systemic effects, 1,667 mg/kg bw/day	
general population, dermal, Long-term - local effects, 0,513 mg/cm ²	
general population, oral, Long-term - systemic effects, 0,833 mg/kg bw/day	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-8)
Industrial, inhalative, Long-term - systemic effects, 6,6 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 9,6 mg/kg bw/d	
general population, inhalative, Long-term - systemic effects, 1,67 mg/m ³	
general population, dermal, Long-term - systemic effects, 4,8 mg/kg bw/d	
general population, oral, Long-term - systemic effects, 0,19 mg/kg bw/d	-

PNEC

Substance
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
freshwater, 1 mg/l (AF=1000)
seawater, 1 mg/l (AF=10000)
sewage treatment plants (STP), 1000 mg/l (AF=10)
sediment (freshwater), 226 000 000 mg/kg dw
sediment (seawater), 226 000 000 mg/kg dw
soil, 271 000 000 mg/kg dw
oral (food), 16,667 mg/kg food
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
freshwater, 0,002 mg/l (AF=1000)
seawater, 0,0002 mg/l (AF=10000)
sewage treatment plants (STP), 100 mg/l (AF=100)
sediment (freshwater), 19,3 mg/kg dw
sediment (seawater), 1,93 mg/kg dw
soil, 15,7 mg/kg dw

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0

Page 5 / 12

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation.
	Eye protection	Safety glasses. (EN 166:2001)
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	No special measures necessary.
	Thermal hazards	none
	Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	pasty
Color	green
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	not applicable
Flammability	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,86 (25°C / 77,0°F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Solubility other solvents Partition coefficient n-octanol/water (log value)	No information available. No information available.
Partition coefficient n-octanol/water	
Partition coefficient n-octanol/water (log value)	No information available.
Partition coefficient n-octanol/water (log value) Kinematic viscosity	No information available.
Partition coefficient n-octanol/water (log value) Kinematic viscosity Relative vapour density	No information available. NLGI 000 No information available.
Partition coefficient n-octanol/water (log value) Kinematic viscosity Relative vapour density Melting point [°C]	No information available. NLGI 000 No information available. No information available.

9.2 Other information

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 6 / 12

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent. Strong acids. Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, oral, Rat, >5000 mg/kg bw
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, oral, Rat, 3080 mg/kg bw

Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Substance
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, dermal, Rabbit, > 5000 mg/kg bw >5000 mg/kg bw
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, dermal, Rabbit, 20000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LC50, inhalative, Rat, >1.9 mg/L air
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LC50, inhalative, Rat, 2.3 mg/L air, 4h

Serious eye damage/irritation

Toxicological data of complete product are not available. No classification. Calculation method

Substance	
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4	
Eye, no adverse effect observed	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9	
Causes serious eye damage.	

Skin corrosion/irritation

Toxicological data of complete product are not available. No classification. Calculation method

Substance

Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4 dermal, no adverse effect observed

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

Ferdinand Bilstein GmbH + Co. KG

Date

11.2



brinted 07.03.2024	, Revision 07.03.202	Version 14.0. Supersedes version: 13.0 Page 8 / 1.
	irritant	
Respiratory or sk	in sensitisation	Based on the available information, the classification criteria are not fulfilled.
	Substance	
	Sulfonic acids, per	troleum, calcium salts, CAS: 61789-86-4
	dermal, sensitising	3
	Phosphorodithioic	acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
	dermal, non-sensi	tizing
Specific target or single exposure	gan toxicity —	Based on the available information, the classification criteria are not fulfilled.
Specific target or epeated exposu		Based on the available information, the classification criteria are not fulfilled.
	Substance	
	Sulfonic acids, per	troleum, calcium salts, CAS: 61789-86-4
	NOAEL, oral, Rat,	500 mg/kg bw/day, adverse effect observed
	NOAEL, dermal, F	Rat, 1000 mg/kg bw/day, no adverse effect observed
	NOAEC, inhalative	e, Rat, 881,58 mg/m ³ , no adverse effect observed
	Phosphorodithioic	acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
	NOAEL, oral, Rat,	125 mg/kg bw/day
Autagenicity		Based on the available information, the classification criteria are not fulfilled.
eproduction tox	licity	Based on the available information, the classification criteria are not fulfilled.
arcinogenicity		Based on the available information, the classification criteria are not fulfilled.
	ł	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard		
-		
-		Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.
General remarks	other hazards	The toxicity data listed pertaining to the ingredients are intended for those working in the
Aspiration hazard General remarks Information on 11.2.1 Endocrine properties		The toxicity data listed pertaining to the ingredients are intended for those working in the

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024

Version 14.0. Supersedes version: 13.0 Page 9 / 12

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
NOEC, (72h), Pseudokirchneriella subcapitata, 1000 mg/l
LL50, (96h), fish, > 10 000 mg/l
EC0, (48h), Daphnia magna, >1000 mg/l
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
EC50, (48h), Invertebrates, 5.4 mg/L
EC50, (96h), Algae, 2 - 2.1 mg/L
NOEC, (21d), Invertebrates, 400 - 800 µg/L
LL50, (96h), Oncorhynchus mykiss, 4,5 mg/l

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 10 / 12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Coordinate disposal with the authorities if necessary.
	Waste no. (recommended)	120112* spent waxes and fats
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102 150104
SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"	
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 11 / 12

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
116	Special procestions for user	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 S	Safety, health and environmental regulations/legislation specific for the substance or mixture			
E	EC-REGULATIONS	2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021		
-	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.		
-	Annex I (REACH)	The product is not subject to Annex I restrictions.		
-	· Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.		
-	· Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75		
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.		
т	RANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)		
Ν	IATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.		
	 Observe employment restrictions or people 	no		
-	· VOC (2010/75/CE)	0%		
15.2 C	Chemical safety assessment			

For this product a chemical safety assessment has not been carried out.

Date printed 07.03.2024, Revision 07.03.2024



Version 14.0. Supersedes version: 13.0 Page 12 / 12

SECTION 16: Other information	
16.1 Hazard statements (SECTION 3)	
	H317 May cause an allergic skin reaction.
	H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation. H319 Causes serious eye irritation.
16.2 Abbreviations and acronyms:	
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DMEL = Derived Nimimum Effect Level ECS0 = Median effective concentration ECS = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Leonemicals Gureau ELS0 = Median effective loading ELINCS = European Internation for the Voltified Chemical Substances ELS0 = Median effective loading ELINCS = European List of Notified Chemical Substances EMS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICS0 = Inhibition concentration, 50% IMDG = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LCS0 = Lethal concentration, 50% LDAEL = Iowest-observed-adverse-effect level LL50 = Median Iethal dose LC0 = Iethal concentration, 0% LOAEL = Iowest-observed-adverse Effect Level NDC2 = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®STEL = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatie Organic Compounds PVB = very Persistent and very Bioaccumulative
16.3 Other information	
Classification procedure	

Modified position

3.2