Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024

Version 5.0. Supersedes version: 4.0 Page 1 / 15

SEC	CTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1	Product identifier	
		Gear oil SAE 75W-80 (GL-4) Article number: 170126, 170127, 170134
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.	1 Relevant uses	
		Gearbox oil
1.2.2	2 Uses advised against	
	-	None known.
1.3	Details of the supplier of the saf	etv data sheet
1.0	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone number Advisory body	+49 (0)89-19240 (24h) (English)
SEC	CTION 2: Hazards identification	
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP]
		No classification.
2.2	Label elements	
2.2	Laber elements	The product is required to be labelled in accordance with regulation CLP.
	Hazard pictograms	none
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.
		Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), Tetradecyl methacrylate, tridecyl methacrylate, 2-Ethylhexyl methacrylate, Methyl methacrylate. EUH208 May produce an allergic reaction.
2.3	Other hazards	
	Physico-chemical hazards	No particular hazards known.
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
	Other hazards	No particular hazards known.
SEC	CTION 3: Composition / Informatio	n on ingredients
	Substances	

3.1 Substances

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 2 / 15

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - < 10	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 5	Bis(nonylphenyl)amine
	CAS: 36878-20-3, EINECS/ELINCS: 253-249-4, Reg-No.: 01-2119488911-28-XXXX
	GHS/CLP: Aquatic Chronic 4: H413
1 - < 2,5	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
	EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38
	GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
	SCL [%]: > 50: Eye Irrit. 2: H319, >= 9,39: Skin Sens. 1B: H317, > 50: Eye Dam. 1: H318
0,1 - < 1	Methyl methacrylate
	CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6
	GHS/CLP: Flam. Liq. 2: H225 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Skin Sens. 1: H317
0,1 - < 1	2-Ethylhexyl methacrylate
	CAS: 688-84-6, EINECS/ELINCS: 211-708-6, EU-INDEX: 607-134-00-4, Reg-No.: 01-2119490166-35-XXXX
	GHS/CLP: Skin Sens. 1: H317 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - STOT SE 3: H335
	SCL [%]: >= 10: STOT SE 3: H335
0,1 - < 1	Tetradecyl methacrylate
	CAS: 2549-53-3, EINECS/ELINCS: 219-835-9
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317
0,1 - < 1	tridecyl methacrylate
	CAS: 2495-25-2, EINECS/ELINCS: 219-671-8
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317

Comment on component parts

For full text of H-statements and R-phrases: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to your doctor.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 3 / 15

SEC	CTION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not	Full water jet.
	be used	
5.2	Special hazards arising from the	
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
		Sulphur oxides (SOx).
		Nitrogen oxides (NOx).
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	CTION 6: Accidental release measu	ires
6.1	Personal precautions, protective	e equipment and emergency procedures
	······································	High risk of slipping due to leakage/spillage of product.
		Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers).
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	nment and cleaning up
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
7.1	Frecautions for sale handling	No special measures necessary if used correctly.
		Use only in well-ventilated areas.
		Use solvent-resistant equipment.
		Do not eat, drink or smoke when using this product.
		After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
		Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets.
		Take off contaminated clothing and wash before reuse.
		Contaminated work clothing should not be allowed out of the workplace.
7.2	Conditions for safe storage, incl	uding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with oxidizing agents.
		Keep container tightly closed.
		Keep container in a well-ventilated place.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 4 / 15

7.3 Specific end use(s)

See product use, SECTION 1.2

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 5 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m ³ , oil mist
Short-term exposure (15-minute): 10 mg/m ³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

PNEC

Substance	
Bis(nonylphe	enyl)amine, CAS: 36878-20-3
Industrial, de	ermal, Long-term - systemic effects, 5 mg/kg bw/day
general popu	ulation, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day
general popu	ulation, oral, Long-term - systemic effects, 0,25 mg/kg bw/day
Destillates (p	petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, in	halative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, in	halative, Long-term - local effects, 5.58 mg/m ³
Industrial, de	ermal, Long-term - systemic effects, 970 μg/kg bw/day
general popu	ulation, inhalative, Long-term - local effects, 1.19 mg/m ³
general popu	ulation, oral, Long-term - systemic effects, 740 μg/kg bw/day
	oducts of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and 2-14-alkyl (branched), CAS: -
Industrial, in	halative, Long-term - systemic effects, 4.28 mg/m ³ (AF=30)
Industrial, de	ermal, Long-term - systemic effects, 12.5 mg/kg bw/d (AF=120)
general popu	ulation, dermal, Long-term - systemic effects, 6.25 mg/kg bw/d (AF=240)
general popu	ulation, oral, Long-term - systemic effects, 0.25 mg/kg bw/d (AF=600)
general popu	ulation, inhalative, Long-term - systemic effects, 1.09 mg/m ³ (AF=60)
2-Ethylhexyl	methacrylate, CAS: 688-84-6
Industrial, de	ermal, Long-term - systemic effects, 5 mg/kg
Industrial, in	halative, Long-term - systemic effects, 2.5 mg/m ³
Substance	
Bis(nonylphe	enyl)amine, CAS: 36878-20-3
freshwater, 4	412 μg/L
seawater, 41	1.2 µg/L

sediment (freshwater), 1 mg/kg sediment dw

sediment (seawater), 0.1 mg/kg sediment dw

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

oral (food), 9,33 mg/kg

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -

freshwater, 2.4 µg/L (AF=50)

seawater, 0.24 µg/L (AF=500)

sewage treatment plants (STP), 24.33 mg/L (AF=100)

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024

Version 5.0. Supersedes version: 4.0 Page 6 / 15

sediment (freshwater), 12.9 µg/kg dw
sediment (seawater), 1.29 µg/kg dw
soil, 1.17 µg/kg dw
oral (food), 10 mg/kg dw (AF=300)
2-Ethylhexyl methacrylate, CAS: 688-84-6
freshwater, 3.48 µg/L
seawater, 348 ng/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 2.24 mg/kg sediment dw
sediment (seawater), 224 µg/kg sediment dw
soil, 446 µg/kg soil dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	not applicable
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0

Page 7 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	
Physical state	liquid
Form	liquid
Color	yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	230
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	57,3 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 8 / 15

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page

Page 9 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance
Methyl methacrylate, CAS: 80-62-6
LD50, oral, Rat, 7872 mg/kg (RTECS)
Bis(nonylphenyl)amine, CAS: 36878-20-3
LD50, oral, Rat, 5000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -
LD50, oral, Rat, 2000 mg/kg
2-Ethylhexyl methacrylate, CAS: 688-84-6
LD50, oral, Rat, > 2000 mg/kg
NOAEL, oral, Rat, 120 mg/kg bw/day

Acute dermal toxicity

Substance
Methyl methacrylate, CAS: 80-62-6
LD50, dermal, Rabbit, > 5000 mg/kg (RTECS)
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Acute inhalational toxicity

Substance	
Methyl methacrylate, CAS: 80-62-6	
C50, inhalative, Rat, 78000 mg/m ³ (4 h) (RTECS)	
C50, inhalative, Rat, 7093 ppm/4h (Lit.)	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-	54-7
-C50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h	

Serious eye damage/irrit	tation	Based on the available information, the classification criteria are not fulfilled. Non-irritant. Classification was carried out based on substance-specific concentration limits.
Skin corrosion/irritation		Toxicological data of complete product are not available. No classification. Calculation method
Respiratory or skin sensitisation		Non-sensitizing. On basis of test data
Specific target organ toxicity — single exposure		Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure		Based on the available information, the classification criteria are not fulfilled.
Subst	tance	

Bis(nonylphenyl)amine, CAS: 36878-20-3
NOEL, oral, Rat, 100 mg/kg bw/day
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024

Version 5.0. Supersedes version: 4.0 Page 10 / 15

	NOAEC, inhalative, Rat, 980 mg/m ³ air		
	LOAEL, oral, Rat, 125 mg/kg bw/day		
Mutagenicity		Based on the available information, the classification criteria are not fulfilled.	
Reproduction tox	icity	Based on the available information, the classification criteria are not fulfilled.	
- Fertility			
	Substance		
	Destillates (petroleu	m), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
	NOAEL, oral, Rat, 1	000 mg/kg bw/d (Effect on fertility), no adverse effect observed	
- Development	Development Substance Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
	NOAEL, oral, Rat, 1	000 mg/kg bw/d (Effect on fertility), no adverse effect observed	
Carcinogenicity		Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard		Based on the available information, the classification criteria are not fulfilled.	
General remarks			
		Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.	
1.2 Information on	other hazards		
11.2.1 Endocrine properties	disrupting	Contains no ingredients with endocrine-disrupting properties.	
11.2.2 Other inform	mation	none	

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 11 / 15

SECTION 12: Ecological information

12.1 Toxicity

Substance
Methyl methacrylate, CAS: 80-62-6
LC50, (96h), fish, 191 mg/l (IUCLID)
EC50, (48h), Daphnia magna, 69 mg/l (IUCLID)
IC50, Pseudokirchneriella subcapitata, 170 mg/l (4 d) (OECD 201)
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Invertebrates, 100 mg/L
EL50, (72h), Algae, 100 mg/L
NOELR, (21d), Invertebrates, 4.45 mg/L
NOELR, (33d), fish, 10 mg/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -
LC50, (96h), fish, 24 mg/l
EC50, (48h), Daphnia magna, 91,4 mg/l
2-Ethylhexyl methacrylate, CAS: 688-84-6
LC50, (96h), fish, 2.78 - 833 mg/L
EC50, (48h), Invertebrates, 850 - 4560 μg/L
EC50, (72h), Algae, 7.68 - 1 260 mg/L
NOEC, (21d), Invertebrates, 105 - 290 μg/L

12.2 Persistence and degradability

Behaviour in environment compartments	
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 12 / 15

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130206*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SECTION 14: Transport information	

14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Inland navigation (ADN)	NO DANGEROUS GOODS
-------------------------	--------------------

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 13 / 15

14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

bfe00182

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024



Version 5.0. Supersedes version: 4.0 Page 14 / 15

SECTION 15: Regulatory information

15.1	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
	- Annex I (REACH)	The product is not subject to Annex I restrictions.	
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.	
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 40, 75	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
	- VOC (2010/75/CE)	not relevant	
15.2	Chemical safety assessment		
		For this product a chemical safety assessment has not been carried out.	

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H225 Highly flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H302 Harmful if swallowed.
- H413 May cause long lasting harmful effects to aquatic life.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.04.2024, Revision 18.04.2024

Version 5.0. Supersedes version: 4.0 Page 15 / 15

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

none