

Version 12.0. Supersedes version: 11.0 Page 1 / 12

Date printed 20.02.2024, Revision 20.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

power steering oil Article number: 10 90 8972

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- 1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de

Address enquiries to	
Technical information	info@swag.de
Safety Data Sheet	info@swag.de

1.4 Emergency telephone number Advisory body

+49 (0)89-19240 (24h) (English)

E-mail info@swag.de

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

	The product is required to be labelled in accordance with regulation CLP.
Hazard pictograms	none
Signal word	none
Hazard statements	none
Precautionary statements	none
Special labelling	EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	No particular hazards known.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 11.0 Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
30 - < 60	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	Methacrylate copolymer
	EINECS/ELINCS: Polymer
	GHS/CLP: Eye Irrit. 2: H319
	SCL [%]: >= 75: Eye Irrit. 2: H319
1 - < 2,5	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX
	GHS/CLP: Asp. Tox. 1: H304

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1	1 Description of first aid measures	
	General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
4.2	.2 Most important symptoms and effects, both acute and delayed	
		No information available.
4.3	Indication of any immediate medi	ical attention and special treatment needed
		Treat symptomatically.
		Forward this sheet to your doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Fire extinguishing method of surrounding areas must be considered. Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet
5.2	Special hazards arising from the	substance or mixture
		Not combusted hydrocarbons.
		Risk of formation of toxic pyrolysis products.
		Sulphur oxides (SOx).

Hydrogen sulfide ((H2S).

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 3 / 12

5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water. Ensure adequate ventilation. Use personal protective equipment (protective gloves, safety glasses, protective clothing).
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols.
		Fire class (DIN EN 2): B
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	ding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.
7.3	Specific end use(s)	
1.5	• • • • •	



Page 4 / 12

Date printed 20.02.2024, Revision 20.02.2024 Version 12.0. Supersedes version: 11.0

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Distillates (petroleum), hydrotreated light paraffinic
CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
Long-term exposure: 5 mg/m ³ , ACGIH TLV (OIL MIST)

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance)
Distillates	(petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial,	inhalative, Long-term - local effects, 5,4 mg/m³/8h (Aerosol)
general po	pulation, inhalative, Long-term - local effects, 1,2 mg/m³/24h (Aerosol)
Lubricating 86-0	g oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623
Industrial,	inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial,	inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial,	dermal, Long-term - systemic effects, 970 µg/kg bw/day
general po	pulation, inhalative, Long-term - local effects, 1.19 mg/m ³
general po	pulation, oral, Long-term - systemic effects, 740 μg/kg bw/day

PNEC

Substance Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

oral (food), 9.33 mg/kg food

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	not determined
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 5 / 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

0.1	information on baolo physical and	a ononnoai proportico
	Physical state	liquid
	Form	liquid
	Color	brown
	Odor	characteristic
	Odour threshold	not relevant
	pH-value	not applicable
	pH-value [1%]	not applicable
	Boiling point or initial boiling point and boiling range [°C]	No information available.
	Flash point [°C]	ca. 175 (EN ISO 2592)
	Flammability	No information available.
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	< 0,01
	Density [g/cm ³]	ca. 0,86 (15 °C / 59,0 °F)
	Relative density	not determined
	Bulk density [kg/m³]	not applicable
	Solubility in water	immiscible
	Solubility other solvents	No information available.
	Partition coefficient n-octanol/water (log value)	No information available.
	Kinematic viscosity	ca. 36 mm²/s (40° C) (DIN 51562/T1)
	Relative vapour density	No information available.
	Melting point [°C]	ca40 (ISO 3016)
	Auto-ignition temperature [°C]	No information available.
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
9.2	Other information	

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with acids.

10.4 Conditions to avoid

Strong heating. Decomposes begins at > 65°C °C.

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 6 / 12

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Version 12.0. Supersedes version: 11.0 Page 7 / 12

Date printed 20.02.2024, Revision 20.02.2024

SECTION 11: Toxicological information

Product

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

ATE-mix, oral, >2000 mg/kg bw

 Substance

 Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

 LD50, oral, Rat, > 5000 mg/kg (OECD 420)

 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

 LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product ATE-mix, dermal, >2000 mg/kg bw

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 5000 mg/kg (OECD 402)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

ATE-mix, inhalation (vapour), >20 mg/L

Substance

Product

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LC50, inhalative, Rat, > 5 mg/l /4h(Aerosol) (OECD 403)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0 Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
dermal, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Cubatanaa



Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 11.0 Page 8 / 12

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

dermal, non-sensitizing

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. **single exposure**

Specific target organ toxicity —

xicity — Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Substance
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (contain 86-0	ning < 3% DMSO-extract), CAS: 72623-
NOAEL, oral, Rat, 1000 mg/kg bw/day	

- Development	No information available.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Has a degreasing effect on the skin.
	Toxicological data of complete product are not available.

11.2 Information on other hazards 11.2.1 Endocrine disrupting

11.2.2 Other information

properties

Contains no ingredients with endocrine-disrupting properties.

none



Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 11.0 Page 9 / 12

SECTION 12: Ecological information

12.1 Toxicity

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
EL50, (72h), Pseudokirchneriella subcapitata, > 100 mg/l (OECD 201)
EL50, (48h), Daphnia magna, > 10000 mg/l (OECD 202)
LL50, (96h), Oncorhynchus mykiss, > 100 mg/l (OECD 203)
NOAEL, (21d), Daphnia magna, 10 mg/l (OECD 211)
NOAEL, Oncorhynchus mykiss, > 1000 mg/l (14/28d)(QSAR Petrotox))
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	Biodegradable in part only

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 10 / 12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

42117 Wuppertal

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 11 / 12

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
	O	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Sa	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
E	EC-REGULATIONS	2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021
-	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
-	Annex I (REACH)	The product is not subject to Annex I restrictions.
	Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.
	Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TF	RANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
N	ATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
	Observe employment restrictions or people	no
- '	VOC (2010/75/CE)	0 %
15.2 C	hemical safety assessment	

For this product a chemical safety assessment has not been carried out.

42117 Wuppertal

Date printed 20.02.2024, Revision 20.02.2024



Version 12.0. Supersedes version: 11.0 Page 12 / 12

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H319 Causes serious eye irritation. H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

 $1.3,\,2.2,\,3.2,\,6.1,\,8.1,\,8.2,\,9.1,\,11.1,\,11.2,\,12.6,\,12.7,\,15.1,\,16.2,\,16.3$