

Date printed 19.04.2024, Revision 05.03.2024

Version 2.1. Supersedes version: 2.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

automatic transmission fluid (ATF) Article number: 33 10 8952, 33 11 1638 UFI: UUXC-5H0S-S002-DSUX

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de

E-mail info@swag.de

info@swag.de
info@swag.de

1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms	
Signal word	DANGER
Contains:	Distillates (petroleum), hydrotreated light paraffinic
	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
Hazard statements	H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.



Version 2.1. Supersedes version: 2.0 Page 2 / 13

Date printed 19.04.2024, Revision 05.03.2024

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
20 - < 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,25 - < 1	Alkyl thiophosphites
j	EINECS/ELINCS: 424-820-7, Reg-No.: 01-0000017126-75-xxxx
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H312 - Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (chronic): 10

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs. Treat symptomatically.

Forward this sheet to your doctor.

42117 Wuppertal

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 3 / 13

SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet
5.2	Special hazards arising from the	substance or mixture
		Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefighters	
		Use self-contained breathing apparatus. Do not inhale explosion and/or combustion gases.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols. Use only in well-ventilated areas.
		The product is combustible.
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash face and/or hands before break and end of work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	iding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 4 / 13

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)


not relevant

DNEL

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³	
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day	
general population, inhalative, Long-term - local effects, 1.19 mg/m ³	
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day	
Alkyl thiophosphites	
Industrial, inhalative, Long-term - systemic effects, 1,76 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 0,43 mg/m ³	
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m ³	
Industrial, inhalative, Long-term - local effects, 5,58 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day	

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Alkyl thiophosphites
reshwater, 900 ng/l
seawater, 90 ng/l
sewage treatment plants (STP), 54 mg/l
sediment (freshwater), 0,073 mg/kg
sediment (seawater), 0,007 mg/kg
soil, 0,015 mg/kg
oral (food), 10 mg/kg
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
oral (food), 9,33 mg/kg food





Version 2.1. Supersedes version: 2.0 Page 5 / 13

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	If there is a risk of splashing: Safety glasses. (EN 166:2001)
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
	Thermal hazards	none
	Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 6 / 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical and	a chemical properties
Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	210
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,84 (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	20 mm²/s (40° C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

The product is stable under standard conditions.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 7 / 13

10.5 Incompatible materials

Strong basic compounds Strong acids. Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Version 2.1. Supersedes version: 2.0 Page 8 / 13

Date printed 19.04.2024, Revision 05.03.2024

SECTION 11: Toxicological information

Product

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
LD50, oral, Rat, 5000 mg/kg bw	
Alkyl thiophosphites	
LD50, oral, Rat, > 2000 mg/kg	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
LD50, oral, Rat, 5000 mg/kg bw	

Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Alkyl thiophosphites

LD50, dermal, Rabbit, > 500 mg/kg

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

 Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

 Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.



Version 2.1. Supersedes version: 2.0 Page 9 / 13

Date printed 19.04.2024, Revision 05.03.2024

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, non-sensitizing

Specific target organ toxicity single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
inhalative, no adverse effect observed	

Specific target organ toxicity repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance	
Destilla	lates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAE	L, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAE	L, dermal, Rabbit, 1000 mg/kg bw/day
NOAE	C, inhalative, Rat, 980 mg/m³ air
LOAEI	L, oral, Rat, 125 mg/kg bw/day
Distilla	ates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAE	C, inhalative, Rat, 980 mg/m ³ (subacute), no adverse effect observed
LOAEI	L, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- Development

	Substance		
	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
	NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed		
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.		
Aspiration hazard	Based on the available information, the classification criteria are fulfilled.		
General remarks			
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.		

42117 Wuppertal



Version 2.1. Supersedes version: 2.0 Page 10 / 13

Date printed 19.04.2024, Revision 05.03.2024

11.2	Information on other hazards		
	11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.	
	11.2.2 Other information	none	

SECTION 12: Ecological information

12.1 Toxicity

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Alkyl thiophosphites
EL50, (48h), Daphnia magna, 0,09 mg/l
EL50, (72h), Selenastrum capricornutum, 0,31 mg/l
LL50, (24h), Oncorhynchus mykiss, 2 mg/l
LL50, (21d), Daphnia magna, 0,22 mg/l
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

42117 Wuppertal

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 11 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

150110* packaging containing residues of or contaminated by hazardous substances

Product	
	In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. Dispose of as hazardous waste.
Waste no. (recommended)	130111*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.

150102 150104

SECTION 14: Transport information

Waste no. (recommended)

14.1 UN number or ID number		
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	

14.0	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

42117 Wuppertal

Date printed 19.04.2024,	Revision 05.03.2024
Bato printoa 10.0 h.EoE i,	



Version 2.1. Supersedes version: 2.0 Page 12 / 13

14.4	14.4 Packing group				
	Transport by land according to ADR/RID	not applicable			
	Inland navigation (ADN)	not applicable			
	Marine transport in accordance with IMDG	not applicable			
	Air transport in accordance with IATA	not applicable			
14.5	Environmental hazards				
	Transport by land according to ADR/RID	no			
	Inland navigation (ADN)	no			
	Marine transport in accordance with IMDG	no			
	Air transport in accordance with IATA	no			
14.6	Special precautions for user				
	Relevant information under SECTION 6	to 8.			
	not applicable				
14.7	Maritime transport in bulk accord	ing to IMO instruments			
	not applicable				
SEC	TION 15: Regulatory information				
15.1	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707			
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.			
	- Annex I (REACH)	The product is not subject to Annex I restrictions.			
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.			
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75			
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3			
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)			
	NATIONAL RECULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, publiched December 2011): LIK			

TRANSPORT-REGULATIONSADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)NATIONAL REGULATIONS (UK):EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK
REACH; GB CLP.- Observe employment restrictions
for peopleObserve employment restrictions for mothers-to-be and nursing mothers.
Observe employment restrictions for young people.

- VOC (2010/75/CE)

15.2 Chemical safety assessment

not applicable

0 %

42117 Wuppertal

Date printed 19.04.2024, Revision 05.03.2024



Version 2.1. Supersedes version: 2.0 Page 13 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative 16.3 Other information

Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Weight of evidence) Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (On basis of test data)

Modified position

none