

Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 1 / 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

brake fluid DOT 4

Article number: 99 90 0001, 30 92 6461, 10 92 1754, 33 10 7776

Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

brake fluid

1.2.2 Uses advised against

None known.

Details of the supplier of the safety data sheet

SWAG Autoteile GmbH Company

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.

Repr. 2: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms





WARNING Signal word

Contains: Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate

Hazard statements H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves / protective clothing / eye protection / face protection.

P308+P313 IF exposed or concerned: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 2 / 17

2.3 Other hazards

42117 Wuppertal

Physico-chemical hazards Material will burn in fire.

Human health dangers Contains no ingredients with endocrine-disrupting properties.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - 40	2-(2-(2-Butoxyethoxy)ethoxy)ethanol
	CAS: 143-22-6, EINECS/ELINCS: 205-592-6, EU-INDEX: 603-183-00-0, Reg-No.: 01-2119475107-38-XXXX
	GHS/CLP: Eye Dam. 1: H318
	SCL [%]: 20 - <30: Eye Irrit. 2: H319, >=30: Eye Dam. 1: H318
15 - 25	Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate
•	CAS: 30989-05-0, EINECS/ELINCS: 250-418-4, Reg-No.: 01-2119462824-33-XXXX
	GHS/CLP: Repr. 2: H361fd
5 - 10	3,6,9,12-tetraoxahexadecan-1-ol
•	CAS: 1559-34-8, EINECS/ELINCS: 216-322-1
	GHS/CLP: Eye Irrit. 2: H319
5 - 10	2-2'-oxybisethanol
	CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX
	GHS/CLP: Acute Tox. 4: H302
1 - 3	2-(2-Butoxyethoxy)ethanol
	CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
	GHS/CLP: Eye Irrit. 2: H319
< 1	2-(2-Methoxyethoxy)ethanol
	CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX
	GHS/CLP: Repr. 1B: H360D
	SCL [%]: >= 3: Repr. 1B: H360D

Comment on component parts For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 3 / 17

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Use personal protective equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 4 / 17

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place. Recommended storage temperature: 15 - 30°C

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 5 / 17

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

2-2'-oxybisethanol

CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX

Long-term exposure: 23 ppm, 101 mg/m³

2-(2-Butoxyethoxy)ethanol

CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX

Long-term exposure: 10 ppm, 67,5 mg/m³

Short-term exposure (15-minute): 15 ppm, 101,2 mg/m³

2-(2-Methoxyethoxy)ethanol

CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX

Long-term exposure: 10 ppm, 50,1 mg/m³, Sk

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
2-(2-Butoxyethoxy)ethanol
CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
Eight hours: 10 ppm, 67,5 mg/m³
Short-term (15-minute): 15 ppm, 101,2 mg/m³
2-(2-Methoxyethoxy)ethanol
CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX
Eight hours: 10 ppm, 50,1 mg/m³, H

DNEL

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
Industrial, inhalative, Long-term - local effects, 67,5 mg/m³
Industrial, inhalative, Acute - local effects, 101,2 mg/m³
general population, oral, Long-term - systemic effects, 6,25 mg/kg bw/day
2-2'-oxybisethanol, CAS: 111-46-6
Industrial, inhalative, Long-term - systemic effects, 44 mg/m³
Industrial, inhalative, Acute - local effects, 60 mg/m³
Industrial, dermal, Long-term - systemic effects, 43 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 12 mg/m³
general population, inhalative, Acute - local effects, 12 mg/m³
general population, dermal, Long-term - systemic effects, 21 mg/kg bw/day
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
Industrial, inhalative, Long-term - systemic effects, 24 mg/m³
Industrial, inhalative, Acute - systemic effects, 96 mg/m³
Industrial, inhalative, Long-term - local effects, 30,5 mg/m³
Industrial, inhalative, Acute - local effects, 96 mg/m³
Industrial, dermal, Long-term - systemic effects, 1005 mg/kg bw/day
Industrial, dermal, Acute - systemic effects, 400 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 5,65 mg/cm²
Industrial, dermal, Acute - local effects, 8,35 mg/cm²



Page 6 / 17

Version 14.0. Supersedes version: 13.0

Date printed 16.02.2024, Revision 16.02.2024

general population, inhalative, Long-term - systemic effects, 12 mg/m³
general population, inhalative, Acute - systemic effects, 48 mg/m³
general population, inhalative, Long-term - local effects, 15,252 mg/m³
general population, inhalative, Acute - local effects, 48 mg/m³
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day
general population, dermal, Acute - systemic effects, 200 mg/kg bw/day
general population, dermal, Long-term - local effects, 2,823 mg/cm ²
general population, dermal, Acute - local effects, 4,173 mg/cm ²
general population, oral, Long-term - systemic effects, 12,5 mg/kg bw/day
general population, oral, Acute - systemic effects, 103,4 mg/kg bw/day
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
Industrial, inhalative, Long-term - systemic effects, 50,1 mg/m³
Industrial, dermal, Long-term - systemic effects, 2,22 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 30,1 mg/m³
general population, dermal, Long-term - systemic effects, 1,33 mg/kg bw/day
general population, oral, Long-term - systemic effects, 7,5 mg/kg bw/day
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
Industrial, inhalative, Long-term - systemic effects, 14.8 mg/m³ (AF=25)
Industrial, dermal, Long-term - systemic effects, 4.2 mg/kg bw/d (AF=100)
general population, inhalative, Long-term - systemic effects, 2.6 mg/m³ (AF=50)
general population, dermal, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200)

general population, oral, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200)

PNEC

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
oral (food), 56 mg/kg food
freshwater, 1,1 mg/L
seawater, 110 μg/L
sediment (freshwater), 4,4 mg/kg sediment dw
sediment (seawater), 440 µg/kg sediment dw
soil, 320 µg/kg soil dw
2-2'-oxybisethanol, CAS: 111-46-6
freshwater, 10 mg/L
seawater, 1 mg/L
sediment (freshwater), 20,9 mg/kg
soil, 1,53 mg/kg
sewage treatment plants (STP), 199,5 mg/L
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
freshwater, 2 - 100 mg/L
seawater, 200 - 142570 µg/L
sewage treatment plants (STP), 199,5 - 200 mg/L
sediment (freshwater), 7,7 - 11,115 mg/kg sediment dw
sediment (seawater), 770 - 1111,5 µg/kg sediment dw
soil, 470 - 11510 µg/kg soil dw
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
freshwater, 12 mg/L
seawater, 1,2 mg/L
sewage treatment plants (STP), 10000 mg/L



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 7 / 17

sediment (freshwater), 44,4 mg/kg sediment dw

sediment (seawater), 0,44 mg/kg sediment dw

terrestrial, 2,1 mg/kg

oral (food), 0,09 g/kg

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

There are no PNEC values established for the substance

8.2 Exposure controls

42117 Wuppertal

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Oil-resistant protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 8 / 17

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid

Color amber colour

Odor mild
Odour threshold not relevant

pH-value 7 - 10.5

pH-value [1%] No information available.

Boiling point or initial boiling point

and boiling range [°C]

> 260

Flash point [°C] > 100
Flammability no

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidising properties no Vapour pressure/gas pressure [kPa] 0.1

Density [g/cm³] 1.02 - 1.07 (20 °C / 68,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

Kinematic viscosity

ca. 5 - 10 cSt (20°C)

Relative vapour density No information available.

Melting point [°C] < -50

Auto-ignition temperature [°C] > 280

Decomposition temperature [°C] 300

Particle characteristics not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

The product is hygroscopic.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature). Decomposes begins at ca. 300 °C.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 9 / 17

10.5 Incompatible materials

Sensitive to moisture.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 10 / 17

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

LD50, oral, Rat, > 2000 mg/kg bw, OECD 401

Acute oral toxicity

Product	
ATE-mix, Rat, > 5000 mg/kg bw	
Substance	
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5	
LD50, oral, mouse, 2410 - 5530 mg/kg bw	
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6	
LD50, oral, Rat, 5000 - 11300 mg/kg bw	
LD0, oral, Rat, 5 mL/kg bw	
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3	
LD50, oral, Rat, 7128 mg/kg	
Tris[2-(2-(2-methoxy)ethoxy)ethyllorthoborate, CAS: 30989-05-0	

Acute dermal toxicity

Product
ATE-mix, Rabbit, > 3000 mg/kg bw
Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LD50, dermal, Rabbit, 2764 mg/kg bw
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LC50, dermal, Rabbit, 3540 mg/kg bw
LDLo, dermal, Rabbit, 2000 mg/kg bw
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LD50, dermal, Rabbit, 9404 mg/kg
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.	
Substance	
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6	
LC50, inhalative, Rat, 2,4 mg/L air	
LCLO, inhalative, Rat, 1,2 mg/L air, 8h	
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3	
LC0, inhalation (vapour), Rat, > 1,2 mg/l 6h	

Serious eye damage/irritation

Based on the available information, the classification criteria are fulfilled. Irritant

On basis of test data

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

Eye, non-irritating



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 11 / 17

Eye, irritant

2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6

Eye, adverse effect observed

2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3

Eye, non-irritating

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

dermal, Rabbit, OECD 404, non-irritating

2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6

dermal, non-irritating

2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3

dermal, non-irritating

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

dermal, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

dermal, Guinea pig, OECD 406, non-sensitizing

2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6

dermal, non-sensitizing

2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3

dermal, non-sensitizing

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

NOAEL, oral, Rat, 250 mg/kg bw/day, The effects observed are not sufficient for classification.

NOAEC, inhalative, 94 mg/m³, The effects observed are not sufficient for classification.

2-2'-oxybisethanol, CAS: 111-46-6

NOAEL, oral, Rat, 128 - 936 mg/kg bw/day

NOAEL, dermal, Dog, 2220 - 4440 mg/kg bw/day

2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6

NOAEL, oral, Rat, 500 mg/kg bw/day

NOAEL, dermal, Rat, 5000 mg/kg bw/day

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

NOAEL, oral, Rat, 1000 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 12 / 17

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

oral, mouse, In vivo study, negativ

2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6

in vitro, negativ

in vivo, negativ

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

in vitro, negativ

Reproduction toxicity Suspected of damaging the unborn child.

Suspected of damaging fertility.

Classification was carried out based on substance-specific concentration limits.

Calculation method

- Fertility

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed

2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3

NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,

NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,

- Development

Substance

2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5

NOAEL, oral, Rat, > 633 mg/kg bw/day, no adverse effect observed

2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3

NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,

NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

NOAEL, oral, Rabbit, 250 mg/kg bw/day, adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 13 / 17

SECTION 12: Ecological information

12.1 Toxicity

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LC50, (96h), fish, 1,3 g/L
EC50, (48h), Invertebrates, 100 mg/L
EC50, (4d), Algae, 100 mg/L
2-2'-oxybisethanol, CAS: 111-46-6
LC50, (96h), fish, 75.2 g/L
LC50, (28d), fish, 1.5 g/L
EC50, (24h), Invertebrates, 10 g/L
EC50, (21d), Invertebrates, 33.911 g/L
EC50, (4d), Algae, 6.5 - 13 g/L
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LC50, (96h), fish, 2,182 - 14,257 g/L
LC50, (48h), fish, 2,4 g/L
LC50, (24h), fish, 2,4 - 2,967 g/L
EC50, (21d), Invertebrates, 518,3 mg/L
EC50, (72h), Algae, 500 - 3211 mg/L
LC0, (96h), fish, 2,15 g/L
NOEC, (72h), Algae, 62,5 - 499 mg/L
NOEC, (21d), fish, 174,6 mg/L
NOEC, (21d), Invertebrates, 97,7 - 174,6 mg/L
LC100, (96h), fish, 4,6 g/L
EC10, (72h), Algae, 151 - 1185 mg/L
EC10, (21d), Invertebrates, 233,9 - 235,6 mg/L
EC20, (72h), Algae, 270 - 364 mg/L
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LC50, (96h), Pimephales promelas, 5741 mg/L
EC50, (96h), Pseudokirchneriella subcapitata, > 1000 mg/L
EC50, (48h), Daphnia magna, 1192 mg/L
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LC50, (48h), Oncorhynchus mykiss, > 222,2 mg/L
EC50, (24h), Daphnia magna, > 211,2 mg/L
EC50, (72h), Algae, > 224,4 mg/L

12.2 Persistence and degradability

Behaviour in environment

No information available.

compartments

Behaviour in sewage plant No information available.

Biological degradability No information available.

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 14 / 17

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

160113* Waste no. (recommended)

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 15 / 17

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

ADR/RID

Transport by land according to

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 16 / 17

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 30, 54, 55, 72, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H360D May damage the unborn child. H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H318 Causes serious eye damage.



Date printed 16.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0 Page 17 / 17

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (On basis of test data)

Repr. 2: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

(Calculation method)

Modified position 1.3, 2.3, 3.2, 4.2, 5.2, 7.1, 8.1, 9.1, 11.1, 11.2, 12.3, 12.6, 12.7, 15.1, 16.2, 16.3