SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

hydraulic fluid
Article number: 99 90 6161
UFI: HY1J-G07T-V001-8TFA

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

SWAG Autoteile GmbH
Am Kiesberg 4-6
42117 Wuppertal / GERMANY
Phone +49 (0)202 26454-0
Fax +49 (0)202 26454-5000
Homepage www.swag.de
E-mail info@swag.de

Address enquiries to

Technical information info@swag.de

Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H332 Harmful if inhaled.
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word DANGER

Contains: 1-Decene, Dimer, hydrogenated

Hazard statements

H332 Harmful if inhaled.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.
P312 Call a POISON CENTER / doctor if you feel unwell.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Special labelling Contains: Methyl methacrylate. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 99	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
10 - < 20	Distillates (petroleum), hydrotreated light naphthenic
	CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics
	CAS: 1174522-45-2, EINECS/ELINCS: 934-954-2, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119826592-36-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,25 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 1, M-Factor (chronic): 1
0,1 - < 1	Methyl methacrylate
	CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6, Reg-No.: 01-2119452498-28-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Skin Sens. 1: H317
	SCL [%]: >= 10: STOT SE 3: H335

Comment on component parts For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.
Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Do not inhale explosion and/or combustion gases.

Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash face and/or hands before break and end of work.
Cloths contaminated with product should not be kept in trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.

Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
2,6-di-tert-butyl-p-cresol
CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
Long-term exposure: 10 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
Industrial, inhalative, Long-term - local effects, 5,4 mg/m³
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
There are no DNEL values established for the substance.
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
Industrial, inhalative, Acute - systemic effects, 60 mg/m³
general population, inhalative, Acute - systemic effects, 50 mg/m³
Methyl methacrylate, CAS: 80-62-6
Industrial, inhalative, Long-term - systemic effects, 348,4 mg/m³
Industrial, inhalative, Long-term - local effects, 208 mg/m³
Industrial, inhalative, Acute - local effects, 416 mg/m³
Industrial, dermal, Long-term - systemic effects, 13,67 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 1,5 mg/cm²
general population, inhalative, Long-term - systemic effects, 74,3 mg/m³
general population, inhalative, Long-term - local effects, 104 mg/m³
general population, dermal, Long-term - systemic effects, 8,2 mg/kg bw/day
general population, dermal, Long-term - local effects, 1,5 mg/cm²
general population, oral, Long-term - systemic effects, 8,2 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
Industrial, inhalative, Long-term - systemic effects, 5,8 mg/m³
Industrial, dermal, Long-term - systemic effects, 8,3 mg/kg
general population, dermal, Long-term - systemic effects, 5 mg/kg
general population, inhalative, Long-term - systemic effects, 1,74 mg/m³

PNEC

Substance
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
There are no PNEC values established for the substance.
Methyl methacrylate, CAS: 80-62-6

sediment (seawater), 1,02 mg/kg sediment dw
soil, 1,48 mg/kg soil dw
freshwater, 0.94 mg/L
seawater, 0,094 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 10,2 mg/kg sediment dw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
soil, 1,04 mg/kg
sediment (freshwater), 1,29 mg/kg
oral (food), 16,7 mg/kg
freshwater, 0,004 mg/l
seawater, 0,0004 mg/l
sewage treatment plants (STP), 100 mg/l

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.
General exposure limit for oil mist should be noted.
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection
If there is a risk of splashing:
Safety glasses. (EN 166:2001)

Hand protection
The details concerned are recommendations. Please contact the glove supplier for further information.
> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
> 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection
light protective clothing

Other
Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Avoid contact with eyes and skin.

Respiratory protection
Breathing apparatus in the event of aerosol or mist formation.
Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards
none

Delimitation and monitoring of the environmental exposition
See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	green
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	160
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,83
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	18,5 mm²/s (40° C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Reactions with strong acids and alkalies.

10.4 Conditions to avoid

See SECTION 7.2.
Strong heating.

10.5 Incompatible materials

Strong basic compounds
Strong acids.
Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, oral, Rat, > 5000 mg/kg bw
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
LD50, oral, Rat, >5000 mg/kg bw, OECD 401
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
LD50, oral, Rat, > 5000 mg/l
Methyl methacrylate, CAS: 80-62-6
LD50, oral, Rat, 7900 mg/kg
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, 5000 mg/kg bw
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LD50, oral, Rat, > 5000 mg/kg bw (OECD 401)
NOEL, oral, Rat, 25 mg/kg/28d

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, dermal, Rabbit, > 2000 mg/kg bw
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
LD50, dermal, Rabbit, 3160 mg/kg bw
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
LD50, dermal, Rabbit, > 3000 mg/l
Methyl methacrylate, CAS: 80-62-6
LD50, dermal, Rabbit, > 5000 mg/kg
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LD50, dermal, Rat, > 5000 mg/kg bw (OECD 402)

Acute inhalational toxicity

Product
ATE-mix, inhalativ (mist), 3,07 mg/l/4h
ATE-mix, inhalation (vapour), 241,23 mg/l/4h

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, inhalative, Rat, > 5,53 mg/l/4h (dust/mist)

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
LC50, inhalative, Rat, >5.266 mg/L
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
LC50, inhalative, Rat, >1,81 mg/l 4h
Methyl methacrylate, CAS: 80-62-6
LC50, inhalative, Rat, 29,8 mg/l (4h)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
Eye, non-irritating

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
dermal, irritant

Respiratory or skin sensitisation May produce an allergic reaction.
Calculation method
Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
dermal, sensitising
inhalative, non-sensitizing

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
NOAEL, oral, Rat, 5000 mg/kg bw/day
NOAEC, inhalative, Rat, 10.4 mg/L air
Methyl methacrylate, CAS: 80-62-6
NOAEL, oral, Rat, 124 mg/kg bw/day
NOAEC, inhalative, Rat, 104 mg/m³
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
in vitro, negativ
in vivo, negativ

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility No information available.

- Development

Substance
Methyl methacrylate, CAS: 80-62-6
NOAEL, oral, Rabbit, 450 mg/kg bw/day
NOAEC, inhalative, Rat, 8300 mg/m³

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
NOAEL, oral, Rat, 90,3 mg/kg bw/day
NOAEC, inhalative, Rat, 2050 mg/m³

Aspiration hazard Based on the available information, the classification criteria are fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, (96h), fish, > 100 mg/l
IC50, (48h), Algae, > 100 mg/l
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
EC50, (72h), Algae, 10 g/L
NOELR, (21d), Invertebrates, 1 g/L
NOELR, (28d), fish, 1 g/L
LL50, (48h), Invertebrates, 3.193 g/L
LC100, (96h), fish, 1.028 g/L
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
EC50, (48h), Daphnia magna, > 1000 mg/l
EL50, (72h), Algae, >1000 mg/l
NOELR, (21d), Daphnia magna, 125 mg/l
LL50, (96h), Oncorhynchus mykiss, >1000 mg/l
Methyl methacrylate, CAS: 80-62-6
LC50, (96h), Oncorhynchus mykiss, > 79 mg/l OECD 203
EC50, (48h), Daphnia magna, 69 mg/l OECD 202
EC50, (72h), Selenastrum capricornutum, > 110 mg/l OECD 201
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LC50, (96h), Danio rerio, > 0,57 mg/l
EC50, (48h), Daphnia magna, > 0,17 mg/l
IC50, (72h), Desmodesmus subspicatus, > 0,42 mg/l
NOEC, (21d), Daphnia magna, > 0,39 mg/l

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!
Coordinate disposal with the disposal contractor/authorities if necessary.
Dispose of as hazardous waste.

Waste no. (recommended) 130111*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102
150104
150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

not applicable

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex I (REACH)	The product is not subject to Annex I restrictions.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 40, 75
	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H304 May be fatal if swallowed and enters airways.
H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H225 Highly flammable liquid and vapour.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Weight of evidence)
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

3.2