

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

VAICO ATF 14

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	VIEROL AG
	Karlstraße 19
	26123 Oldenburg
Telephone:	+49 441 210 20 - 0
Fax:	+49 441 210 20 - 111

Contact for request of safety data sheets

E-mail:	Automotive Schmierstoffe	info@vierol.com
	Industrieschmierstoffe	
Telephone:	+49 441 210 20 - 0	

Informing department for safety data sheets

E-mail:

info@vierol.com

1.4 Emergency telephone number: Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary Physical Hazards: No data available.

2.2 Label Elements

EUH210: Safety data sheet available on request.



Product name: VAICO ATF 14	
2.3 Information on other haz- ards	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
Endocrine disrupting prop- erties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	Identifier		REACH Registra- tion No.	Notes
base oil, low viscous	EINECS: 276-738-4	50,00% - <100,00%	01-2119474889-13	
Base oil paraffinic	EINECS: 265-157-1	1,00% - <10,00%	01-2119484627-25	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classif	ication
base oil, low viscous	EINECS: 276-738-4	CLP: A	Asp. Tox. 1;H304
Base oil paraffinic	EINECS: 265-157-1	CLP: A	Asp. Tox. 1;H304

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu Inhalation:	ures Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.



SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed	
Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters		
Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release m	easures	
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillag- es. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regula- tions. Stop the flow of material, if this is without risk.	
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage:		
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibili- ties:	Do not heat up to temperatures close to the flash point.	



Product name: VAICO ATF 14		
7.3 Specific end use(s):	No data available.	
Storage Class:	10, Combustible liquids	
SECTION 8: Exposure controls/p	personal protection	
8.1 Control Parameters		
Occupational Exposure Lim	its None of the components have assigned exposure limits.	
8.2 Exposure controls		
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.	
Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.	
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm	
	Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.	
Other:	Do not carry cleaning cloths impregnated with the product in trouser pock- ets. Wear suitable protective clothing.	
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing va- pour/ aerosol.	
Thermal hazards:	Not known.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.	
Environmental Controls:	No data available.	



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Red
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	200 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Explosion Limit - Upper (%):	Not applicable for mixtures
Explosion Limit - Lower (%):	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,84 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Auto-ignition temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	29,6 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute	toxicity
Acuic	LOAIGILY

Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s) base oil, low viscous	LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Base oil paraffinic	LD 50 (Rat): > 5.000 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil paraffinic	LD 50 (Rabbit): > 5.000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product: Specified substance(s) Base oil paraffinic	Based on available data, the classification criteria are not met. OECD 404 Not irritant.
Serious Eye Damage/Eye Irr Product: Specified substance(s) Base oil paraffinic	itation: Based on available data, the classification criteria are not met. OECD 405 Not irritant.
Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure Product: Based on available data, the classification criteria are not met.	



Specific Target Organ Toxic Product:	ty - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard	
Product: Specified substance(s)	Based on available data, the classification criteria are not met.
Base oil paraffinic	May be fatal if swallowed and enters airways.
11.2 Information on other haz- ards	
Endocrine disrupting proper	ties
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Base oil paraffinic	LC 50 (Fish, 96 h): > 100 mg/l
Aquatic Invertebrates Specified substance(s) base oil, low viscous	EL50 (Water Flea, 48 h): > 10.000 mg/l (OECD 202)
Base oil paraffinic	EC 50 (Water Flea, 48 h): > 100 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) base oil, low viscous	NOEC (Fish, 14 d): > 1.000 mg/l
Aquatic Invertebrates Specified substance(s) base oil, low viscous Base oil paraffinic	NOEC (Water Flea, 21 d): 10 mg/l (OECD 211) NOEC (Daphnia magna, 21 d): 10 mg/l (OECD 211)
Toxicity to Aquatic Plants Specified substance(s) base oil, low viscous	NOEC (Alga, 72 h): > 100 mg/l (OECD 201)
Base oil paraffinic	EC 50 (Algae, 72 h): > 100 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation



Product:	Not applicable for mixtures
Specified substance(s) Base oil paraffinic	Not readily degradable.
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Endocrine disrupting properties	
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID	
14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	-
Tunnel restriction code:	_
14.4 Packing Group:	_
14.5 Environmental hazards:	_



14.6 Special precautions for user: IMDG 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Non-dangerous goods Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: ΙΑΤΑ 14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Non-dangerous goods Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

14.7 Maritime transport in bulk according to IMO instruments: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Product name: VAICO ATF 14

EU. Regulation 2024/590/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulations	
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
15.2 Chemical safety as- sessment:	No Chemical Safety Assessment has been carried out.
SECTION 16: Other information	1
Revision Information:	Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3 H304 May be fatal if swallowe

May be fatal if swallowed and enters airways.

Other information:The classification complies with the current EU lists; however, it has been
supplemented with expert literature information and information provided
by/about our company. The following evaluation methods were used: - On the



Revision Date: Disclaimer:

17.05.2024

lar mixtures" - Expert Judgement

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

basis of test data - Calculation Method - Bridging Principle "Substantially simi-