

# WOLF GUARDTECH 15W-40 CI-4

11/11/2025  
14616

This engine oil meets the prime requirements of ACEA and API for heavy-duty engines. It combines wear reducing- and cleaning properties into one lubricant. This product may not be available in your region. Please, consult your local sales contact for more information.

## APPLICATIONS

Suitable for all modern Euro II, III and some Euro IV diesel engines of heavy-duty equipment, making it a great lubricant for mixed fleet maintenance.

## FEATURES

Engine protection: outstanding engine cleanliness and durability

## SPECIFICATIONS

ACEA	A3/B4-08	CUMMINS	CES 20076
ACEA	E7-04 Issue 2	CUMMINS	CES 20077
API	CF-4	DETROIT DIESEL	DFS 93K215
API	CG-4	DEUTZ	DQC-II-18
API	CH-4	DTRF	approval 15B110
API	CI-4/SL	MACK	EO-L
MIL	L-2104 E	MACK	EO-M PLUS
MIL	L-46152 D	MAN	271
ALLISON	C4	MAN	M3275-1
CATERPILLAR	ECF-1a	MB	227.1
CATERPILLAR	TO-2	MB	229.1
CUMMINS	CES 20071	MTU	Oil Category 1
CUMMINS	CES 20072	VOLVO	VDS-2

## TYPICAL CHARACTERISTICS

Test	Method	Unit	Average results
Density at 15°C	ASTM D4052	g/ml	0.873
Kinematic viscosity at 40°C	ASTM D445	mm <sup>2</sup> /s	95.7
Kinematic viscosity at 100°C	ASTM D445	mm <sup>2</sup> /s	13.7
Viscosity index	ASTM D2270		145
B.N. (HClO <sub>4</sub> method)	ASTM D2896	mg KOH/g	10.9
Pour point	ASTM D6892	°C	-33
Flash Point COC	ASTM D92	°C	225

We reserve the right to alter the general characteristics of our products in order to let our customers benefit of the latest technical evolutions.

### WOLF OIL CORPORATION NV

G. Gilliotstraat 52 – 2620 Hemiksem – Belgium  
Tel. +32 (0)3 870 00 00

[www.wolf lubes.com](http://www.wolf lubes.com)

