

WOLF EXTENDTECH 75W90 GL 5

11/08/2023
2209

This is a semi synthetic lubricant based on carefully selected highly refined base oils. This is a transmission oil with an exceptionally high viscosity index. It exhibits excellent fluidity at low temperatures and ensures a long life of the oil and gears.

APPLICATIONS

This is a special transmission oil with "extreme pressure" properties, specifically composed in order to prevent corrosion on copper alloys. It is applied in modern gear boxes and some rear axles, especially where gear shift problems occur when using thicker oils.

FEATURES

Frictional properties: smooth shift performance
Anti-wear protection: long transmission life
Extended oil life: proven resistance to oil degradation

PERFORMANCE

API GL-5 MIL L-2105 D

TYPICAL CHARACTERISTICS

| Test | Method | Unit | Average results |
|-------------------------------|------------|--------------------|-----------------|
| Density at 15°C | ASTM D4052 | g/ml | 0.861 |
| Kinematic viscosity at 40°C | ASTM D445 | mm ² /s | 81 |
| Kinematic viscosity at 100°C | ASTM D445 | mm ² /s | 15 |
| Viscosity index | ASTM D2270 | | 196 |
| Pour point | ASTM D6892 | °C | -45 |
| Brookfield viscosity at -40°C | ASTM D2983 | mPa.s | 130.000 |
| Flash Point COC | ASTM D92 | °C | 206 |

We reserve the right to alter the general characteristics of our products in order to let our customers benefit of the latest technical evolutions.