

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 18/02/2004 Revision date: 23/05/2024 Supersedes version of: 15/01/2024 Version: 4.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Non-dispersive use
	Used in closed systems
Function or use category	: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V. Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen België T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99 msds@championlubes.com, https://www.championlubes.com

1.4. Emergency telephone number

Emergency number

: 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	0.1 – 0.99	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	(50 ≤ C < 100) Eye Dam. 1, H318 (50 ≤ C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Not expected to require first aid measures. Wash skin with mild soap and water. In case of eye contact, immediately rinse with clean water for 10-15 minutes. Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention. 	
4.2. Most important symptoms and effect	ts, both acute and delayed	
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.	1
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of norm use.	al
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions normal use.	of
23/05/2024 (Revision date)	EN (English)	2/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion

: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measur	es	
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Powder. Dry chemical product.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
No additional information available		
5.3. Advice for firefighters		

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders Protective equipment	: Wear suitable protective clothing and gloves.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify	y authorities if product enters sewers or public waters.	
6.3. Methods and material for containme	ant and cleaning up	
For containment Methods for cleaning up	Impound and recover large spill by mixing it with inert granular solids.Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.	

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	 Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: <40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, cool, well-ventilated area.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germany

Storage class (LGK, TRGS 510)

: LGK 10-13 - Other combustible and non-combustible substances

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : brown. Appearance : Oily liquid. Odour : Characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available Plash point : Not available Upper explosion limit : Not available Upper explosion limit : Not available Plash point : 240 °C (ASTM D92) Auto-ignition temperature : Not available PH : Not available Viscosity, kinematic : 115 mm²/s @ 40°C (ASTM D445) Solubility : Slightly soluble, the product remains on the water surface. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Vapour pressure : Not available <t< th=""><th colspan="4">SECTION 9: Physical and chemical properties</th></t<>	SECTION 9: Physical and chemical properties			
Colour: brown.Appearance: Oily liquid.Odour: Characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableBoiling point: Not availableClaw: Not availableBoiling point: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @ 15°C (ASTM D4052)	9.1. Information on basic physical and ch	emical properties		
AppearanceC Oliy liquid.Odour:Characteristic.Odour threshold:Not availableMelting point:Not availableFreezing point:Not availableBoiling point:Not availableBoiling point:Not availableFlammability:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:Not availableFlash point:Not availableDecomposition temperature:Not availablePer explosion limit:Not availableDecomposition temperature:Not availablePH:Not availableViscosity, kinematic:115 mm²/s @ 40°C (ASTM D445)Solubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:889 kg/m³ @15°C (ASTM D4052)	Physical state	: Liquid		
Odour: Characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: Not availableFlash point: Not availableComposition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Colour	: brown.		
Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: Not availablePattoring time perature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: Not availableSolubility: Slightly soluble, the product remains on the water surface.Pattition coefficient n-octanol/water (Log Kow): Not availableVapour pressure at 50°C: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Appearance	: Oily liquid.		
Melting point: Not availableFreezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Odour			
Freezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Odour threshold	: Not available		
Boiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Melting point	: Not available		
Flammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: Not availableSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)				
Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: Not availableSolubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Boiling point	: Not available		
Upper explosion limit:Not availableFlash point:> 240 °C (ASTM D92)Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:115 mm²/s @ 40°C (ASTM D445)Solubility:Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:889 kg/m³ @15°C (ASTM D4052)	Flammability	: Not available		
Firsh point: > 240 °C (ASTM D92)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Lower explosion limit	: Not available		
Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Upper explosion limit	: Not available		
Decomposition temperature: Not availablepH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Flash point	: > 240 °C (ASTM D92)		
pH: Not availableViscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Auto-ignition temperature	: Not available		
Viscosity, kinematic: 115 mm²/s @ 40°C (ASTM D445)Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Decomposition temperature	: Not available		
Solubility: Slightly soluble, the product remains on the water surface.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	рН	: Not available		
Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Viscosity, kinematic	: 115 mm²/s @ 40°C (ASTM D445)		
Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:889 kg/m³ @15°C (ASTM D4052)	Solubility	: Slightly soluble, the product remains on the water surface.		
Vapour pressure at 50°C: Not availableDensity: 889 kg/m³ @15°C (ASTM D4052)	Partition coefficient n-octanol/water (Log Kow)	: Not available		
Density : 889 kg/m ³ @15°C (ASTM D4052)	Vapour pressure	: Not available		
	Vapour pressure at 50°C	: Not available		
Relative density : Not available	Density	: 889 kg/m³ @15°C (ASTM D4052)		
	Relative density	: Not available		
Relative vapour density at 20°C : Not available	Relative vapour density at 20°C	: Not available		
Particle characteristics : Not applicable	Particle characteristics	: Not applicable		

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizers. acids. Bases.

10.6. Hazardous decomposition products

None under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological info	ormation
11.1. Information on hazard classe	s as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Zinc bis[O,O-bis(2-ethylhexyl)] bis	(dithiophosphate) (4259-15-8)
LD50 oral rat	3100 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
CHAMPION ACTIVE DEFENCE 80W90 GL 1&3	
Viscosity, kinematic	115 mm²/s @ 40°C (ASTM D445)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified Not classified
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	sphate) (4259-15-8)
LC50 - Fish [1]	4.4 mg/l Oncorhynchus mykiss OECD 203
EC50 - Crustacea [1]	75 mg/l Daphnia Magna (OECD 202)
EC50 72h - Algae [1]	220 mg/l Scenedesmus quadricauda
ErC50 algae	410 mg/l Scenedesmus quadricauda (OECD 201)
NOEC (acute)	220 mg/l Scenedesmus subspicatus OECD201 - biomass
NOEC (chronic)	0.4 mg/l Daphnia Magna OECD 211 @21d - results analog product
NOEC chronic crustacea	0.4 mg/l Daphnia magna
NOEC chronic algae	220 mg/l Scenedesmus quadricauda
12.2. Persistence and degradability	
CHAMPION ACTIVE DEFENCE 80W90 GL 1&3	3

Persistence and degradability Not soluble in water, so only minimally biodegradable.		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Persistence and degradability Not readily biodegradable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3. Bioaccumulative potential	5 % 28d - OECD 301 hate) (4259-15-8) .59
ac bis[O,O-bis(2-ethylhexyl)] bis(dithiophosph tition coefficient n-octanol/water (Log Kow) 3 4. Mobility in soil 3 additional information available 5. Results of PBT and vPvB assessment	
tition coefficient n-octanol/water (Log Kow) 3 4. Mobility in soil additional information available 5. Results of PBT and vPvB assessment	
4. Mobility in soil additional information available 5. Results of PBT and vPvB assessment	.59
additional information available 5. Results of PBT and vPvB assessment	
5. Results of PBT and vPvB assessment	
additional information available	
6. Endocrine disrupting properties	
additional information available	
12.7. Other adverse effects	
dditional information available	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Additional information European List of Waste (LoW) code	 Dispose in a safe manner in accordance with local/national regulations. 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

RID Transport hazard class(es) (RID)	: Not applicable	
14.4. Packing group		
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable 	
14.5. Environmental hazards		
Other information	: No supplementary information available	
14.6. Special precautions for user		
Overland transport No data available		
Transport by sea No data available		
Air transport No data available		
Inland waterway transport No data available		
Rail transport No data available		
14.7. Maritime transport in bulk according to IMO instruments		
Not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
2.2	EUH-statements	Removed	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
13.1	European List of Waste (LoW) code	Added	

Abbreviations and acronyms:		
	ACGIH: American Conference of Governmental Industrial Hygienists	
	TWA: Time Weighted Average	
	TLV: Threshold Limit Value	
	ASTM: American Society for Testing and Materials	
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route	
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail	
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin	
	IMDG: International Maritime Dangerous Goods	
	ICAO: International Civil Aviation Organization	
	IATA: International Air Transport Association	
	STEL: Short Term Exposure Limit	
	LD50: median Lethal Dose for 50% of subjects	

:

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ATE: acute toxicity estimate	
LC50: median Lethal Concentration for 50% of subjects	
	EC50: concentration producing 50% effect

Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.