

# CHAMPION OEM SPECIFIC 5W-30 MS-GD

*This synthetic engine oil guarantees a cleaner and better performing engine without lowering the oil drain interval.*

*It is based on carefully selected very high quality base oils and formulated using the latest technology for catalyst compatible engine oils.*

*The broad applicability of this engine oil enables you to offer perfect maintenance to different vehicles of several major brands.*

## APPLICATIONS

*This engine oil can be used in systems with or without exhaust gas aftertreatment where C2 [PSA] or C3 [German OEM's] engine oils are required.*

*Furthermore, this engine oil has an official GM DexosD approval. DexosD meets or exceeds the performance of dexos2 and is backward compatible.*

## FEATURES

*Aftertreatment protection: full aftertreatment device protection.*

*Fuel economy: lower fuel consumption and CO2 emissions.*

*Total engine protection: outstanding engine cleanliness and durability.*

## SPECIFICATIONS

<b>ACEA</b>	C2
<b>ACEA</b>	C3
<b>API</b>	SN/CF
<b>BMW</b>	LOGLIFE-04
<b>CHRYSLER</b>	MS 11106
<b>FIAT</b>	9.55535-S3
<b>FORD</b>	WSS-M2C917-A
<b>GM</b>	dexos2™
<b>GM</b>	dexos™D
<b>HYUNDAI</b>	SFU
<b>KIA</b>	SFU
<b>MB</b>	226.5
<b>MB</b>	229.31
<b>MB</b>	229.51
<b>MB</b>	229.52
<b>OPEL</b>	GM-LL-A-025
<b>OPEL</b>	GM-LL-B-025
<b>RENAULT</b>	RN 0700
<b>RENAULT</b>	RN 0710
<b>VW</b>	502 00 < 2017
<b>VW</b>	505 00
<b>VW</b>	505 01

### CHAMPION CHEMICALS NV

G. Gilliatstraat 52 - 2620 Hemiksem - Belgium

Tel. +32 3 870 00 00

[www.championlubes.com](http://www.championlubes.com)





## TYPICAL CHARACTERISTICS

Test	Method	Unit	Average results
Density at 15°C	ASTM D4052	g/ml	0.852
Kinematic viscosity at 40°C	ASTM D445	mm <sup>2</sup> /s	75.56
Kinematic viscosity at 100°C	ASTM D445	mm <sup>2</sup> /s	12.4
Viscosity index	ASTM D2270		163
B.N. (HCL04 method)	ASTM D2896	mg KOH/g	8.0
Pour point	ASTM D6892	°C	-39
Flash Point COC	ASTM D92	°C	230

We reserve the right to alter the general characteristics of our products in order to let our customers benefit of the latest technical evolutions.

### CHAMPION CHEMICALS NV

G. Gilliatstraat 52 – 2620 Hemiksem – Belgium

Tel. +32 3 870 00 00

[www.championlubes.com](http://www.championlubes.com)

