

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 1/(12)

Section 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

A. Z. Meisterteile MT-GREASE HT-2 lithium complex lubricating grease

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: lithium complex lubricating grease

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

Trader identification: Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft. UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57. H-1139 Budapest, Frangepán u. 55-57.

Phone: +36 1 270 8700 Phone: +36 1 270 8700 Fax: + 36 1 270 8799 Fax: + 36 1 270 8799 E-mail: info@unixauto.hu E-mail: info@unixauto.hu

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Phone: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: info@unixauto.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

Section 2 Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

Eye Irrit. 2 H319 Causes serious eye irritation.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 2/(12)

2.2 Label elements

Product identification: Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium

complex lubricating grease

Hazardous components: -

Pictogram:

<u>(!</u>)

Signal word: Warning

Hazard statement:

H319 Causes serious eye irritation.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

P280 Wear eye protection.

Precautionary statements – Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + **P313** If eye irritation persists: Get medical advice/attention.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national

regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of

regulation (EC) 1907/2006.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 3/(12)

Section 3 Composition/information on ingredients

3.2 Material

Chemical description: Mineral oil and synthetic oil based consistent lubricant

containing complex lithium soap and additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes	Hazard	Conc.
Name	number	number	and cat.	statements	%(m/m)
Distillates (petroleum),	265-169-7	64742-65-0	-	-	max. 60
solvent-dewaxed heavy paraffinic C20- C50*			(Note L)		
REACH Registr. Nr.:					
01-2119471299-27					
Lubricating oils	309-877-7	101316-72-7	-	-	max. 15
(petroleum), C24- C50*			(Note L)		
REACH Registration Nr.:					
01-2119489969-06					
Lubricating oils	309-874-0	101316-69-2	-	-	max. 5
(petroleum), C>25*			(Note L)		
REACH Registration Nr.:					
01-2119486948-13					
Lubricating oils	305-594-8	94733-15-0	-	-	max. 5
(petroleum), C18-40*			(Note L)		
REACH Registr. Nr:					
01-2119486987-11					
Polyisobutenyl succinic		67762-77-0	Eye Irrit. 2	H319	max. 4.5
acid anhydride			STOT SE 3	H335	
Fatty acids, vegetable-	304-821-8	94279-76-2	Skin Irrit. 2	H315	max. 1.5
oil,sulfurized			Eye Irrit. 2	H319	
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2	H315	max. 1.5
			Eye Dam. 1	H318	
			Aquatic Chronic 2	H411	
Lithium hydroxide	215-183-4	1310-66-3	Acute Tox. 4	H302	max. 0.1
monohydrate			Skin Corr. 1B	H314	

^{*:} with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 4/(12)

Section 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin Remove contaminated clothing. Wash with plenty amount of water, using

contact: soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical

attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get

medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment need

Not required.

Section 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

-



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 5/(12)

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned

up with cloths and/or sawdust. Dispose of the collected material as

hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local

authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

Section 7 Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C

7.3 Specific end use(s)

Lithium complex lubricating grease.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 6/(12)

Section 8 Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters: -

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min)

(e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Protective goggles not required. Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: consistent

Colour: yellow, homogenous

Odour: characteristic

Change in physical state: Can settle on the surface oil on prolonged storage.

Dropping point (ISO 2176): typ. 280°C Pour point (ISO 3016): not available

Others:

Flash point (COC) (EN ISO 2592): not available Ignition point (EN ISO 2592): not available Autoignition temperature: not available Explosive properties: not explosive Oxidizing properties: not oxidize Vapour pressure at 20°C: negligible not available



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 7/(12)

Solubility in water: practically insoluble in water

n-Octanol/water partition coefficient: not available Penetration after working – 60 c, at 25°C typ. 280

(0,1 mm) (ISO 2137):

pH: not applicable

9.2 Other information

no data available

Section 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known

10.4 Conditions to avoid: Direct heat or ignition sources, open flames.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral: LD_{50} (rat) > 2000 mg/kg (based on components) Dermal: LD_{50} (rabbit) > 2000 mg/kg (based on components)

Acute toxicity: irritation

Skin: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin depending

on individual sensitivity.

Eye: irritant (based on components), causes serious eye irritation.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 8/(12)

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on

components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: not classified STOT-repeated exposure: not classified Aspiration hazard: not classified

Section 12 Ecological information

12.1 Toxicity No data available.

Aquatic organisms: Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil: Soil is not mobile.

Mobility in water: Floats on water. Does not form continuous layer.

12.5 Results of PBT and vPvB

assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content: None. PCT, PCB and other chlorinated None.

hydrocarbons:

Environmental effects: Large spillages may be hazardous to the environment.

Water hazard class (German): WGK 1 (Classification by VwVwS)

Section 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 9/(12)

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

Section 14 Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

14.6. Special precautions for user:

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29, 06, 2017 Date of issue: 27, 03, 2015 Page: 10/(12)

Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of

REACH

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation

1272/2008/EC (CLP)

Eye Irrit 2 H319 (calculated)

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Skin Corr. 1B	Skin corrosion/irritation Category 1A

Skin Irrit. 2 Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1 Eye Dam. 1 Eve Irrit. 2 Serious eye damage/eye irritation Category 2

Specific target organ toxicity — single exposure Category 3 STOT SE 3 Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 11/(12)

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Biocontrentration Factor
BOD Biological Oxigen Demand

Bw Body Weight

C&L Classification and Labeling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

CMR Carcigonic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Cheamicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate

ES Exposure Scenario

ESIS European Chemical Substances Information System IARC International Agency for Research on Cancer IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: A. Z. Meisterteile MT-GREASE HT-2 lithium complex

lubricating grease

Version: 4 Latest revision: 29. 06. 2017 Date of issue: 27. 03. 2015 Page: 12/(12)

Revision Indicators:					
Section	Subject of change	Date	Version		
3	Composition/information on ingredients	01.06.2016	2		
1-16	Other corrections, revision modification according to				
	2015/830 /EU				
Letterhead	Form	12. 10. 2016	3		
1.3	E-mail address				
3	Composition/information on ingredients	29.06.2017	4		