according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1

Date of issue: 02. 11. 2017

## SECTION 1 Identification of the mixture/substance and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Getriebeöl GL-4 80W-90
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: multigrade gear oil Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet: Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

 1.4 Emergency telephone number Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: 36 80 201 199 (0-24 h, free number).

## SECTION 2 Hazards identification

2.1 Classification of the <u>mixture</u> or substance Hazard Class and Category: Hazard statement: Not classified. -

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1	Latest revision:	Date of issue: 02. 11. 2017	Page: 2/(12)
------------	------------------	-----------------------------	--------------

## 2.2 Label elements

	Product identification:	Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90	
	Hazardous component(s)	-	
	GHS Pictogram: Signal word:	Not required. Not required.	
	Hazard statement: <b>Not required.</b>		
	Supplemental hazard info	rmation: -	
	Precautionary statements	– General: -	
	Precautionary statements <b>P273</b>	<ul> <li>Prevention:</li> <li>Avoid release to the environment.</li> </ul>	
	Precautionary statements	– Response: -	
	Precautionary statements	– Storage: -	
	Precautionary statements <b>P501</b>	– Disposal: Dispose of contents/container in accordance with national regulation	on.
	Other liabilities for labell Tactile warning of dange Transport classification:	Not required.	
2.3	Other hazards The product does not cont (EC) 1907/2006.	ain any PBT or vPvB substance according to annex XIII of regulatio	n

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1

Latest revision:

Date of issue: 02. 11. 2017

Page: 3/(12)

### SECTION 3 Composition/information on ingredients

### 3.2 Mixtures

Chemical description: M

Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Ivaille	number	number	cat.	statements	%(m/m)
Lubricating oils	309-877-7	101316-72-7	-	-	max. 95
(petroleum), C24- C50*			(Note L)		
REACH Registr.Nr.:					
01-2119489969-06					
Lubricating oils	309-874-0	101316-69-2	-	-	max. 25
(petroleum), C>25*			(Note L)		
REACH Registr.Nr.:					
01-2119486948-13					
Lubricating oils	309-877-7	101316-72-7	Asp.Tox.1	H304	max. 5
(petroleum), C24- C50*			(Note L)		
REACH Registr.Nr.:					
01-2119489969-06					

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## **SECTION 4** First aid measures

- 4.1 Description of first aid measures
  - General information: Never give anything by mouth to an unconscious person, or never induce vomiting.
    - Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
  - Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
  - Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
  - Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No data available.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1

Latest revision:

Date of issue: 02. 11. 2017

4.2 Most important symptoms and effects, both acute and delayed Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment need Not required.

### **SECTION 5** Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing mediaSuitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Water jet.

- 5.2 Special hazards arising from the <u>mixture</u> or substance Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, various hydrocarbons and soot can be formed.
- 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1	Latest revision:	Date of issue: 02. 11. 2017	Page: 5/(12)
------------	------------------	-----------------------------	--------------

6.3 Methods and material for containment and cleaning up On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations. Confine the spillage. Remove from surface by skimming or suitable On water: absorbents. Notify local authorities according to regulations. Reference to other sections 6.4 Personal precautions: see section 8. Waste treatment methods: see section 13. **SECTION 7** Handling and storage 7.1 Precautions for safe handling Keep general measures applied for normal operations with lubricants and flammable liquids. Keep away from radiant heat and open flame. Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists. Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap. When using do not eat, drink or smoke. Avoid splashing the product. Handling temperature: not known Conditions for safe storage, including any incompatibilities 7.2 Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, well ventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: max. 40°C 7.3 Specific end use(s) Multigrade gear oil. **SECTION 8** Exposure controls / personal protection Engineering control measures: Not required. 8.1 Control parameters:

Mineral oil mist:TWA: 5 mg/m³; STEL: 10 mg/m³, for oil mist, vapour<br/>excluded (ACGIH).Method of testing, recommended: NIOSH 5026

Γ

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1	Latest revision:	Date of issue: 02. 11. 2017	Page: 6/(12)
------------	------------------	-----------------------------	--------------

8.2	Exposure controls Personal protection: Respiratory protection: Hand protection:	nitrile rubber – mini Note: Manufacturer	EN 374, Breakthrough time 480 min) (e.g. mal thickness 0.33 mm). 's directions for use and the conditions of
	Eye protection:	application should b Tightly fitting safety	y goggles.
	Skin protection: Other special:	Protective clothing ( No data.	oil resistant).
	Environmental exposure con	trols:	
	Do not discharge into drai		undwater.
	CTION 9 Physical and cher		
9.1	Information on basic physica	al and chemical proper	ties
	Appearance: Physical state:		liquid
	Colour:		brown, clear
	Odour:		characteristic
	Change in physical state:		enaracteristic
	Pour point (ISO 3016):		typ30°C
	Boiling point:		not available
	Others:		
	Flash point (COC) (EN IS	SO 2592):	typ. 230°C
	Ignition point (EN ISO 25		not available
	Autoignition temperature:		not available
	Explosive properties:		not explosive
	Oxidizing properties:		not oxidize
	Vapour pressure at 20°C:		negligible
	Density at 15°C (EN ISO	12185):	$0.880 - 0.900 \text{ g/cm}^3$
	Solubility in water:		practically insoluble in water
	Solubility in other solvent		gasoline, kerosene, toluene, etc.
	n-Octanol/water partition coefficient:		not available
	Vapour density:		not available
	Heating value:		inf. 38 000 kJ/kg
	Kinematic viscosity at 40°		typ. 145.3 $mm^2/s$
	Kinematic viscosity at 10	0°C (EN ISO 3104):	typ. 14.6 mm <sup>2</sup> /s
	pH:		not applicable

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1Latest revision:Date of issue: 02. 11. 2017Page: 7/(12)

# 9.2 Other information no data available

### SECTION 10 Stability and reactivity

10.2	Reactivity: Chemical stability: Possibility of hazardous	Dangerous reactivity not known. No decomposition if stored and handled properly.
	reactions:	Not known.
10.4	Conditions to avoid:	Direct heat or ignition sources.
10.5	Incompatible materials:	Strong oxidizing agents.
10.6	Hazardous decomposition	No dangerous decomposition products are formed under normal
	products:	conditions. Hazardous combustion products: See Section 5.

### SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	$LD_{50}$ (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD50 (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

Skin:	not irritant (based on components)
Eye:	not irritant (based on components)
Note:	Prolonged and/or repeated contact may cause irritation on skin or in eyes
	depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1Latest revision:Date of issue: 02. 11. 20	Page: 8/(12)
---	--------------

Germ cell mutagenicity: Carcinogenicity:	not known, resp. not mutagen (based on components) not known, resp. not carcinogen (based on components
Reproductive toxicity:	not known, resp. no reproduction-damaging effec (based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

## **SECTION 12** Ecological information

12.1	Toxicity N Aquatic organisms: Soil organisms: Plants:	o data for the product.
12.2	Persistence and degradability Biodegradability:	No data available. No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility Mobility in soil Mobility in water:	Absorbs in soil. Floats on water.
12.5	Results of PBT and va assessment	PvB Does not contain PBT and vPvB substances.
12.6	Other adverse effects Heavy metal content: PCT, PCB and other chlorina hydrocarbons: Environmental effects: Water hazard class (German)	Spills may form a film on water surfaces causing impaired oxygen transfer.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1

Latest revision:

Date of issue: 02. 11. 2017

Page: 9/(12)

### **SECTION 13** Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

### SECTION 14 Transport information

Ι	and transport:		
	Road/ Railway	ADR/RID:	Not classified.
14.1.	UN number:	-	
14.2.	UN proper shipping name:	-	
14.3.	Transport hazard class(es):	-	
14.4.	Packing group:	-	
14.5.	Environmental hazards:	-	
14.6.	Special precautions for user:	-	
V	Waterways:		
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
A	Air transport: ICAO / IATA:		Not apply to the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1 Latest revision:

Date of issue: 02. 11. 2017

Page: 10/(12)

### Section 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

### Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways.

Asp.Tox.1 Aspiration hazard Category 1.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1	Latest revision:	Date of issue: 02. 11. 2017	Page: 11/(12)
------------	------------------	-----------------------------	---------------

### Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Biocontrentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcigonic, Mutagenic or toxic to Reproduction
COD	Chamical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Cheamicals Agency
Ecx	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Getriebeöl GL-4 80W-90

Version: 1	Latest revision:	Date of issue: 02. 11. 2017	Page: 12/(12)
SVHC UVCB VOC vPvB	Substance of Very High substance of unknown o materials Volatile organic compou Very Persistent and very	r variable composition, complex reaction prod	ucts or biological

## **Revision Indicators:**

Section	Subject of change	Date	Version