according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1 Latest revision:

Date of issue: 03. 11. 2017

Page: 1/(12)

### SECTION 1 Identification of the mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: synthetic motor oil Uses advised against: no data
- 1.3 Details of the supplier of the safety data sheet: Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

 1.4 Emergency telephone number Emergency telephone (07-15<sup>20</sup> h): +36 1 270 8700 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: 36 80 201 199 (0-24 h, free number).

### SECTION 2 Hazards identification

2.1	1 Classification of the <u>mixture</u> or substance		
	Hazard Class and Category:	Hazard state	ment:
	Eye Irrit. 2	H319	Causes serious eye irritation.

	FETY DATA SHE		L.Z. Meisterteile "		
Tra	Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60				
Ver	Version: 1Latest revision:Date of issue: 03. 11. 2017Page: 2/(12)				
2.2	Label elements				
	Product identification:	Trade name: A.Z. Meisterteile Motorenöl MT-1	0 Racing 10W-60		
	Hazardous component(s):	: -			
	GHS Pictogram:	<u>(!)</u>			
	Signal word:	Warning			
	Hazard statement: H319	Causes serious eye irritation.			
Supplemental hazard information: -					
	Precautionary statements	– General: -			
	Precautionary statements P280 P273	<ul> <li>Prevention:</li> <li>Wear eye/face protection</li> <li>Avoid release to the environment</li> </ul>			
	Precautionary statements <b>P305 + P351 + P338</b> <b>P337 + P313</b>	<ul> <li>Response:</li> <li>IF IN EYES: Rinse cautiously with water for Remove contact lenses, if present and easy to do.</li> <li>If eye irritation persists: Get medical advice/attent</li> </ul>	Continue rinsing.		
	Precautionary statements				
	Precautionary statements <b>P501</b>	-	ational regulation.		
	Other liabilities for labelli Tactile warning of danger Transport classification: s	: Not required.			
2.3	Other hazards The product does not cont (EC) 1907/2006.	ain any PBT or vPvB substance according to annex 2	XIII of regulation		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1

Latest revision:

Date of issue: 03. 11. 2017

Page: 3/(12)

#### **SECTION 3** Composition/information on ingredients

#### 3.2 Mixtures

Chemical description:

Mixture of refined mineral base oils and synthetic base oil containing additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	%(m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Reigstr. No. 01-2119484627-25	265-157-1	64742-54-7	(Note L)	-	max. 30
Base oil – unspecified, hydrotreated neutral oil- based, C20-C50* REACH Registr. No. 01-2119474889-13	276-738-4	72623-87-1	Asp.Tox.1 (Note L)	H304	max. 30
Lubricating oils (petroleum), C24-C50* REACH Registr. No.: 01-2119489969-06	309-877-7	101316-72-7	(Note L)	-	max. 15
Lubricating oils (petroleum), C18-C40* REACH Registr. Nr.: 01-2119486987-11	305-594-8	94733-15-0	(Note L)	-	max. 15
Mineral oil raffinate*		confidential	- (Note L)	-	max. 10
1-Decene, homopolymer, hydrogenated REACH Registr. Nr.: 01-2119486452-34	500-183-1	68037-01-4	Asp. Tox. 1	H304	max. 10
Distillates (petroleum), dewaxed light paraffinic, hydrotreated REACH Registr. Nr.: 01-2119488517-24	295-301-9	91995-40-3	(Note L)	-	max. 5
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.4

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1 Latest revision:

Date of issue: 03. 11. 2017

Page: 4/(12)

#### **SECTION 4** First aid measures

- 4.1 Description of first aid measures
  - General information: Never give anything by mouth to an unconscious person, or never induce vomiting.
  - Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
  - Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
  - Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
  - Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

- 4.2 Most important symptoms and effects, both acute and delayed Causes serious eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment need Not required.

#### **SECTION 5** Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Water jet.

 5.2 Special hazards arising from the <u>mixture</u> or substance Hazardous combustion products: On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxide, zinc-oxide,

various hydrocarbons and soot can be formed.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1 Latest revision:

Date of issue: 03. 11. 2017

Page: 5/(12)

#### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

#### Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

- 6.3 Methods and material for containment and cleaning up
  - On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.
  - On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

### **SECTION 7** Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.
Keep away from radiant heat and open flame.
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.
Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.
When using do not eat, drink or smoke. Avoid splashing the product.
Handling temperature: not known

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



### Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1 Lat

Latest revision:

Date of issue: 03. 11. 2017

Page: 6/(12)

7.2	Conditions for safe storage, including any incompatibilities Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, well ventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: max. 40°C		
7.3	Specific end use(s) Synthetic motor oil.		
SEC	TION 8 Exposure con	trols / personal protection	
	Engineering control measure Not required.	es:	
8.1	Control parameters:		
	Mineral oil mist:	TWA: <b>5 mg/m<sup>3</sup></b> ; STEL: 10 mg/m <sup>3</sup> , for oil mist, vapour excluded (ACGIH).	
	Method of testing, recom	mended: NIOSH 5026	
8.2	<ul> <li>8.2 Exposure controls Personal protection: Respiratory protection: Hand protection:</li> <li>Eye protection: Skin protection:</li> <li>Breathing apparatus not required. Oil resistant gloves (EN 374, Breakthrough time 480 min) (e. nitrile rubber – minimal thickness 0.33 mm). Note: Manufacturer's directions for use and the conditions application should be observed. Tightly fitting safety goggles. Protective clothing (oil resistant).</li> </ul>		
	Other special: No data. Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.		
<b>SEC</b> 9.1	Information on basic physic	al and chemical properties	
	Appearance: Physical state:	liquid	
	Physical state:inquidColour:brown, clearOdour:characteristic		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1

Latest revision:

Date of issue: 03. 11. 2017

Page: 7/(12)

	Change in p	hysical state:	
	Pour poin	nt (ISO 3016):	typ33°C
	Boiling p	ooint (DIN 51356):	not available
	Others:		
	Flash poi	nt (COC) (EN ISO 2592):	typ. 240°C
	Ignition J	point (EN ISO 2592):	not available
	Autoigni	tion temperature:	not available
	Explosiv	e properties:	not explosive
	Oxidizin	g properties:	not oxidize
	Vapour p	pressure at 20°C:	negligible
	Density a	at 15°C (EN ISO 12185):	$0.845 - 0.865 \text{ g/cm}^3$
	Solubility	y in water:	practically insoluble in water
	Solubility	y in other solvents:	gasoline, kerosene, toluene, etc.
	n-Octano	l/water partition coefficient:	not available
	Vapour d	lensity:	not available
	Heating	value:	inf. 38 000 kJ/kg
		c viscosity at 40°C (EN ISO 3104):	typ. 161 mm <sup>2</sup> /s
	Kinemati	ic viscosity at 100°C (EN ISO 3104):	typ. 23.9 mm <sup>2</sup> /s
	pH:		not applicable
9.2	Other inform	nation	
	no data a	vailable	
SEC	TION 10	Stability and reactivity	
10.1	Reactivity:	Dangerous reactivity r	not known.

<ul><li>10.1 Reactivity:</li><li>10.2 Chemical stability:</li><li>10.3 Possibility of hazardous</li></ul>	Dangerous reactivity not known. No decomposition if stored and handled properly.
reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition	No dangerous decomposition products are formed under normal
products:	conditions. Hazardous combustion products: See Section 5.

### SECTION 11 Toxicological information

11.1 Information on toxicological effects				
Acute toxicity:				
Oral: $LD_{50}$ (rat) > 2000	mg/kg (based on components)			
Dermal: $LD_{50}$ (rabbit) > 2000	mg/kg (based on components)			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



٦

#### A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60 Trade name:

Version: 1 Latest revision: Date of issue: 03. 11. 2017 Page: 8/(12)

	<b>,</b> , , <b>, , , ,</b>	
	Acute toxicity: irritation	1 1
		ased on components)
	Note: Prolonged and on individual	d/or repeated contact may cause irritation on skin depending sensitivity.
		l on components), causes serious eye irritation
	Respiratory or skin sensitisation	: not sensitising (based on components)
	Other information, specific effect	cts:
	The product does not contametals, barium compounds.	in PCBs, PCTs, and other chlorine compounds, and heavy
		s a carcinogen need not apply according to 1272/2008/EC, at the substance contains less than 3 % DMSO extract as
	Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
	Carcinogenicity:	not known, resp. not carcinogen (based on components)
	Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
	STOT-single exposure:	not classified
	STOT-repeated exposure:	not classified
	Aspiration hazard:	not classified
SEC	Aspiration hazard: CTION 12 Ecological information	
	CTION 12 Ecological information	
	CTION 12 Ecological information	on
12.1	CTION 12 Ecological information Toxicity No d Aquatic organisms: Soil organisms:	on
12.1	CTION 12 Ecological information Toxicity No de Aquatic organisms: Soil organisms: Plants:	on ata for the product.
12.1 12.2	CTION 12 Ecological information Toxicity No de Aquatic organisms: Soil organisms: Plants: Persistence and degradability Biodegradability:	on ata for the product. No data available.
12.1 12.2 12.3	CTION 12 Ecological information Toxicity No de Aquatic organisms: Soil organisms: Plants: Persistence and degradability Biodegradability: Bioaccumulative potential	on ata for the product. No data available. No data available.
<b>SEC</b> 12.1 12.2 12.3 12.4	CTION 12 Ecological information Toxicity No de Aquatic organisms: Soil organisms: Plants: Persistence and degradability Biodegradability:	on ata for the product. No data available. No data available.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1 Latest revision:

Date of issue: 03. 11. 2017

Page: 9/(12)

12.5	Results of PBT and vPvB	
	assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated	
	hydrocarbons:	None.
	Environmental effects:	Spills may form a film on water surfaces causing
	Water hazard class (German):	impaired oxygen transfer. WGK 1 (Classification by VwVwS)

#### SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 13 02 05\* Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1

Latest revision:

Date of issue: 03. 11. 2017

Page: 10/(12)

### SECTION 14 Transport information

	Land transport:				
	Road/ Railway	ADR/RID:	Not classified.		
14.1.	UN number:	-			
14.2.	UN proper shipping name:	-			
14.3.	Transport hazard class(es):	-			
14.4.	Packing group:	-			
14.5.	Environmental hazards:	-			
14.6.	Special precautions for user:	-			
	Waterways:		Not ombride the graduat		
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.		
	Air transport: ICAO / IATA:		Not apply to the product.		

### SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

### SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1

- Latest revision:
- Date of issue: 03. 11. 2017

Page: 11/(12)

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian regulation and EU directives			
Classificatio (CLP)	Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)		
Eye Irrit. 2	H319 calculation method		
The full text	t of each relevant H- phrase and Hazard classes and cat. in Section 3.:		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H411	Toxic to aquatic life with long lasting effects.		
Asp.Tox.1	Aspiration hazard Category 1		
Skin Irrit. 2 Skin corrosion/irritation Category 2			
Eye Dam. 1			
Aquatic Ch	ronic 2 Hazardous to the aquatic environment, Chronic Category 2		
Legend:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Biocontrentration Factor		
BOD Bw	Biological Oxigen Demand Body Weight		
C&L	Classification and Labeling		
CAS	Chemical Abstracts Service		
CLP	Classification, Labelling and Packaging		
CMR	Carcigonic, Mutagenic or toxic to Reproduction		
COD	Chemical Oxygen Demand		
	CSA Chemical Safety Assessment		
CSR	Chemical Safety Report		
CSR DMEL	Chemical Safety Report Derived Minimal Effect Level		
CSR DMEL DNEL	Chemical Safety Report Derived Minimal Effect Level Derived No Effect Level		
CSR DMEL	Chemical Safety Report Derived Minimal Effect Level		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



٦

Trade name: A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60

Version: 1Latest revision:Date of issue: 03. 11. 2017Page: 12/(12)

Edx	Effective Dose x%			
ELINC	CS European List of Notified Chemical Substances			
ErC50				
ES	Exposure Scenario			
ESIS	European Chemical Substances Information System			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LCx	Lethal Concentration x%			
LDx	Lethal Dose x%			
LOAE	C Lowest Observed Adverse Effect Concentration			
LOAE	L Lowest Observed Adverse Effect Level			
LOEC	Lowest Observed Effect Concentration			
LOEL	Lowest Observed Effect Level			
NOEC	No observed effect concentration			
NOEL	No observed effect level			
NLP	No-Longer Polymer No Observed Adverse Effect Level Organisation for Economic Cooperation and Development			
NOAE				
OECD				
PBT	Persistent Bioaccumulative and Toxic			
PNEC	Predicted No-Effect Concentration			
REAC	H Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SVHC	Substance of Very High Concern			
UVCB	substance of unknown or variable composition, complex reaction products or biological			
	materials			
VOC	Volatile organic compounds			
vPvB	Very Persistent and very Bio-accumulative			
Revision In	dicators:			
Section	Subject of change Date Version			