according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 1/(13)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Motorenöl MT-7D 5W-40

1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against

Relevant identified uses: synthetic diesel motor oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

Trader identification: Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft. UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Tel.: 06 1 270 8700 Fax: 06 1 270 8799 Fax: 06 1 270 8799

E-mail: info@unixauto.hu E-mail: info@unixauto.hu

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Fax: 06 1 270 8799

E-mail: info@unixauto.hu

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

SECTION 2 Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting

effects.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 2/(13)

2.2 Label elements

Product identification: Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Hazardous components: Calcium long chain alkaryl sulphonate

(CAS: 722503-68-6)

GHS Pictogram:

Signal word: Warning

Hazard statement:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary statements - General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection/face

protection.

Precautionary statements – Response:

P302 + P352 IF ON SKIN: Wash with plenty of water

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements - Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required. Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 3/(13)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils, hydrotreated neutral oil and

synthetic base oil containing additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Base oil – unspecified,	265-157-1	64742-54-7	-	-	max. 55
hydrotreated heavy			(Note L)		
paraffinic, C20-C50*					
REACH Registr. Nr.:					
01-2119484627-25					
Lubricating oils (petroleum)	276-738-4	72623-87-1	Asp.Tox.1	H304	max. 35
C20-50, hydrotreated			(Note L)		
neutral oil-based					
REACH Registr.Nr.:					
01-2119474889-13					
Mineral oil raffinate*		mixture	-	-	max. 5
			(Note L)		
Polyolefin polyamine	604-611-9	147880-09-9	Aquatic Chronic 4	H413	max. 3.25
succinimide, polyol					
Zinc alkyl	272-238-5	68784-31-6	Eye Dam. 1	H318	max. 1.3
dithiophosphate			Aquatic Chronic 2	H411	
REACH Registr. Nr.:					
01-2119657973-23					
Calcium long chain	polymer	722503-68-6	Skin Sens. 1	H317	max. 1.3
alkaryl sulphonate			Aquatic Chronic 4	H413	
Phenol, dodecyl-, branched	310-154-3	121158-58-5	Skin Corr. 1C	H314	max. 0.2
REACH Registr.Nr.:			Eye Dam. 1	H318	
01-2119513207-49			Repr. 1B	H360F	
			Aquatic Acute1	H400 (M=10)	
			Aquatic Chronic 1	H410 (M=10)	

^{*:} with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 4/(13)

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain

medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use

soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent

irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No data available.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eve irritation.

4.3 Indication of any immediate medical attention and special treatment need

Not required.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 5/(13)

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by

pumping. Contain the rest or small quantities with sand, earth or other

suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids. Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Synthetic diesel motor oil.

SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m³; STEL: 10 mg/m³, for oil mist, vapour

excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g.

nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Protective goggles (EN 166).
Skin protection: Protective clothing (oil resistant).

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid
Colour: bright, clear
Odour: characteristic

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 7/(13)

Change in physical state:

Pour point (ISO 3016): typ. -39°C Boiling point: typ. available

Others:

Flash point (COC) (EN ISO 2592): typ. 220°C Ignition point (EN ISO 2592): not available Autoignition temperature: not available Explosive properties: not explosive Oxidizing properties: not oxidize Vapour pressure at 20°C: negligible

Density at 15° C (EN ISO 12185): $0.848 - 0.862 \text{ g/cm}^3$

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n-Octanol/water partition coefficient:

Vapour density:

Heating value:

Kinematic viscosity at 40°C (EN ISO 3104):

Kinematic viscosity at 100°C (EN ISO 3104):

pH:

not available
not available
typ. 84.3 mm²/s
typ. 84.3 mm²/s
typ. 14.2 mm²/s
not applicable

9.2 Other information no data available

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 8/(13)

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral: LD_{50} (rat) > 2000 mg/kg (based on components) Dermal: LD_{50} (rabbit) > 2000 mg/kg (based on components)

Acute toxicity: irritation

Skin: not irritant (based on components)
Eye: irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin depending

on individual sensitivity.

Respiratory or skin sensitisation: sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)
Carcinogenicity: not known, resp. not carcinogen (based on components)
Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: not classified STOT-repeated exposure: not classified Aspiration hazard: not classified

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Aquatic organisms: Soil organisms:

Plants:

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 9/(13)

12.2 Persistence and degradability No data available.

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil Absorbs in soil. Mobility in water: Floats on water.

12.5 Results of PBT and vPvB

assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Harmful to aquatic life with long lasting effects.

Water hazard class (German): WGK 2 (Classification by VwVwS)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 06* Synthetic engine, gear and lubricating oils. Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 10/(13)

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

14.6. Special precautions for user:

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008

15.2 Chemical safety assessment.

not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 11/(13)

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Skin Sens. 1 H317 calculated Eye Irrit. 2 H319 calculated Aquatic Chronic 3 H412 calculated

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-7D 5W-40

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 12/(13)

Asp.Tox.1 Aspiration hazard Category 1

Skin Corr. 1C Skin corrosion/irritation Category 1C Skin Sens.1 Respiratory/skin sensitization Category 1 Serious eye damage/eye irritation Category 1

Repr. 1B Reproductive toxicity Category 1B

Aquatic Acute 1 Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2
Hazardous to the aquatic environment, Chronic Category 4

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Biocontrentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labeling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)

CMR Carcigonic, Mutagenic or toxic to Reproduction

COD Chamical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Cheamicals Agency
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x%
EC European Community
EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario

ESIS European Chemical Substances Information System IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%) Halálos dózis x%

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



A.Z. Meisterteile Motorenöl MT-7D 5W-40 Trade name:

Version: 1 Latest revision: Date of issue: 16. 10. 2017 Page: 13/(13)

LOAE	C Lowest Observed Adverse Effect Concentration				
LOAE					
LOEC	Lowest Observed Adverse Effect Level Lowest Observed Effect Concentration				
LOEL	Lowest Observed Effect Level				
2022	20 West Coster to 21100 20 to				
NOEC	No observed effect concentration				
NOEL	No observed effect level				
NLP	No-Longer Polymer				
NOAE	No Observed Adverse Effect Level				
OECD	Organisation for Economic Cooperation and Development				
PBT	Persistent Bioaccumulative and Toxic				
PNEC	Predicted No-Effect Concentration				
ppm	parts/million				
REAC	Registration, Evaluation, Authorisation and Restriction of Chemicals				
RID	Regulations concerning the International carriage of Dangerous Goods by Rail				
SVHC	Substance of Very High Concern				
UVCB	substance of unknown or variable composition, complex reaction products or biological materials				
VOC	VOC Volatile organic compounds				
vPvB					
Revision Indicators:					
Section	Subject of change Date Version				