

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 1/(13)

## SECTION 1 Identification of the mixture/substance and of the company/undertaking

### 1.1 Product identifier:

**A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

### 1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: multigrade heavy duty engine oil.

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

### 1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyváradi tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

### 2.1 Classification of the mixture or substance

Hazard Class and Category:

Aquatic Chronic 3

Hazard statement:

H412

Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 2/(13)

## 2.2 Label elements

Product identification:      Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Hazardous components: -

GHS Pictogram:      Not required.

Signal word:      Not required.

Hazard statement:

**H412**      Harmful to aquatic life with long lasting effects.

Supplemental hazard information:

**EUH208**      Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

Precautionary statements – Prevention:

**P273**      Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501**      Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:      Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 3/(13)

## SECTION 3      Composition/information on ingredients

### 3.2 Mixtures

Chemical description:      Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Lubricating oils (petroleum), C24-C50* REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	- (Note L)	-	max. 90
Lubricating oils (petroleum), C18-40* REACH Registr. Nr.: 01-2119486987-11	305-594-8	94733-15-0	- (Note L)	-	max. 85
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 80
Distillates (petroleum), solvent-dewaxed heavy paraffinic C20- C50* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 80
Distillates (petroleum), dewaxed light paraffinic, hydrotreated REACH Registr. Nr.: 01-2119488517-24	295-301-9	91995-40-3	Asp. Tox. 1 (Note L)	H304	max. 14
Zinc alkyl dithiophosphate** REACH Registr. Nr.: 01-2120742271-64	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic. 2	H315 H318 H411	max. 1.2
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts*** REACH Registr. Nr.: 01-2119493626-26	283-392-8	84605-29-8	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.2
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts REACH Registr. Nr.: 01-2119492616-28	274-263-7	70024-69-0	Skin Sens. 1B	H317	max. 0.6

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 4/(13)

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
p-Dodecylphenol REACH Registr. Nr.: no data	203-202-9	104-43-8	Skin Corr. 1C Eye Dam. 1 Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H318 H360F H400 (M=1) H410 (M=1)	<0.12
O,O,O-triphenyl phosphorothioate	209-909-9	597-82-0	Repr. 2 Aquatic Chronic 4	H361fd H413	max. 0.12
Phenol, dodecyl-, branched REACH Registr. Nr.: 01-2119513207-49	310-154-3	121158-58-5	Skin Corr. 1C Eye Dam. 1 Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H318 H360F H400 (M=10) H410 (M=10)	max. 0.04

\*: with exposure limit

\*\* Specific concentration limit:

Skin Irrit. 2; :  $C \geq 5\%$

Eye Dam. 1; :  $C > 10\%$ ; Eye Irrit. 2; :  $5\% \leq C \leq 10\%$ .

\*\*\* Specific concentration limit:

Skin Irrit. 2; :  $6.25\% \leq C \leq 100\%$ ; Eye Irrit. 2; :  $10\% < C \leq 12.5\%$ ;

Eye Dam. 1; :  $12.5\% < C \leq 100\%$

Note: of the 283-392-8 and 272-028-3 EU number of materials only one is in the product.

Note: of the 203-202-9 and 310-154-3 EU number of materials only one is in the product.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. In case of a complaint, call medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of a complaint, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of a complaint, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No data available.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 5/(13)

- 4.2 Most important symptoms and effects, both acute and delayed  
Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.
- 4.3 Indication of any immediate medical attention and special treatment need  
Not required.

## SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

### 5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

### 5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 6/(13)

## 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

## 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

### 7.3 Specific end use(s)

Multigrade heavy duty engine oil.

## SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 7/(13)

## 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

## 8.2 Exposure controls

### Personal protection:

Respiratory protection: Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).  
Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Where splashing is possible, wear safety glasses (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: No data.

### Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Physical state:	liquid
Colour:	brown, clear
Odour:	characteristic

#### Change in physical state:

Pour point (ISO 3016):	typ. -30°C
Boiling point:	not available

#### Others:

Flash point (COC) (EN ISO 2592):	typ. 225°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 8/(13)

Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	0.870 – 0.890 g/cm <sup>3</sup>
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Heating value:	inf. 38 000 kJ/kg
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 113.5 mm <sup>2</sup> /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 14.7 mm <sup>2</sup> /s
pH:	not applicable

9.2 Other information  
no data available

## SECTION 10      Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## SECTION 11      Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity:

Oral:	LD <sub>50</sub> (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000	mg/kg	(based on components)

#### Acute toxicity: irritation

Skin:	not irritant (based on components)
Eye:	not irritant (based on components)

Respiratory or skin sensitisation: not sensitising (based on components), but may produce an allergic reaction



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 9/(13)

## Other information, specific effects:

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

## SECTION 12 Ecological information

### 12.1 Toxicity

Aquatic organisms:

Fish:	LC <sub>50</sub>	> 500	mg/l/96 h
Algae:	EC <sub>50</sub>	137	mg/l
Daphnia:	EC <sub>50</sub>	> 100	mg/l/24 h
Daphnia:	EC <sub>50</sub>	82	mg/l/48 h

Soil organisms:

Plants:

### 12.2 Persistence and degradability

No data available.

Biodegradability:

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility

Mobility in soil

Absorbs in soil.

Mobility in water:

Floats on water.

### 12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances.

### 12.6 Other adverse effects

Heavy metal content:

None.

PCT, PCB and other chlorinated hydrocarbons:

None.

Environmental effects:

Harmful to aquatic life with long lasting effects.

Water hazard class (German):

WGK 2 (Classification by VwVwS)

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 10/(13)

## SECTION 13      Disposal considerations

### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Recommended waste treatment method: incineration

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations.

It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14      Transport information

#### Land transport:

Road/ Railway

ADR/RID:

Not classified.

14.1. UN number:

-

14.2. UN proper shipping name:

-

14.3. Transport hazard class(es):

-

14.4. Packing group:

-

14.5. Environmental hazards:

-

14.6. Special precautions for user:

-

#### Waterways:

Inland waterways/ Sea transport      ADN/IMDG:

Not apply to the product.

Air transport:      ICAO / IATA:

Not apply to the product.

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 11/(13)

## SECTION 15      Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture.  
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.  
not available

## SECTION 16      Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product  
Material safety data sheets of product's components  
1272/2008/EC regulation, Annex XVII. of REACH  
Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aquatic Chronic 3    H412      calculation method

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 12/(13)

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Asp. Tox. 1	Aspiration hazard Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens 1B	Respiratory/skin sensitization Category 1B
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 1B	Reproductive toxicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or Toxic for Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment

# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 SHPD**

Version: 2      Latest revision: 28. 11. 2018      Date of issue: 11. 10. 2017      Page: 13/(13)

CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ex	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
2	Hazards identification	28.11.2018	2
3	Composition/information on ingredients		
9	Physical and chemical properties		
11	Toxicological information		
1-16	Other corrections		