

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 21. 03. 2017 Page: 1/(12)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Schmierfett LiCa00

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: semifluid grease for central lubricating system

Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category:

Not classified.

Hazard statement:

-

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 2/(12)

2.2 Label elements

Product identification: Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Hazardous components: -

Pictogram: not required

Signal word: not required

Hazard statement:

not required

Supplemental hazard information:

EUH210 Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 3/(12)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mineral oil and synthetic oil based consistent lubricant containing lithium-, calcium soap, additives and colorants.

Component / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
1-Decene Homopolymer, Hydrogenated REACH Registr. Nr.: 01-2119486452-34	500-183-1	68037-01-4	-	-	max. 92
Zinc dialkyl dithiophosphate* REACH Registr. Nr.: 01-2120742271-64	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 2.4

*Specific concentration limit: Skin Irrit. 2; : $C \geq 5\%$;
Eye Dam. 1; : $C > 10\%$; Eye Irrit. 2; : $5\% \leq C \leq 10\%$.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin contact: Remove contaminated clothing. Wash with plenty amount of water, using soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 4/(12)

- 4.2 Most important symptoms and effects, both acute and delayed
Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.
- 4.3 Indication of any immediate medical attention and special treatment needed
Not required.

SECTION 5 Fire-fighting measures

Fire hazards:
Combustible.

- 5.1 Extinguishing media
Suitable extinguishing media:
Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:
Full water jet.

- 5.2 Special hazards arising from the substance or mixture
Hazardous combustion products:
On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

- 5.3 Advice for fire-fighters
Special protective equipment:
According to the existing fire-fighting regulations.

Further information:
Collect contaminated fire-fighting water separately. It must not enter the sewage system.
Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
Personal precautions: see Section 8.
Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions:
Confine spills to prevent material from entering sewers, watercourses, drains and into soil
Notify relevant authority.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 5/(12)

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths. Dispose of the collected material as hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well-ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C.

7.3 Specific end use(s)

Semifluid grease for central lubricating system.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters: -

8.2 Exposure controls

Engineering control measures:

Not required.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 6/(12)

Personal protection:

- | | |
|----------------------------|--|
| (a) Eye/face protection | Where splashing is possible, wear safety glasses (EN 166). |
| (b) Skin protection | |
| (i) Hand protection | Oil resistant gloves (EN 374, Breakthrough time 480 min).
Note: Manufacturer's directions for use and the conditions of application should be observed. |
| (ii) Other | Protective clothing (oil resistant). |
| (c) Respiratory protection | Breathing apparatus not required. |
| (d) Thermal hazards | No data. |

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|--|
| a) Physical state: | consistent (The surface oil may be released during prolonged storage.) |
| b) Colour: | turquoise blue, homogenous |
| c) Odour: | characteristic |
| d) Melting point/freezing point (Pour point) (ISO 2176): | typ. 180°C |
| e) Boiling point or initial boiling point and boiling range (DIN 51356): | not available |
| f) Flammability: | combustible |
| g) Lower and upper explosion limit: | not explosive |
| h) Flash point (COC) (EN ISO 2592): | > 200°C (base oil) |
| i) Auto-ignition temperature: | not available |
| j) Decomposition temperature: | not available |
| k) pH: | not applicable |
| l) Kinematic viscosity (EN ISO 3104) | |
| at 40°C: | not available |
| at 100°C: | not available |
| m) Solubility | |
| Solubility in water: | practically insoluble in water |
| Solubility in other solvents: | not available |
| n) Partition coefficient n-octanol/water (log value): | not available |
| o) Vapour pressure at 20°C: | negligible |

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 7/(12)

- | | |
|--|---------------|
| p) Density and/or relative density at 15°C (DIN EN ISO 12185): | not available |
| q) Relative vapour density: | not available |
| r) Particle characteristics: | not available |

9.2 Other information

- | | |
|--|-------------|
| Oxidizing properties: | not oxidize |
| Penetration after working – 60 c, at 25°C (0,1 mm) (ISO 2137): | typ. 415 |

SECTION 10 Stability and reactivity

- | | |
|--|---|
| 10.1 Reactivity: | Dangerous reactivity not known. |
| 10.2 Chemical stability: | No decomposition if stored and handled properly. |
| 10.3 Possibility of hazardous reactions: | Not known. |
| 10.4 Conditions to avoid: | Direct heat or ignition sources. |
| 10.5 Incompatible materials: | Strong oxidizing agents. |
| 10.6 Hazardous decomposition products: | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Components:

1-Decene Homopolymer, Hydrogenated (CAS: 68037-01-4)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg
Dermal:	LD ₅₀ (rat)	> 2000 mg/kg
Inhalation:	LC ₅₀ (rat)	> 5.2 mg/L

1-Decene Homopolymer, Hydrogenated (CAS: 68649-42-3)

Dermal:	LD ₅₀ (rat)	> 2000 mg/kg
Oral:	LD ₅₀ (rat)	2230 mg/kg
Oral:	LD ₅₀ (rat)	3100 mg/kg

- | | |
|------------------------------------|---|
| Skin corrosion/irritation: | Based on available data, the classification criteria are not met. |
| Serious eye damage/irritation: | Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitisation: | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity: | Based on available data, the classification criteria are not met. |
| Carcinogenicity: | Based on available data, the classification criteria are not met. |

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 8/(12)

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12 Ecological information

12.1 Toxicity

No data available for the product.

Components:

1-Decene Homopolymer, Hydrogenated (CAS: 68037-01-4)

Fish (*Oncorhynchus mykiss*): LC50 > 1000 mg/l (4 h)

Daphnia (*Daphnia magna*): EC50 > 1000 mg/l (48 h)

Daphnia (*Daphnia magna*): EC50 > 125 mg/l (21 days)

Daphnia (*Daphnia magna*): NOEC 125 mg/l (21 days)

Algae (*Scenedesmus quadricauda*): LC50 > 1000 mg/l (3 h)

Algae (*Scenedesmus quadricauda*): NOEC > 1000 mg/l (3 h)

12.2 Persistence and degradability

No data available.

Biodegradability:

Hydrocarbons are inherently degradable.

Zinc dialkyl dithiophosphate (CAS: 68649-42-3)

Not easily degradable.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil:

Soil is not mobile.

Mobility in water:

Floats on water. Does not form continuous layer.

12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.

12.6 Endocrine disrupting properties

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

12.7 Other adverse effects

Heavy metal content:

None.

PCT, PCB and other chlorinated hydrocarbons:

None.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 9/(12)

Environmental effects:

Large spillages may be hazardous to the environment.

Water hazard class (German):

WGK 1 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

14.1. UN number or ID number:

Not classified.

14.2. UN proper shipping name:

Not classified.

14.3. Transport hazard class(es):

Not classified.

14.4. Packing group:

Not classified.

14.5. Environmental hazards:

Not classified.

14.6. Special precautions for user:

Not classified.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 10/(12)

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.
Seveso category: not classified.

15.2 Chemical safety assessment.
not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.
The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)
Not classified.

The full text of each relevant Hazard classes and cat. and H- phrase in Section 3.:

H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 11/(12)

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x %
ErC ₅₀	EC ₅₀ in terms of reduction of growth rate
Ed _x	Effective Dose x %
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x %
LD _x	Lethal Dose x %
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Schmierfett LiCa00**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 21. 03. 2017

Page: 12/(12)

UVCB

substance of unknown or variable composition, complex reaction products or biological materials

VOC

Volatile organic compounds

vPvB

Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	19. 12. 2022	2