according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1 Lates

Latest revision:

Date of issue: 07. 11. 2017

Page: 1/(12)

SECTION 1 Identification of the mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Schmierfett LiX Blau
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: grease with lithium complex thickener Uses advised against: no data
- 1.3 Details of the supplier of the safety data sheet: Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

 1.4 Emergency telephone number Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: 36 80 201 199 (0-24 h, free number).

SECTION 2 Hazards identification

2.1	Classification of the mixture or su	ubstance	
	Hazard Class and Category:	Hazard s	statement:
	Eye Irrit 2	H319	Causes serious eye irritation.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1	Latest revision:	Date of issue: 07. 11. 2017	Page: 2/(12)
------------	------------------	-----------------------------	--------------

2.2 Label elements

2.2	Label elements					
	Product identification:	Trade name: A.Z. Meisterteile Schmierfett LiX Blau				
	Hazardous component(s)	: -				
	Pictogram:	!				
	Signal word: W	arning				
	Hazard statement: H319	Causes serious eye irritation.				
	Supplemental hazard info	ormation: -				
	Precautionary statements	Precautionary statements – General: -				
	Precautionary statements P280 P273	Prevention:Wear eye/face protectionAvoid release to the environment.				
	Precautionary statements P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
	P337 + P313	If eye irritation persists: Get medical advice/attention.				
	Precautionary statements – Storage: -					
	Precautionary statements P501	 Disposal: Dispose of contents/container in accordance with national regulation. 				
	Other liabilities for labell Tactile warning of dange Transport classification:	r: Not required.				
2.3	Other hazards The product does not cont (EC) 1907/2006.	tain any PBT or vPvB substance according to annex XIII of regulation				

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1

Latest revision:

Date of issue: 07. 11. 2017

Page: 3/(12)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description:

Mineral oil and synthetic oil based containing calorific, lubricant containing complex lithium soap and additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic C20- C50* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	(Note L)	-	max. 60
Lubricating oils (petroleum), C24- C50* REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	(Note L)	-	max. 15
Lubricating oils (petroleum), C>25* REACH Registr. Nr.: 01-2119486948-13	309-874-0	101316-69-2	(Note L)	-	max. 5
Lubricating oils (petroleum), C18-40* REACH Registr. Nr: 01-2119486987-11	305-594-8	94733-15-0	- (Note L)	-	max. 5
Polyisobutenyl succinic acid anhydride		67762-77-0	Eye Irrit. 2 STOT SE 3	H319 H335	max. 4.5
Sulfurized vegetable oil	304-821-2	94279-76-2	Skin Irrit. 2 Eye Irrit. 2	H315 H319	max. 1.5
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.5
Lithium hydroxide monohydrate	215-183-4	1310-66-3	Acute Tox. 4 Skin Corr. 1B	H302 H314	max. 0.1

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1Latest revision:Date of issue: 07. 11. 2017Page: 4/(12)

SECTION 4 First aid measures

4.1	Description of General inform	first aid measures nation: Never give anything by mouth to an unconscious person, or never induce vomiting.			
	Inhalation: Skin contact:	Remove the affected person to fresh air. Seek medical attention. Remove contaminated clothing. Wash with plenty amount of water, using soap. In case of persistent irritation, get medical advice.			
	Eye contact:	Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.			
	Ingestion:	If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.			
	Protection of	first-aid person: No individual specifications.			
4.2	Most importar Not available.	nt symptoms and effects, both acute and delayed			
4.3	Indication of a Not required.	any immediate medical attention and special treatment need			
SEC	FION 5 Fire-	fighting measures			
	Fire hazards: Combustib	le.			
5.1	Extinguishing media Suitable extinguishing media: Sand, carbon dioxide, dry chemical powder.				
	Unsuitable ext Water jet.	tinguishing media:			
5.2	Hazardous con On burning	Is arising from the <u>mixture</u> or substance mbustion products: g, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various ons and soot can be formed.			
5.3	1 1	e-fighters tive equipment: to the existing fire-fighting regulations.			
	Further inform	nation:			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1

Latest revision:

Date of issue: 07. 11. 2017

Page: 5/(12)

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8. Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up
 - On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths and/or sawdust. Dispose of the collected material as hazardous waste, according to local regulations.
 - On water: Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately. When using do not eat, drink or smoke.

Handling temperature: not available

- 7.2 Conditions for safe storage, including any incompatibilities
 Store in dry, well ventilated place in original, tightly closed containers.
 Keep away from direct heat, ignition sources and strong oxidizing agents.
 Recommended storage temperature: max. 45°C
- 7.3 Specific end use(s)

Grease with lithium complex thickener.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1 L

Latest revision:

Date of issue: 07. 11. 2017

Page: 6/(12)

SEC	TION 8 Exposure cont	rols / personal pr	otection		
	Engineering control measures: Not required.				
8.1	Control parameters: -				
 8.2 Exposure controls Personal protection: Respiratory protection: Hand protection: 8.2 Exposure controls Personal protection: Hand protection: 8 Breathing apparatus not required. Oil resistant gloves (EN 374, Breakthrough time 480 m nitrile rubber – minimal thickness 0.33 mm). Note: Manufacturer's directions for use and the condi- application should be observed. 			res (EN 374, Breakthrough time 480 min) (e.g. ninimal thickness 0.33 mm). nerr's directions for use and the conditions of		
	Eye protection: Skin protection: Other special:	Protective goggles (EN 166) Protective clothing (oil resistant). No data.			
	Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.				
SEC	TION 9 Physical and chem	ical properties			
9.1	Information on basic physic	al and chemical pro	operties		
	Appearance:		-		
	Physical state:		consistent		
	Colour:		navy blue		
	Odour:		characteristic		
	Change in physical state:				
	Dropping point (ISO 217	6):	typ. 270°C		
	Pour point:		not available		
	Others:				
	Flash point (COC) (EN I	,	> 200°C (base oil)		
	Ignition point (EN ISO 2		not available		
	Autoignition temperature	•	not available		
	Explosive properties:		not explosive		
	Oxidizing properties:		not oxidize		
	Vapour pressure at 20°C:		negligible		
	Density at 20°C: Solubility in water:		not available practically insoluble in water		
	n-Octanol/water partition	coefficient:	not available		
	Penetration after working				
	(0,1 mm) (ISO 2137):	00 0, at 25 C	typ. 280		
	pH:		not applicable		
	P11.		not upplicable		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1 Latest revision:

Date of issue: 07. 11. 2017

Page: 7/(12)

9.2 Other information no data available

SECTION 10 Stability and reactivity

10.1	Reactivity:	Dangerous reactivity not known.
10.2	Chemical stability:	No decomposition if stored and handled properly.
10.3	Possibility of hazardous	
	reactions:	Not known
10.4	Conditions to avoid:	Direct heat or ignition sources, open flames.
10.5	Incompatible materials:	Strong oxidizing agents.
10.6	Hazardous decomposition	No dangerous decomposition products are formed under normal
	products:	conditions. Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1	Information on toxicological effects Acute toxicity:						
	Oral:		LD ₅₀ (ra	t)	> 2000	mg/kg	(based on components)
	Dermal:			bbit)	> 2000	mg/kg	(based on components)
	Acute toxicity:						
	Skin: Note:	not irritant Prolonged individual	and/or re	peated co	· · ·	cause irrit	ation on skin depending on
	Eye:	irritant (ba		•	s)		
	Respiratory or s	skin sensitisa	ation:	not sensi	itising (ba	sed on con	nponents)
	Other informati	on, specific	effects:				
	The product does not contain PCBs, PCTs, and other chlorine compounds, and heametals, barium compounds.					ne compounds, and heavy	
	Note L: The classification as a carcinogen need not apply according to 1272/2008/ because it can be shown that the substance contains less than 3 % DMSO extrac measured by IP 346.						
	Germ cell m Carcinogenio				-	-	n (based on components) gen (based on components)
	Reproductive	•		not kno	· •	no repr	oduction-damaging effect
	STOT-single	e exposure:		not class	-	entsy	
	STOT-repea	-	e:	not class			
	Aspiration h	-		not class	ified		
L							

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1Latest revision:Date of issue: 07. 11. 2017Page: 8/(12)

SECTION 12 Ecological information

12.1	Toxicity Aquatic organisms:	No data available.
	Soil organisms:	
	Plants:	
12.2	Persistence and degradability	
	Biodegradability:	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in soil:	Soil is not mobile.
	Mobility in water:	Floats on water. Does not form continuous layer.
12.5	Results of PBT and vPvB	
	assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated	
	hydrocarbons:	None.
	Environmental effects:	Large spillages may be hazardous to the environment.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)
	· · · · · · · · · · · · · · · · · · ·	

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 12 01 12* Spent waxes and fats.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1

Latest revision:

Date of issue: 07. 11. 2017

Page: 9/(12)

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

L	and transport: Road/ Railway	ADR/RID:	Not classified.
	itoud, ituli wuj		
14.1.	UN number:	-	
14.2.	UN proper shipping name:	-	
14.3.	Transport hazard class(es):	-	
14.4.	Packing group:	-	
14.5.	Environmental hazards:	-	
14.6.	Special precautions for user:	-	
W	aterways:		
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
A	ir transport: ICAO / IATA:		Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment. not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1

Date of issue: 07. 11. 2017

Page: 10/(12)

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Eye Irrit 2H319(calculated)

The full text of each relevant Hazard classes and cat., and H- phrase in Section 3.:

H302 H314 H315	Harmful if swallowed. Causes severe skin burns and eye damage. Causes skin irritation.
H318 H319	Causes serious eye damage. Causes serious eye irritation.
H315 H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Skin Corr. 1B Skin Irrit. 2	Skin corrosion/irritation Category 1A Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1	Latest revision:	Date of issue: 07. 11. 2017	Page: 11/(12)
------------	------------------	-----------------------------	---------------

Legend:

L	ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
	ATE	Acute Toxicity Estimate
]	BCF	Biocontrentration Factor
	BOD	Biological Oxygen Demand
	Bw	Body Weight
(C&L	Classification and Labeling
	CAS	Chemical Abstracts Service
(CLP	Classification, Labelling and Packaging (1272/2008/EC)
(CMR	Carcigonic, Mutagenic or toxic to Reproduction
	COD	Chamical Oxygen Demand
	CSA	Chemical Safety Assessment
(CSR	Chemical Safety Report
	DMEL	Derived Minimal Effect Level
	DNEL	Derived No Effect Level
]	ECHA	European Cheamicals Agency
]	Ecx	Effective Concentration x%
	ErC50	EC50 in terms of reduction of growth rate
]	Edx	Effective Dose x%
	EC	European Community
]	EC number	European Community number
	ELINCS	European List of Notified Chemical Substances
]	ES	Exposure Scenario
]	ESIS	European Chemical Substances Information System
]	IARC	International Agency for Research on Cancer
]	IATA	International Air Transport Association
]	IMDG	International Maritime Dangerous Goods
]	LCx	Lethal Concentration x%
]	LDx	Lethal Dose x%) Halálos dózis x%
]	LOAEC	Lowest Observed Adverse Effect Concentration
]	LOAEL	Lowest Observed Adverse Effect Level
]	LOEC	Lowest Observed Effect Concentration
]	LOEL	Lowest Observed Effect Level
]	NOEC	No observed effect concentration
]	NOEL	No observed effect level
]	NLP	No-Longer Polymer
]	NOAEL	No Observed Adverse Effect Level
(OECD	Organisation for Economic Cooperation and Development
]	PBT	Persistent Bioaccumulative and Toxic
]	PNEC	Predicted No-Effect Concentration
]	ppm	parts/million
]	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett LiX Blau

Version: 1Latest revision:Date of issue: 07. 11. 2017Page: 12/(12)

RID SVHC UVCB	Regulations concerning the International carriage of Dangerous Goods by Rail Substance of Very High Concern substance of unknown or variable composition, complex reaction products or biological materials				
VOC vPvB	Volatile organic compounds Very Persistent and very Bio-accumulative	Volatile organic compounds			
Revision Indicators:					
Section	Subject of change	Date	Version		