

according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name :	NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil
Product code :	902662
1.2 Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture :	Engine, gear & lubricating oil.
1.3 Details of the supplier of the saf	ety data sheet
Company :	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone :	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person : responsible for the SDS	SDS@valvolineglobal.com

1.4 Emergency telephone number

 $00\mathchar`800\mathchar`825\mathchar`8654\/\ 001\mathchar`859\mathchar`202\mathchar`3865, or contact your local emergency telephone number at 112$

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard,	H412: Harmful to aquatic life with long lasting
Category 3	effects.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements	:	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment.
		Disposal: P501 Dispose of contents/ container to an approved waste
		disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 15 - < 25
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8 265-158-7 649-468-00-3 01-2119487077-29- xxxx	Asp. Tox. 1; H304	>= 2.5 - < 5
Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased	90480-91-4 291-829-9 01-2119524004-56- xxxx	Aquatic Chronic 4; H413	>= 1 - < 2.5
phenol, (tetrapropenyl) derivatives	74499-35-7 604-092-00-9	Skin Corr. 1C; H314 Repr. 1B; H360	>= 0.025 - < 0.1



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

Aquatic Acute 1; H400 Aquatic Chronic 1; H410
M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Des	cription of first aid measure	es			
Gei	neral advice :	:	Do not leave the victim unattended.		
lf in	haled :	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
In c	ase of eye contact :	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.		
If s	wallowed :	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		
4.2 Mos	t important symptoms and	l ef	fects, both acute and delayed		
Syr	nptoms :	:	No symptoms known or expected.		
4.3 Indi	4.3 Indication of any immediate medical attention and special treatment needed				
Tre	atment :	:	No hazards which require special first aid measures.		
			Treat symptomatically.		



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.			
	Unsuitable extinguishing media	:	High volume water jet			
5.2	5.2 Special hazards arising from the substance or mixture					
	Hazardous combustion products	:	carbon dioxide and carbon monoxide			
5.3	5.3 Advice for firefighters					
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.			
	Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
	F

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

SECTION 7: Handling and storage

7.1	7.1 Precautions for safe handling					
	Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.			
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.			
	Hygiene measures	:	General industrial hygiene practice.			
7.2	7.2 Conditions for safe storage, including any incompatibilities					
	Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.			
	Advice on common storage	:	No materials to be especially mentioned.			
	Further information on storage stability	:	No decomposition if stored and applied as directed.			
7.3	Specific end use(s)					
	Specific use(s)	:	No data available			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment				
Eye/face protection	: Safety glasses			
Hand protection Material Break through time Glove thickness Directive	 neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374 			
Remarks	: The selected protective gloves have to satisf	y the		



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0	Revision Date: 20.06.2023		
	specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.		
Skin and body protection	: Protective suit		
Respiratory protection	: No personal respiratory protective e required.	quipment normally	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

		C / 17
Upper explosion limit / Upper flammability limit	:	No data available
Flammability (solid, gas)	:	No data available
Evaporation rate	:	No data available
Flash point	:	229 °C Method: Cleveland open cup
Boiling point/boiling range	:	No data available
Pour point	:	< -33 °C
рН	:	Not applicable
Odour Threshold	:	No data available
Odour	:	oily
Colour	:	amber
Appearance	:	liquid



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0	Revision Date: 20.06.2023	Print Date: 16/10/2023
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 0.870 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 6,800 mPa.s (-25 °C)	
Viscosity, kinematic	: ca. 88 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions

: Stable under recommended storage conditions. No hazards to be specially mentioned.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0	Revision Date: 20.06.2023	Print Date: 16/10/2023
10.4 Conditions to avoid		
Conditions to avoid	: excessive heat	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidizing agents	
10.6 Hazardous decomposition	products	
No hazardous decompositio	n products are known.	
SECTION 11: Toxicological i		
Acute toxicity		
Not classified based on avai	lable information.	
Components:		
DISTILLATES (PETROLEU	M), HYDROTREATED HEAVY PARAFFIN	IC:
Acute oral toxicity	: LD50 (Rat): > 15 g/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg	
Skin corrosion/irritation		

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	Slight, transient irritation	
Result	Slight, transient irritation	

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased:

Result	Slight, transient irritation
Result	

phenol, (tetrapropenyl) derivatives:

Result	: Corrosive to skin



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
rtoodit	•	

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

	-	
Assessment Result	: No eye irritation	
Result	: No eye irritation	

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Assessment	:	Slight, transient irritation
Assessment Result	:	Slight, transient irritation

Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased:

Result	:	Slight, transient irritation

phenol, (tetrapropenyl) derivatives:

Result : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -Assessment

: Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity -Assessment

: Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

Components:

phenol, (tetrapropenyl) derivatives:

Reproductive toxicity -:Clear evidence of adverse effects on development, based on
animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks

: No data available



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

SECTION 12: Ecological information

12.1 Toxicity

	Product:
--	----------

Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

	,, -	
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates

Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Ecotoxicology Assessment

...

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased:

:

Ecotoxicology Assessment

Acute aquatic toxicity

		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

phenol, (tetrapropenyl) derivatives:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
		Not classified based on available information.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
		Not classified based on available information.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

phenol, (tetrapropenyl) derivatives:

```
Partition coefficient: n- : log Pow: 7.1
octanol/water
```

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0 Revision Date: 20.06.2023 Print Date: 16/10/2023 12.6 Other adverse effects **Product:** Endocrine disrupting The substance/mixture does not contain components : considered to have endocrine disrupting properties according potential to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Additional ecological No data available : information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
		13 / 17



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0	Revision Date: 20.06.2023	Print Date: 16/10/2023
ΙΑΤΑ Ρ	: Not regulated as a dangerous good	
14.4 Packing group	. Not regulated as a daligerous good	
14.4 Facking group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA_P (Passenger)	: Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0	Re	evision Date: 20	0.06.202	3	Print Date: 16/10/2023
Control of Major Accident Ha	zard	ls Regulations	34	Petroleum products: and naphthas, (b) ke (including jet fuels), (including diesel fue heating oils and gas streams),(d) heavy f alternative fuels serv purposes and with s properties as regard and environmental h the products referred (a) to (d)	erosenes (c) gas oils ls, home oil blending uel oils (e) <i>v</i> ing the same imilar s flammability nazards as
The components of this pro	oduo	ct are reported	d in the	following inventorie	s:
TCSI	:	On the invent	tory, or i	n compliance with the	inventory
TSCA	:	All substance	s listed	as active on the TSC/	A inventory
AIIC	:	Not in compli	ance wit	h the inventory	
DSL	:	All componer	nts of this	s product are on the C	Canadian DSL
ENCS	:	Not in compli	ance wit	h the inventory	
KECI	:	Not in compli	ance wit	h the inventory	
PICCS	:	On the invent	tory, or i	n compliance with the	inventory
IECSC	:	Not in compli	ance wit	h the inventory	
NZIoC	:	On the invent	tory, or i	n compliance with the	inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

SECTION 16: Other information

Full text of H-Statements

Aquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardAsp. Tox.:Aspiration hazardRepr.:Reproductive toxicitySkin Corr.:Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic



according to Regulation (EC) No. 1907/2006 NAPA® N211BK1000L 10W40 SS PREMIUM Motor Oil

Version: 6.0

Revision Date: 20.06.2023

Print Date: 16/10/2023

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000273861

Classification of the mixture:

Classification procedure:

Aquatic Chronic 3 H412

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN