

according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: NAPA® N22460L C4 5W30 LS Synthetic Motor Oil
Product code	: 903394
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	Engine, gear & lubricating oil.
1.3 Details of the supplier of the sa	afety data sheet
Company	 Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	: +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	: SDS@valvolineglobal.com

1.4 Emergency telephone number

 $00\mathchar`800\mathchar`825\mathchar`8654\/\ 001\mathchar`859\mathchar`202\mathchar`3865, or contact your local emergency telephone number at 112$

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
LUBRICATING OILS, PETROLEUM,	72623-87-1	Asp. Tox. 1; H304	>= 15 - < 25
C20-50, HYDROTREATED	276-738-4		
	649-483-00-5		
	01-2119474889-13-		
	XXXX		
Reaction products of Benzeneamine,	36878-20-3	Aquatic Chronic 4;	>= 1 - < 2.5
N-phenyl- with nonene (branched)	253-249-4	H413	
	01-2119488911-28-		
	XXXX		
C14-16-18 Alkyl phenol	Not Assigned	Skin Sens. 1B;	>= 0.1 - < 0.5
		H317	
	01-2119498288-19-	STOT RE 2; H373	
	XXXX	(Liver)	

For explanation of abbreviations see section 16.



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

SECTION 4: First aid measures

4.1 Description of first aid measures					
G	General advice	:	Do not leave the victim unattended.		
lf	inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
Ir	n case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.		
lf	swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		
4.2 Mo	ost important symptoms an	d e	ffects, both acute and delayed		
S	Symptoms	:	No symptoms known or expected.		
4.3 In	4.3 Indication of any immediate medical attention and special treatment needed				
Т	reatment	:	No hazards which require special first aid measures.		
			Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		
Unsuitable extinguishing media	:	High volume water jet		
5.2 Special hazards arising from the substance or mixture				

Hazardous combustion	:	carbon dioxide and carbon monoxide
products		Nitrogen oxides (NOx)



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0	Revision Date: 26.06.2023	Print Date: 16/10/2023
5.3 Advice for firefighters Special protective equipment	: Wear self-contained breathing apparat	us for firefighting if
for firefighters	necessary.	
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are a circumstances and the surrounding en	ppropriate to local

SECTION 6: Accidental release measures

6.1 Personal precautions, protec Personal precautions	 tive equipment and emergency procedures Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. 			
6.2 Environmental precautions				
Environmental precautions	: If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for con	tainment and cleaning up			
Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.			
6.4 Reference to other sections				
See sections: 7, 8, 11, 12 and 13.				
SECTION 7: Handling and storage				

7.1 Precautions for safe handling					
Advice on safe handling :	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.			
Advice on protection against : fire and explosion	:	Normal measures for preventive fire protection.			
Hygiene measures :	:	General industrial hygiene practice.			

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Electrical installations / working materials must comply with
--------------------------	---	---



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Revision Date: 26.06.2023	Print Date: 16/10/2023
the technological safety standards.	
: No materials to be especially menti	oned.
: No decomposition if stored and app	lied as directed.
· No doto ovoiloblo	
	the technological safety standards. : No materials to be especially menti

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipm	ent	
Eye/face protection	:	Safety glasses
Hand protection Material Break through time Glove thickness Directive		neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374
Remarks	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.
Skin and body protection	:	Protective suit
Respiratory protection	:	No personal respiratory protective equipment normally



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -39 °C
Boiling point/boiling range	:	No data available
Flash point	:	230 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0.851 g/cm3 (15.6 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0	Revision Date: 26.06.2023	Print Date: 16/10/2023
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. 73 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	:	None known.
10.5 Incompatible materials		

Materials to avoid	:	Strong oxidizing agents
--------------------	---	-------------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose.

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: No mortality observed at this dose.
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: The toxicological data has been taken from products of similar composition.

C14-16-18 Alkyl phenol:

ш

•••		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species	Rabbit	
Species Result	No skin irri	tation

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species	: Rabbit
Species Result	Mild skin irritation
Remarks	: The toxicological data has been taken from products of similar
	composition.

C14-16-18 Alkyl phenol:

Method Result	:	OECD Test Guideline 431
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species :		Rabbit
Species : Result :	:	No eye irritation

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species	: Rabbit
Species Result Remarks	 Slight, transient irritation The toxicological data has been taken from products of similar
	composition.

C14-16-18 Alkyl phenol:

Species Result	:	Rabbit
Result	:	Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

Respiratory sensitisation

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species Assessment	: Guinea pig
Assessment	Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Method Remarks	The toxicological data has been taken from products of similar
	composition.

C14-16-18 Alkyl phenol:

Test Type	:	Local lymph node assay
Species	:	Mouse
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Test Type Species Assessment Method	:	OECD Test Guideline 429

Germ cell mutagenicity

Not classified based on available information.

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Genotoxicity in vitro : Test Type: Ames test Test system: Salmonella typhimurium	
Metabolic activation: with and without metabolic Result: negative	blic activation
Result: negative	

C14-16-18 Alkyl phenol:

Genotoxicity in vitro	: Test Type: Ames test
	Test system: Salmonella typhimurium
	Metabolic activation: with and without metabolic activation
	Result: negative



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

Carcinogenicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

C14-16-18 Alkyl phenol:

Target Organs : Assessment :	:	Liver
Assessment :	:	The substance or mixture is classified as specific target organ
		toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks

: No data available



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	
Toxicity to fish (Chronic toxicity)	:	NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0	Revision Date: 26.06.2023	Print Date: 16/10/2023
Ecotoxicology Assessment		
Acute aquatic toxicity	: Not classified based on available inform	nation.
Chronic aquatic toxicity	: Not classified based on available inform	nation.
Reaction products of Benze	neamine, N-phenyl- with nonene (branch	ned):
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 r Exposure time: 96 h Test Type: static test Remarks: The toxicological data has b products of similar composition.	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Test substance: WAF	100 mg/l
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata End point: Growth inhibition Exposure time: 72 h Test Type: static test	ı (algae)): 600 mg/l

Ecotoxicology Assessment

0,		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

C14-16-18 Alkyl phenol:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

UIONUI			
Version: 5.0	Revision Date: 26.06.2023	Print Date: 16/10/2023	
Ecotoxicology Assessment			
Acute aquatic toxicity	: Not classified based on available inform	ation.	
Chronic aquatic toxicity	: Not classified based on available inform	ation.	
12.2 Persistence and degradabil	lity		
Components:			
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:			
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B		
Reaction products of Benze	eneamine, N-phenyl- with nonene (branche	∋d):	
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B		
C14-16-18 Alkyl phenol:			
Biodegradability	: Result: Readily biodegradable. Remarks: Expert judgement		

12.3 Bioaccumulative potential

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Partition coefficient: n- octanol/water	:	log Pow: > 7.5

C14-16-18 Alkyl phenol:

Partition coefficient: n- octanol/water	:	log Pow: > 7.2
--	---	----------------

12.4 Mobility in soil

No data available



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Print Date: 16/10/2023

Version: 5.0 Revision Date: 26.06.2023 12.5 Results of PBT and vPvB assessment **Product:** Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product: Endocrine disrupting potential	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	:	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Empty containers should be taken to an approved waste Contaminated packaging : handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
	: : : : : : : : : : : : : : : : : : : :



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0	Revision Date: 26.06.2023 Print Date: 16/10/2023	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA_P (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerou	s good	

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great	:	Not applicable



Version: 5.0

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Print Date: 16/10/2023

 Britain)

 Regulation (EC) No 1005/2009 on substances that
 : Not applicable

 deplete the ozone layer

 UK REACH List of substances subject to authorisation
 : Not applicable

 (Annex XIV)

 Control of Major Accident Hazards Regulations
 Not applicable

 2015 (COMAH)

Revision Date: 26.06.2023

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	Not in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

STOT RE

Revision Date: 26.06.2023

Print Date: 16/10/2023

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.			
H317	:	May cause an allergic skin reaction.			
H373	:	May cause damage to organs through prolonged or repeated exposure.			
H413	:	May cause long lasting harmful effects to aquatic life.			
Full text of other abbreviations					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Asp. Tox.	:	Aspiration hazard			

Skin Sens. : Skin sensitisation

: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations



according to Regulation (EC) No. 1907/2006 NAPA® N22460L C4 5W30 LS Synthetic Motor Oil

Version: 5.0

Revision Date: 26.06.2023

Print Date: 16/10/2023

Recommendations on the Transport of Dangerous Goods; v P v B - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000203434

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN