

according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name :	NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil
Product code :	903396
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture :	Engine, gear & lubricating oil.
1.3 Details of the supplier of the sa	fety data sheet
Company :	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone :	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person : responsible for the SDS	SDS@valvolineglobal.com

1.4 Emergency telephone number

 $00\mathchar`800\mathchar`825\mathchar`8654\/\ 001\mathchar`859\mathchar`202\mathchar`3865, or contact your local emergency telephone number at 112$

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex, C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 60 - < 70
DECENE-1 HOMOPOLYMER HYDROGENATED	68037-01-4 500-183-1 01-2119486452-34- xxxx	Asp. Tox. 1; H304	>= 10 - < 15
Long Chain Alkaryl Amine	36878-20-3 253-249-4	Aquatic Chronic 4; H413	>= 1 - < 2.5
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- xxxx	Asp. Tox. 1; H304	>= 1 - < 2.5
Molybdenum polysulphide long chain	Not Assigned	Skin Irrit. 2; H315	>= 0.25 - < 0.5



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

alkyl dithiocarbamate complex	01-0000019337-66- xxxx	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	
C14-16-18 Alkyl phenol	Not Assigned 01-2119498288-19- xxxx	Skin Sens. 1B; H317 STOT RE 2; H373 (Liver)	>= 0.1 - < 0.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: No symptoms known or expected.
4.3 Indication of any immedia	te medical attention and special treatment needed
Treatment	: No hazards which require special first aid measures.
	Treat symptomatically.



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

SECTION 5: Firefighting measures

51	Extinguishing media		
5.1	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	e substance or mixture
	Hazardous combustion products	:	carbon dioxide and carbon monoxide
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
	Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Pers	sonal precautions :	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

SECTION 7: Handling and storage

7.1	7.1 Precautions for safe handling				
	Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.		
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.		
	Hygiene measures	:	General industrial hygiene practice.		
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities		
	Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.		
	Advice on common storage	:	No materials to be especially mentioned.		
	Further information on storage stability	:	No decomposition if stored and applied as directed.		
7.3	Specific end use(s)				
	Specific use(s)	:	No data available		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Not Assigned	TWA	10 mg/m3	SUPLR EXP

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Revision Date: 27.06.2023 Version: 4.0 Print Date: 16/10/2023 Hand protection neoprene, nitrile rubber Material >= 240 minBreak through time Glove thickness >= 0.35 mm : Directive : Equipment should conform to EN 374 Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Skin and body protection Protective suit No personal respiratory protective equipment normally Respiratory protection : required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	clear
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	<= -45 °C
Boiling point/boiling range	:	No data available
Flash point	:	230 °C



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
	Method: Cleveland open cup	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 0.845 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. 51.6 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information		
Self-ignition	: No data available	



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
		None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5 g/kg

DECENE-1 HOMOPOLYMER HYDROGENATED:



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mix inhalation toxicity	xture has no acute
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mix toxicity	xture has no acute dermal

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose.

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

C14-16-18 Alkyl phenol:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

Skin corrosion/irritation

Not classified based on available information.

Product:

Result

: Repeated exposure may cause skin dryness or cracking.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

DECENE-1 HOMOPOLYMER HYDROGENATED:

Species Result	:	Rabbit
Result	:	No skin irritation

Long Chain Alkaryl Amine:

Result :	No skin irritation

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species Result	:	Rabbit
Result	:	No skin irritation

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Species	:	Rabbit
Result	:	Irritating to skin.

C14-16-18 Alkyl phenol:

Method Result	:	OECD Test Guideline 431
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	No eye irritation
Result	:	No eye irritation

DECENE-1 HOMOPOLYMER HYDROGENATED:



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
Species Result	Rabbit Slight, transient irritation	
Long Chain Alkaryl Amine:		
Result	: No eye irritation	
LUBRICATING OILS, PETRO	LEUM, C20-50, HYDROTREATED:	
Species Result	Rabbit	
Result	No eye irritation	
Molybdenum polysulphide I	ong chain alkyl dithiocarbamate complex:	
Species Result	RabbitSlight, transient irritation	
C14-16-18 Alkyl phenol:		
Species Result	RabbitSlight, transient irritation	
Respiratory or skin sensitis	ation	
Skin sensitisation Not classified based on availa	ble information.	
Respiratory sensitisation		

Not classified based on available information.

Components:

DECENE-1 HOMOPOLYMER HYDROGENATED:

	Maximisation Test Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type Species Assessment	: Buehler Test
Species	: Guinea pig
Assessment	Does not cause skin sensitisation.

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
Test Type Species Assessment	: Maximisation Test : Guinea pig : The product is a skin sensitiser, s	ub-category 1B

C14-16-18 Alkyl phenol:

Test Type Species	:	Local lymph node assay
Species	:	Mouse
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 429

Germ cell mutagenicity

Not classified based on available information.

Components:

DECENE-1 HOMOPOLYMER HYDROGENATED:

Genotoxicity in vitro :	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-------------------------	--

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Genotoxicity in vitro :	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-------------------------	--

C14-16-18 Alkyl phenol:

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative

Carcinogenicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

LUBRICATING OILS, PETROL	EUM, C20-50, HYDROTREATED:	
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)	
Reproductive toxicity Not classified based on available	e information.	
STOT - single exposure Not classified based on available	e information.	
STOT - repeated exposure Not classified based on available	e information.	
Components:		
C14-16-18 Alkyl phenol:		
Target Organs:Assessment:	Liver The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	
Aspiration toxicity Not classified based on available <u>Components:</u> DISTILLATES (PETROLEUM),	e information. HYDROTREATED HEAVY PARAFFINIC:	
May be fatal if swallowed and er	nters airways.	
DECENE-1 HOMOPOLYMER HYDROGENATED: The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.		
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED: May be fatal if swallowed and enters airways.		
may be ratar in orranowed and or		
Further information		
Product:		

Remarks

: No data available



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

•		
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates

Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Acute aquatic toxicity Chronic aquatic toxicity	:	Not classified based on available information.

DECENE-1 HOMOPOLYMER HYDROGENATED:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: WAF
Toxicity to daphnia and other	:	EL50 (Daphnia magna (Water flea)): > 1,000 mg/l



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

/ersion: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
aquatic invertebrates	Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae/aquatic plants	: EL50 (Scenedesmus capricornutum (fr 1,000 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	esh water algae)): >
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR: 125 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 211	

Ecotoxicology Assessment

Acute aquatic toxicity	•	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Long Chain Alkaryl Amine:

Ecotoxicology Assessment

Acute aquatic t	toxicity
-----------------	----------

		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
		Remarks. No toxicity at the limit of solubility



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	10,000 mg/l
Toxicity to algae/aquatic plants	 NOEL (Pseudokirchneriella subcapitata 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 	ı (green algae)): >=
Toxicity to fish (Chronic toxicity)	: NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbo	w trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	

Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 94.8 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EL50 (Daphnia magna (Water flea)): 50 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	NOELR (Pseudokirchneriella subcapitata (green algae)): 4.05 mg/l



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

rsion: 4.0	Revision	Date: 27.06.2023	Print Date: 16/10/2023
	Expo Test Test Meth Rem	point: Growth inhibition sure time: 72 h Type: static test substance: WAF od: OECD Test Guideline 201 arks: The toxicological data has bee ucts of similar composition.	n taken from
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	Expo Spec Test Test	LR: 100 mg/l sure time: 21 d ies: Daphnia magna (Water flea) Type: semi-static test substance: WAF od: OECD Test Guideline 211	
Ecotoxicology Assessment			
Acute aquatic toxicity	Acute	e aquatic toxicity Category 3; Harmf	ul to aquatic life.
Chronic aquatic toxicity		nic aquatic toxicity Category 3; Harr ong lasting effects.	nful to aquatic life
C14-16-18 Alkyl phenol:			
Toxicity to fish	Expo Test) (Cyprinus carpio (Carp)): > 100 mg sure time: 96 h Type: static test substance: WAF	J/I
Toxicity to daphnia and other aquatic invertebrates	Expo Test) (Daphnia magna (Water flea)): > 1 sure time: 48 h Type: static test od: OECD Test Guideline 202	00 mg/l
Toxicity to algae/aquatic plants) (Pseudokirchneriella subcapitata (a point: Growth inhibition	algae)): > 100 mg/l

city to algae/aquatic	•	EC50 (Pseudokirchneriella subcapitata (algae)): >
s		End point: Growth inhibition
		Exposure time: 72 h
		Test Type: static test
		Test substance: WAF

Ecotoxicology Assessment	Ecotoxicology	Assessment
--------------------------	---------------	------------

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

12.2 Persistence and degradability

Components:

DECENE-1 HOMOPOLYMER HYDROGENATED:

Biodegradability : Result: Inherently biodegradable.

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Biodegradability	: Result: Not readily biodegradable.
Diodegradability	· · · · ·
	Biodegradation: 2 - 4 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

	-	
Biodegradability	:	Result: Not readily biodegradable.
		Biodegradation: 23 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B
		Remarks: The toxicological data has been taken from
		products of similar composition.

C14-16-18 Alkyl phenol:

Biodegradability		:	Result: Readily biodegradable. Remarks: Expert judgement	
------------------	--	---	---	--

12.3 Bioaccumulative potential

Components:

DECENE-1 HOMOPOLYMER HYDROGENATED:

Partition coefficient: n- : octanol/water	log Pow: > 6.5	
--	----------------	--

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Partition coefficient: n-	:	log Pow: > 5.1
octanol/water		Method: OECD Test Guideline 107

C14-16-18 Alkyl phenol:

Partition coefficient: n- octanol/water	:	log Pow: > 7.2



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects	
Product:	
Endocrine disrupting potential	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging	: Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR	: Not regulated as a dangerous go	od
RID	: Not regulated as a dangerous go	od
IMDG	: Not regulated as a dangerous go	od
IATA_P	: Not regulated as a dangerous go	od

14.2 UN proper shipping name



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.2023	Print Date: 16/10/2023
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.3 Transport hazard class(e	es)	
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA_P (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0	Revision Date: 27.06.202	3		Print Date: 16/10/2023
The Persistent Organic Pollu Regulation (EU) 2019/1021 a Britain)	3 (:	Not applicable	9
Regulation (EC) No 1005/20 deplete the ozone layer	09 on substances that	:	Not applicable)
UK REACH List of substance (Annex XIV)	es subject to authorisation	:	Not applicable)
Control of Major Accident Ha 2015 (COMAH)	azards Regulations	Not	applicable	

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.
		Infineum P6092
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H412	:	Harmful to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ns	

Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
SUPLR EXP :	Supplier-recommended exposure guidelines
SUPLR EXP / TWA :	Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-



according to Regulation (EC) No. 1907/2006 NAPA® N22860L PC 0W30 ECO LS Synthetic Motor Oil

Version: 4.0

Revision Date: 27.06.2023

Print Date: 16/10/2023

operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000265320

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN