

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NAPA® N303199L HD 80W90

Gear Oil

Product code : 902389

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Engine, gear & lubricating oil.

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global

Operations

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local

CSR contact person

E-mail address of person

responsible for the SDS

SDS@valvolineglobal.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard,

H412: Harmful to aquatic life with long lasting

Category 3

effects.

Valvoline, Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208

Contains DI-TERT-BUTYL POLYSULFIDE, Amines, C10-14-tert-alkyl. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---------------------------|---|--|--------------------------|
| DI-TERT-BUTYL POLYSULFIDE | 68937-96-2 273-103-3 01-2119540515-43- xxxx | Skin Sens. 1B; H317 Aquatic Chronic 3; H412 ———————————————————————————————————— | >= 2.5 - < 5 |



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

| METHACRYLATE COPOLYMER | Not Assigned | Eye Irrit. 2; H319 | >= 1 - < 2.5 |
|----------------------------------|-------------------|-----------------------|-----------------|
| Amines, C10-14-tert-alkyl | Not Assigned | Acute Tox. 4; H302 | >= 0.1 - < 0.25 |
| | | Acute Tox. 2; H330 | |
| | 01-2119456798-18 | Acute Tox. 3; H311 | |
| | | Skin Corr. 1B; | |
| | | H314 | |
| | | Eye Dam. 1; H318 | |
| | | Skin Sens. 1A; | |
| | | H317 | |
| | | Aquatic Acute 1; | |
| | | H400 | |
| | | Aquatic Chronic 1; | |
| | | H410 | |
| (Z)-octadec-9-enylamine, C16-18- | 1213789-63-9 | Acute Tox. 4; H302 | >= 0.1 - < 0.25 |
| (even numbered, saturated and | 627-034-4 | Skin Corr. 1B; | |
| unsaturated)-alkylamines | 01-2119473797-19- | H314 | |
| | xxxx | Eye Dam. 1; H318 | |
| | | STOT SE 3; H335 | |
| | | (Respiratory | |
| | | system) | |
| | | STOT RE 2; H373 | |
| | | (Liver, Immune | |
| | | system, Gastro- | |
| | | intestinal system) | |
| | | Asp. Tox. 1; H304 | |
| | | Aquatic Acute 1; | |
| | | H400 | |
| | | Aquatic Chronic 1; | |
| | | H410 | |
| | | M-Factor (Acute | |
| | | aquatic toxicity): 10 | |
| | | M-Factor (Chronic | |
| | | aquatic toxicity): 10 | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Valvoline, Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

standards.

Advice on common storage : No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : neoprene, nitrile rubber

Break through time : >= 240 minGlove thickness : >= 0.35 mm

Directive : Equipment should conform to EN 374

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the

protective glove.

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally

Valvoline, Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : oily

Odour Threshold : No data available

pH : Not applicable

Pour point : < -27 °C

Boiling point/boiling range : No data available

Flash point : 216 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.88 g/cm3 (15.6 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : ca. 132.8 mm2/s (40 °C)

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Valvoline, Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

DI-TERT-BUTYL POLYSULFIDE:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Amines, C10-14-tert-alkyl:

Acute oral toxicity : LD50 Oral (Rat, male and female): 612 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

Assessment: The component/mixture is highly toxic after short

term inhalation.



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Acute dermal toxicity : LD50 (Rat, male and female): 251 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is toxic after single

contact with skin.

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Acute oral toxicity : LD50 (Rat): 1,689 mg/kg

Method: OECD Test Guideline 401

Remarks: The toxicological data has been taken from

products of similar composition.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: No mortality observed at this dose.

The toxicological data has been taken from products of similar

composition.

Skin corrosion/irritation

Not classified based on available information.

Components:

DI-TERT-BUTYL POLYSULFIDE:

Result : Mild skin irritation

METHACRYLATE COPOLYMER:

Result : No skin irritation

Amines, C10-14-tert-alkyl:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

GLP : yes

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

Remarks : The toxicological data has been taken from products of similar

composition.

Valvoline, Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Serious eye damage/eye irritation

Not classified based on available information.

Components:

DI-TERT-BUTYL POLYSULFIDE:

Result : Slight, transient irritation

METHACRYLATE COPOLYMER:

Result : Irritating to eyes.

Amines, C10-14-tert-alkyl:

Species : Rabbit

Method : No information available.

Result : Corrosive GLP : yes

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Species : Rabbit Result : Corrosive

Remarks : The toxicological data has been taken from products of similar

composition.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment : Does not cause skin sensitisation.

Components:

DI-TERT-BUTYL POLYSULFIDE:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Amines, C10-14-tert-alkyl:

Test Type : Buehler Test Exposure routes : Dermal Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : Buehler Test

GLP : yes

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Assessment : Does not cause skin sensitisation.

Remarks : The toxicological data has been taken from products of similar

composition.

Germ cell mutagenicity

Not classified based on available information.

Components:

DI-TERT-BUTYL POLYSULFIDE:

Genotoxicity in vitro : Test Type: in vitro assay

Result: Positive results were obtained in some in vitro tests.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Method: OECD Test Guideline 474

Result: negative

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: The toxicological data has been taken from

products of similar composition.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

STOT - single exposure

Not classified based on available information.

Components:

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Exposure routes : Inhalation

Target Organs : Respiratory Tract

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Exposure routes : Ingestion

Target Organs : Liver, Immune system, Gastro-intestinal system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Components:

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : No data available

Valvoline_™ Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

DI-TERT-BUTYL POLYSULFIDE:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

METHACRYLATE COPOLYMER:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Amines, C10-14-tert-alkyl:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Chronic aquatic toxicity Category 1; Very toxic to aquatic life

with long lasting effects.

Valvoline, Market Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Toxicity to fish : LC50 (Fish): estimated 0.06 mg/l

Exposure time: 96 h

Remarks: The toxicological data has been taken from

products of similar composition.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.98 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: The toxicological data has been taken from

products of similar composition.

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 0.083 mg/l

End point: Growth inhibition

Exposure time: 72 h
Test Type: static test

Method: OECD Test Guideline 201

Remarks: The toxicological data has been taken from

products of similar composition.

M-Factor (Acute aquatic

toxicity)

10

M-Factor (Chronic aquatic

toxicity)

10

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

DI-TERT-BUTYL POLYSULFIDE:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 13 % Exposure time: 28 d

Method: OECD Test Guideline 301B

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Biodegradability : Result: Readily biodegradable.



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

Biodegradation: 66 % Exposure time: 28 d

Method: Regulation (EC) No. 440/2008, Annex, C.4-C Remarks: The toxicological data has been taken from

products of similar composition.

12.3 Bioaccumulative potential

Components:

Amines, C10-14-tert-alkyl:

Partition coefficient: n-

octanol/water

: log Pow: 2.9 (20 °C)

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Partition coefficient: n-

octanol/water

: log Pow: estimated 6 - 8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting

potential

: The substance/mixture does not contain components considered to have endocrine disrupting properties according

to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA_P : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA_P : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA_P : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

Valvoline Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) Conditions of restriction for the

following entries should be

considered: Number on list 3 Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great

Britain)

Not applicable

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Control of Major Accident Hazards Regulations

2015 (COMAH)

The components of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory

TSCA All substances listed as active on the TSCA inventory

AIIC Not in compliance with the inventory

DSL All components of this product are on the Canadian DSL

ENCS Not in compliance with the inventory

Valvoline... Global

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency: EC-Number - European Community number: ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information: R0524399

Classification of the mixture:

Classification procedure:

Aquatic Chronic 3 H412 Based on product data or assessment



according to Regulation (EC) No. 1907/2006 NAPA® N303199L HD 80W90 Gear Oil

Version: 13.0 Revision Date: 10.07.2023 Print Date: 16/10/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN