



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name : NAPA® N30560L AUTOTRANS UNIVERSAL D II  
Automatic Transmission Fluid

Product code : 903358

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Gear and lubricating oil.

**1.3 Details of the supplier of the safety data sheet**

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global  
Operations  
Wieldrechtseweg 39  
3316 BG Dordrecht  
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local  
CSR contact person

E-mail address of person : SDS@valvolineglobal.com  
responsible for the SDS

**1.4 Emergency telephone number**

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number  
at 112

---

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Long-term (chronic) aquatic hazard,  
Category 3

H412: Harmful to aquatic life with long lasting  
effects.



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

#### Prevention:

P273 Avoid release to the environment.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

EUH208 Contains DODECYL HYDROXYPROPYL SULFIDE, 1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8 265-158-7 649-468-00-3 01-2119487077-29- xxxx	Asp. Tox. 1; H304	>= 40 - < 50
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-	Asp. Tox. 1; H304	>= 1 - < 2.5



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

DODECYL HYDROXYPROPYL SULFIDE	xxxx 67124-09-8 266-582-5 01-2119953277-30-xxxx	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.5 - < 1
1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.	Not Assigned 482-000-4 01-0000020142-86-xxxx	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0.25 - < 0.5
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	1218787-32-6  01-2119510877-33-xxxx	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0.025 - < 0.1
OLEYL HYDROXYETHYL IMIDAZOLINE	95-38-5 202-414-9 01-2119777867-13-xxxx	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Gastrointestinal tract, thymus gland) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0.025 - < 0.1

For explanation of abbreviations see section 16.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |   |   |
|-------------------------|---|---|
| General advice          | : | Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled              | : | If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.   |
| In case of skin contact | : | If on skin, rinse well with water.  |
| In case of eye contact  | : | Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.       |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                                |
|----------|---|--------------------------------|
| Symptoms | : | No symptoms known or expected. |
|----------|---|--------------------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |  |
|-----------|---|--|
| Treatment | : | No hazards which require special first aid measures.<br><br>Treat symptomatically. |
|-----------|---|--|

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |  |
|------------------------------|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing     | : | High volume water jet  |



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

media

**5.2 Special hazards arising from the substance or mixture**

- |                                      |   |   |
|--------------------------------------|---|---|
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products        | : | carbon dioxide and carbon monoxide  |

**5.3 Advice for firefighters**

- |   |   |   |
|---|---|---|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.  |
| Further information                           | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

- |                      |   |                                    |
|----------------------|---|------------------------------------|
| Personal precautions | : | Use personal protective equipment. |
|----------------------|---|------------------------------------|

**6.2 Environmental precautions**

- |                           |   |   |
|---------------------------|---|---|
| Environmental precautions | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|---|

**6.3 Methods and material for containment and cleaning up**

- |                         |   |   |
|-------------------------|---|---|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |
|-------------------------|---|---|

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL):**



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

Substance name	End Use	Exposure routes	Potential health effects	Value
OLEYL HYDROXYETHYL IMIDAZOLINE	Workers	Inhalation	Long-term systemic effects	0.46 mg/m3
	Remarks:RD TOX - Repeated dose toxicity			
	Workers	Inhalation	Acute systemic effects	14 mg/m3
	Remarks:RD TOX - Repeated dose toxicity			
	Workers	Dermal	Long-term systemic effects	0.06 mg/kg
	Remarks:RD TOX - Repeated dose toxicity			
	Workers	Dermal	Acute systemic effects	2 mg/kg
	Remarks:RD TOX - Repeated dose toxicity			

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
OLEYL HYDROXYETHYL IMIDAZOLINE	Sewage treatment plant	0.27 mg/l
	Fresh water sediment	0.376 mg/kg
	Marine sediment	0.0376 mg/kg
	Soil	0.075 mg/kg

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally required.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: red
Odour	: oily
Odour Threshold	: No data available
pH	: Not applicable
Pour point	: < -42 °C
Boiling point/boiling range	: No data available
Flash point	: 214 °C Method: Cleveland open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 0.857 g/cm <sup>3</sup> (15.6 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available





**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : ca. 34 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

**9.2 Other information**

Self-ignition : No data available

---

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : No decomposition if stored and applied as directed.

**10.4 Conditions to avoid**

Conditions to avoid : excessive heat

**10.5 Incompatible materials**

Materials to avoid : strong mineral acids  
Strong oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Acute oral toxicity	: LD50 (Rat): > 15 g/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg

##### **DODECYL HYDROXYPROPYL SULFIDE:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg GLP: yes
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### **2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:**

Acute oral toxicity	: LD50 (Rat, female): 1,200 mg/kg Method: OECD Test Guideline 425
---------------------	--

##### **OLEYL HYDROXYETHYL IMIDAZOLINE:**

Acute oral toxicity	: LD50 (Rat): ca. 1,265 mg/kg
---------------------	-------------------------------

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

#### Components:

##### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Assessment	: Slight, transient irritation
Result	: Slight, transient irritation

##### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

### DODECYL HYDROXYPROPYL SULFIDE:

Species	:	Rabbit
Result	:	No skin irritation

### 1,2-PROPANEDIOL, 3-AMINO, N,N-DICOCO ALKYL DERIVS.:

Assessment	:	Mild skin irritation
Result	:	Mild skin irritation

### 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:

Result	:	Corrosive after 1 to 4 hours of exposure
--------	---	--

### OLEYL HYDROXYETHYL IMIDAZOLINE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result	:	Slight, transient irritation
Remarks	:	Expected based on components.

Remarks	:	Vapours may cause irritation to the eyes, respiratory system and the skin.
---------	---	--

#### Components:

### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	No eye irritation
Result	:	No eye irritation

### DODECYL HYDROXYPROPYL SULFIDE:

Species	:	Rabbit
---------	---	--------



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

**Result** : No eye irritation

**1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.:**

**Assessment** : Slight, transient irritation  
**Result** : Slight, transient irritation

**OLEYL HYDROXYETHYL IMIDAZOLINE:**

**Result** : Corrosive

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Remarks : Causes sensitisation.

**Components:**

**DODECYL HYDROXYPROPYL SULFIDE:**

**Test Type** : Local lymph node assay  
**Species** : Guinea pig  
**Assessment** : May cause sensitisation by skin contact.  
**Method** : OECD Test Guideline 429

**1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.:**

**Assessment** : The product is a skin sensitiser, sub-category 1B.

**OLEYL HYDROXYETHYL IMIDAZOLINE:**

**Species** : Guinea pig  
**Assessment** : Does not cause skin sensitisation.  
**Method** : OECD Test Guideline 406

**Germ cell mutagenicity**

Not classified based on available information.



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### Components:

#### DODECYL HYDROXYPROPYL SULFIDE:

Genotoxicity in vitro : Test Type: **Ames test**  
Test system: **Salmonella typhimurium**  
Metabolic activation: **with and without metabolic activation**  
Result: **negative**

#### **Carcinogenicity**

Not classified based on available information.

### Components:

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity - Assessment : **Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)**

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity - Assessment : **Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)**

#### **Reproductive toxicity**

Not classified based on available information.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### OLEYL HYDROXYETHYL IMIDAZOLINE:

Exposure routes : **Ingestion**  
Target Organs : **Gastrointestinal tract, thymus gland**  
Assessment : **May cause damage to organs through prolonged or repeated exposure.**

#### **Aspiration toxicity**

Not classified based on available information.

### Components:

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

**May be fatal if swallowed and enters airways.**



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

**May be fatal if swallowed and enters airways.**

**Further information**

**Product:**

Remarks : No data available

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Components:**

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.  
Chronic aquatic toxicity : Not classified based on available information.

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Toxicity to fish : LL50 (Fish): > 100 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EL50 (Aquatic invertebrates): > 10,000 mg/l  
Exposure time: 48 h  
Toxicity to algae/aquatic plants : EL50 (Algae, algal mat (Algae)): > 100 mg/l  
Exposure time: 72 h  
Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l  
Species: Fish  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Species: Aquatic invertebrates



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.  
Chronic aquatic toxicity : Not classified based on available information.

### DODECYL HYDROXYPROPYL SULFIDE:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.75 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): 0.58 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: WAF

Toxicity to algae/aquatic plants : EL50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: WAF

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL: 0.32 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.  
Chronic aquatic toxicity : Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### 1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.:

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	Harmful to aquatic life.
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.

### 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0.1 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.043 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0867 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0156 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC50: 0.0463 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	Acute aquatic toxicity Category 1; Very toxic to aquatic life.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 2; Toxic to aquatic life with





## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

long lasting effects.

### OLEYL HYDROXYETHYL IMIDAZOLINE:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0.3 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.163 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 0.03 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	1

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Acute aquatic toxicity Category 1; Very toxic to aquatic life.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Components:

#### DODECYL HYDROXYPROPYL SULFIDE:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 5 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	--

#### 1,2-PROPANEDIOL, 3-AMINO, N,N,-DICOCO ALKYL DERIVS.:

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:

Biodegradability : Inoculum: **activated sludge**  
Concentration: **2.7 mg/l**  
Result: **Readily biodegradable.**  
Biodegradation: **63 %**  
Related to: **Chemical oxygen demand**  
Exposure time: **28 d**  
Method: **OECD Test Guideline 301D**

### OLEYL HYDROXYETHYL IMIDAZOLINE:

Biodegradability : Result: **Not readily biodegradable.**  
Biodegradation: **1 %**  
Exposure time: **28 d**  
Method: **OECD Test Guideline 301B**

## 12.3 Bioaccumulative potential

### Components:

#### DODECYL HYDROXYPROPYL SULFIDE:

Partition coefficient: n-octanol/water : log Pow: **4.7 - 6.5**

#### OLEYL HYDROXYETHYL IMIDAZOLINE:

Partition coefficient: n-octanol/water : log Pow: **8**

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

**14.3 Transport hazard class(es)**

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA\_P : Not regulated as a dangerous good

**14.4 Packing group**

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA\_P (Passenger) : Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable  
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable  
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable  
UK REACH List of substances subject to authorisation : Not applicable



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

(Annex XIV)

Control of Major Accident Hazards Regulations 34  
2015 (COMAH)

Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

**Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

**The components of this product are reported in the following inventories:**

TCSI	: Not in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: Not in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

### 15.2 Chemical safety assessment

No data available

#### Inventories

AIIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006  
NAPA® N30560L AUTOTRANS UNIVERSAL D  
II Automatic Transmission Fluid

Version: 6.0

Revision Date: 10.07.2023

Print Date: 16/10/2023

IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Internal information : 000000098044

#### Classification of the mixture:

Aquatic Chronic 3

H412

#### Classification procedure:

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN