

according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NAPA® N3281L LHM PLUS

SPECIAL BLEND

Product code : 902617

Unique Formula Identifier

(UFI)

: 9YX5-UGK7-M104-HNHY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Engine, gear & lubricating oil.

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global

Operations

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local

CSR contact person

E-mail address of person responsible for the SDS

SDS@valvolineglobal.com

# 1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters

airways.

Long-term (chronic) aquatic hazard,

Category 3

H412: Harmful to aquatic life with long lasting

effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P273 Avoid release to the environment.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

HYDROTREATED LIGHT PARAFFINIC DISTILLATE

HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03%

**AROMATICS** 

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8 265-158-7 649-468-00-3 01-2119487077-29- xxxx	Asp. Tox. 1; H304	>= 70 - < 80
HYDROCARBONS, C13-C16, n- ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS	64742-46-7 934-954-2 649-221-00-X 01-2119826592-36- xxxx	Asp. Tox. 1; H304	>= 70 - < 80
TRICRESYL PHOSPHATE	1330-78-5 215-548-8 015-016-00-3 01-2119531335-46- xxxx	Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1  specific concentration limit STOT SE 1; H370 >= 1 % STOT SE 2; H371 0.2 - < 1 %	>= 0.5 - < 1
2,6-DI-TERT-BUTYLPHENOL	128-39-2 204-884-0 01-2119490822-33- xxxx	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.5 - < 1



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May be fatal if swallowed and enters airways.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

Treat symptomatically.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : neoprene, nitrile rubber

Break through time : >= 240 minGlove thickness : >= 0.35 mm

Directive : Equipment should conform to EN 374

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the

protective glove.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally

required.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Revision Date: 26.06.2023 Version: 3.0 Print Date: 16/10/2023

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**Appearance** liquid

Colour green

Odour characteristic

Odour Threshold No data available

рН Not applicable

Pour point -62 °C

Boiling point/boiling range > 316 °C

Flash point 105 °C

Method: Pensky-Martens closed cup

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper :

flammability limit

9 %(V)

Lower explosion limit / Lower : 7 %(V)

flammability limit

Vapour pressure 0.1 hPa (20 °C)

Relative vapour density No data available

Relative density No data available

ca. 0.836 g/cm3 (15 °C) Density

Solubility(ies)

Water solubility insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 18 mm2/s (40 °C)

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute toxicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# **Components:**

# HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### TRICRESYL PHOSPHATE:

Acute oral toxicity : LD50 (Rat, male and female): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 11.1 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): 3,700 mg/kg

# 2,6-DI-TERT-BUTYLPHENOL:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

# **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Assessment : Slight, transient irritation
Result : Slight, transient irritation



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### TRICRESYL PHOSPHATE:

Species : Rabbit Exposure time : 4 h

Result : Slight, transient irritation

#### 2,6-DI-TERT-BUTYLPHENOL:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Assessment : Slight, transient irritation
Result : Slight, transient irritation

#### HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Slight, transient irritation

# TRICRESYL PHOSPHATE:

Species : Rabbit

Result : No eye irritation

#### 2,6-DI-TERT-BUTYLPHENOL:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Slight, transient irritation

# Valvoline, Global

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Remarks : The toxicological data has been taken from products of similar

composition.

#### TRICRESYL PHOSPHATE:

Test Type : Local lymph node assay

Exposure routes : Dermal Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

GLP : yes

#### 2,6-DI-TERT-BUTYLPHENOL:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat

Cell type: Bone marrow

Method: OECD Test Guideline 475

Result: negative

Remarks: The toxicological data has been taken from

products of similar composition.

#### TRICRESYL PHOSPHATE:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

#### 2,6-DI-TERT-BUTYLPHENOL:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

# **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

# Reproductive toxicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

# **Components:**

#### TRICRESYL PHOSPHATE:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male and female

Application Route: Oral

Test Type: Two-generation study Species: Mouse, male and female

Application Route: Oral

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat, male and female

Application Route: Oral Method: OPPTS 870.3700 Result: Teratogenic potential

GLP: ves

Reproductive toxicity -

Assessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

#### STOT - single exposure

Not classified based on available information.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### Components:

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

# HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

#### **Further information**

**Product:** 

Remarks : Solvents may degrease the skin.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

# **Product:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **Components:**

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### HYDROCARBONS, C13-C16, n-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS:

Toxicity to fish : LL50 (Fish): > 1,028 mg/l

Exposure time: 96 h
Test Type: semi-static test
Test substance: WAF

Method: OECD Test Guideline 203

Toxicity to daphnia and other : LL50 (Calanoid copepod (Acartia tonsa)): > 3,193 mg/l

aquatic invertebrates Exposure time: 48 h

Test Type: static test
Test substance: WAF

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EL50 (Skeletonema costatum (diatom)): > 10,000 mg/l

End point: Growth inhibition

Exposure time: 72 h
Test Type: static test
Test substance: WAF



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Method: ISO 10253

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

TRICRESYL PHOSPHATE:

Toxicity to fish : LC50 (Rainbow darter (Etheostoma caeruleum)): 0.6 mg/l

Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 0.146 mg/l

Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (microalgae)): > 2.5

mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: ves

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Toxicity to fish (Chronic : 0.9 mg/l

toxicity)

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

2,6-DI-TERT-BUTYLPHENOL:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 13 mg/l

Exposure time: 96 h

# **Valvoline**... Global

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Test Type: static test

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.1 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.45 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 3.6

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to fish (Chronic

toxicity)

NOEC 0.30 mg/l

Exposure time: 14 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test

M-Factor (Chronic aquatic

toxicity)

: 1

# **Ecotoxicology Assessment**

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

#### **Components:**

#### TRICRESYL PHOSPHATE:

Result: Readily biodegradable. Biodegradability

> Biodegradation: 80 % Exposure time: 28 d

Method: OECD Test Guideline 301C

GLP: yes

#### 2,6-DI-TERT-BUTYLPHENOL:



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 12 - 24 %

Exposure time: 28 d

Method: OECD Test Guideline 302C

#### 12.3 Bioaccumulative potential

#### **Components:**

#### TRICRESYL PHOSPHATE:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Exposure time: 32 d

Concentration: 0.0316 mg/l

Bioconcentration factor (BCF): 165

Method: Flow through

Partition coefficient: n-

octanol/water

log Pow: 5.93

# 2,6-DI-TERT-BUTYLPHENOL:

Bioaccumulation : Species: Green algae (Chlorella fusca vacuolata)

Exposure time: 24 h Concentration: 0.05 mg/l

Bioconcentration factor (BCF): 800

Method: Static

Species: Carp (Leuciscus idus melanotus)

Exposure time: 3 d Concentration: 0.037 mg/l

Bioconcentration factor (BCF): 660

Method: Renewal

Partition coefficient: n-

octanol/water

log Pow: 4.92

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

#### 12.6 Other adverse effects

**Product:** 

**Endocrine disrupting** 

potential

: The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

19/23



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA P : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA\_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the

following entries should be

considered: Number on list 3

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

: Not applicable

# Valvoline, Global

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great

Britain)

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

Not applicable

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Control of Major Accident Hazards Regulations 34

2015 (COMAH)

Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar

properties as regards flammability and environmental hazards as the products referred to in points

(a) to (d)

#### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

#### 15.2 Chemical safety assessment

No data available

**Inventories** 



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H361f : Suspected of damaging fertility.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,



according to Regulation (EC) No. 1907/2006 NAPA® N3281L LHM PLUS SPECIAL BLEND

Version: 3.0 Revision Date: 26.06.2023 Print Date: 16/10/2023

Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Internal information: R0517049

Classification of the mixture: Classification procedure:

Asp. Tox. 1 H304 Calculation method

Aquatic Chronic 3 H412 Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN