

according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL	
Product code	:	902357	
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against	
Use of the substance/mixture			
1.3 Details of the supplier of the safety data sheet			
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands	
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	
E-mail address of person responsible for the SDS	:	SDS@valvoline.com	

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112 $\,$

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
PHOSPHOROUS ACID, TRIPHENYL ESTER	101-02-0 202-908-4 015-105-00-7 01-2119511213-58- xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 %	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0	Revision Date: 30.01.2023	Print Date: 16/10/2023		
If inhaled	 If unconscious, place in recovery po advice. If symptoms persist, call a physiciar 			
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a sp	ecialist.		
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bevera Never give anything by mouth to an If symptoms persist, call a physiciar	unconscious person.		
4.2 Most important symptoms	and effects, both acute and delayed			
Symptoms	: No symptoms known or expected.			
4.3 Indication of any immediate	4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: No hazards which require special fir			

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.2 Special hazards arising from the substance or mixture

Hazardous combustion	:	No hazardous combustion products are known
products		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

SECTION 6: Accidental release measures

6.2 Environmental precautions

Environmental precautions

: If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	g		
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.	
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	General industrial hygiene practice.	
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.	
Advice on common storage	:	No materials to be especially mentioned.	
Further information on storage stability	:	No decomposition if stored and applied as directed.	
7.3 Specific end use(s)			
Specific use(s)	:	No data available	



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection Material Break through time Glove thickness Directive	: :	neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374
Remarks	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.
Skin and body protection	:	Protective suit
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

/ersion: 4.0	Revision Date: 30.01.2023	Print Date: 16/10/2023
Odour Threshold	: No data available	
рН	: Not applicable	
Pour point	: <-21 °C	
Initial boiling point and boiling range	: > 300 °C	
Flash point	: > 150 °C Method: Cleveland open cup	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: < 0.01 kPa	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 0.88 g/cm3	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. 68 mm2/s (40 °C)	
Oxidizing properties	: No data available	



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0	Revision Date: 30.01.2023	Print Date: 16/10/2023
9.2 Other information		
Self-ignition	: No data available	
SECTION 10: Stability a	nd reactivity	
10.1 Reactivity		
No decomposition if sto	pred and applied as directed.	
10.2 Chemical stability		
No decomposition if sto	pred and applied as directed.	
10.3 Possibility of hazardo	ous reactions	
Hazardous reactions	: Stable under recommended stor No hazards to be specially men	•
10.4 Conditions to avoid		
Conditions to avoid	: None known.	
10.5 Incompatible materia	ls	
Materials to avoid	: Strong acids Strong oxidizing agents	
10.6 Hazardous decompos	sition products	
No hazardous decomp	osition products are known.	

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Acute oral toxicity	:	LD50 (Rat, male): 1.59 g/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 6.7 mg/l Exposure time: 1 h Test atmosphere: dust/mist Method: OECD Test Guideline 403



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0	Revision Date: 30.01.2023	Print Date: 16/10/2023	
Acute dermal toxicity	 Assessment: The substance or mixture inhalation toxicity LD50 (Rabbit): > 2 - < 5 g/kg Method: OECD Test Guideline 402 	has no acute	
Skin corrosion/irritation Not classified based on avail	able information.		
Components:			
PHOSPHOROUS ACID, TRIPHENYL ESTER:			
Species Result	: Guinea pig : Skin irritation		

Serious eye damage/eye irritation

Not classified based on available information.

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Species Result	:	Rabbit
Result	:	Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Test Type Species Assessment	: Local lymph node assay
Species	: Mouse
Assessment	The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

Metabolic activation: with and without metabolic activation Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product: Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Ecotoxicology Assessment Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Ecotoxicology Assessment

•••		
Acute aquatic toxicity	:	Very toxic to aquatic life.
		Acute aquatic toxicity Category 1; Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
		Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.
		9/14



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Ш

Revision Date: 30.01.2023

Print Date: 16/10/2023

12.2 Persistence and degradability

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Biodegradability

: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 28 d Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

PHOSPHOROUS ACID, TRIPHENYL ESTER:

Partition coefficient: n-	: log Pow: <mark>6.62</mark>	
Partition coefficient: n- octanol/water	Remarks: QSAR	

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	:	No data available



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste Code	 The Waste code should be assigned in discussion between the user and the waste disposal company. The following Waste Codes are only suggestions: 13 01 10, mineral based non-chlorinated hydraulic oils

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
		11 / 11



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

IATA_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restriction	ns (Annex 17)	: Not applicable
UK REACH Candidate list o concern (SVHC) for Authoris	, ,	: Not applicable
The Persistent Organic Pollu Regulation (EU) 2019/1021 Britain)	: Not applicable	
Regulation (EC) No 1005/20 deplete the ozone layer	: Not applicable	
UK REACH List of substanc (Annex XIV)	: Not applicable	
Control of Major Accident Ha 2015 (COMAH)	Not applicable	
Other regulations:		
The components of this pr	oduct are reported in the f	ollowing inventories:
TCSI	: On the inventory, or in	n compliance with the inventory
TSCA	as active on the TSCA inventory	
AIIC	h the inventory	
DSL	: All components of this	product are on the Canadian DSL



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0	Revision Date: 30.01.2023	Print Date: 16/10/2023
ENCS	: Not in compliance with the inventory	
KECI	: On the inventory, or in compliance wi	ith the inventory
PICCS	: On the inventory, or in compliance with	ith the inventory
IECSC	: On the inventory, or in compliance with	ith the inventory
NZIoC	: Not in compliance with the inventory	

- · ·

15.2 Chemical safety assessment

No data available

 . .

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410		Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Irrit. :	Eye irritation
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x%



according to Regulation (EC) No. 1907/2006 NAPA® N414199L HYDRAULIC 68 HYDRAULIC OIL

Version: 4.0

Revision Date: 30.01.2023

Print Date: 16/10/2023

growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**

Further information

Internal information : 000000274042

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN