

according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	NAPA® NT102BK500L SHPD E9 15W40 Motor Oil
Product code	:	903467
1.2 Relevant identified uses of the	e s	ubstance or mixture and uses advised against
Use of the substance/mixture	:	Engine, gear & lubricating oil.
1.3 Details of the supplier of the s	safe	ety data sheet
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	:	SDS@valvolineglobal.com

### 1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labelling**

EUH208 Contains Reaction products of benzenesulfonic acid, mono- C20-24 (even)-secalkyl derivs. para-, calcium salts, BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 5 - < 10
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	36878-20-3 253-249-4 01-2119488911-28- xxxx	Aquatic Chronic 4; H413	>= 2.5 - < 5
PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8 283-392-8 01-2119493626-26- xxxx	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411  specific concentration limit	>= 1 - < 2.5



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

		Skin Irrit. 2; H315 >= 6.25 % Eye Dam. 1; H318 >= 12.5 % Eye Irrit. 2; H319 >= 10.0 %	
Reaction products of benzenesulfonic acid, mono- C20-24 (even)-sec-alkyl derivs. para-, calcium salts	Not Assigned 947-519-7 01-2120765489-36- xxxx	Skin Sens. 1B; H317 specific concentration limit Skin Sens. 1B >= 10 %	>= 0.5 - < 1
BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS	Not Assigned	Skin Sens. 1B; H317	>= 0.1 - < 0.5

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
3 / 20		



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

 Version: 7.0
 Revision Date: 05.09.2023
 Print Date: 16/10/2023

 If symptoms persist, call a physician.

 4.2 Most important symptoms and effects, both acute and delayed<br/>Symptoms
 : No symptoms known or expected.

 4.3 Indication of any immediate medical attention and special treatment needed<br/>Treatment
 : No hazards which require special first aid measures.

 Treat symptomatically.
 : Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1	Exting	uishing	media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	carbon dioxide and carbon monoxide Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

 

 Version: 7.0
 Revision Date: 05.09.2023
 Print Date: 16/10/2023

 6.2 Environmental precautions
 :
 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

 6.3 Methods and material for containment and cleaning up Methods for cleaning up
 :
 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	3		
	Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.	
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
	Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	
7.2	7.2 Conditions for safe storage, including any incompatibilities			
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.	
	Further information on storage stability	:	No decomposition if stored and applied as directed.	
7.3	Specific end use(s)			
	Specific use(s)	:	No data available	



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Personal protective equipmen	t
Eye/face protection :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material : Break through time : Glove thickness : Directive :	neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374
Remarks :	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection :	No personal respiratory protective equipment normally required.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -36 °C
Boiling point/boiling range	:	No data available
Flash point	:	238 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0.876 g/cm3 (15.6 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0	Revision Date: 05.09.2023	Print Date: 16/10/2023
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 6,800 mPa.s (-20 °C)	
Viscosity, kinematic	: 107 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **Components:**

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Acute oral toxicity Acute dermal toxicity	: LD50 (Rat): > 15 g/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg

### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: The toxicological data has been taken from products of similar composition.

### PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, **ZINC SALTS:**

Acute inhalation toxicity	:	LC50 (Rat): > 2.3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Remarks : Not classified

#### **Components:**

### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	Slight, transient irritation
Result	Slight, transient irritation

:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched): Rabbit

Species



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Result Remarks	<ul> <li>Revision Date: 05.09.2023 F</li> <li>Mild skin irritation</li> <li>The toxicological data has been taken from composition.</li> <li>MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND</li> <li>Rabbit</li> <li>Irritating to skin.</li> </ul>	
Remarks PHOSPHORODITHIOIC ACID ZINC SALTS: Species Result Serious eye damage/eye irrit	<ul> <li>The toxicological data has been taken from composition.</li> <li>MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND</li> <li>Rabbit</li> </ul>	
ZINC SALTS: Species Result Serious eye damage/eye irrit	Rabbit	ISO-PR) ESTERS
Result Serious eye damage/eye irrit		
<u>Product:</u> Remarks	: Not classified	
<u>Components:</u> DISTILLATES (PETROLEUM)	HYDROTREATED HEAVY PARAFFINIC:	
Assessment Result	No eye irritation No eye irritation	
Reaction products of Benzen Species Result	eamine, N-phenyl- with nonene (branched): Rabbit Slight, transient irritation	
Remarks	The toxicological data has been taken from composition.	products of similar
PHOSPHORODITHIOIC ACID ZINC SALTS:	MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND	ISO-PR) ESTERS
Species Result	Rabbit Corrosive	

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **Components:**

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species	: Guinea pig
Assessment	Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Remarks	: The toxicological data has been taken from products of similar composition.

# PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	Does not cause skin sensitisation.
Test Type Species Assessment Method	: OECD Test Guideline 406

Reaction products of benzenesulfonic acid, mono- C20-24 (even)-sec-alkyl derivs. para-, calcium salts:

Assessment

: The product is a skin sensitiser, sub-category 1B.

### BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS:

Assessment : The product is a skin sensitiser, sub-category 1B.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

....

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Genotoxicity in vitro	: Test Type: Ames test	
	Test system: Salmonella typhimurium	
	Metabolic activation: with and without metabolic activation	
	Result: negative	

## PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### Carcinogenicity

Not classified based on available information.

**Components:** 

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Carcinogenicity -:Classified based on DMSO extract content < 3% (Regulation</th>Assessment(EC) 1272/2008, Annex VI, Part 3, Note L)

### **Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure** Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

**Components:** 

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:** 

May be fatal if swallowed and enters airways.

### **Further information**

Product:

Remarks

: No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product:

Ecotoxicology	Assessment
---------------	------------

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **Components:**

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

•		
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates

### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

•	
Toxicity to fish	<ul> <li>LC50 (Danio rerio (zebra fish)): &gt; 100 mg/l Exposure time: 96 h Test Type: static test Remarks: The toxicological data has been taken from products of similar composition.</li> </ul>
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (algae)): 600 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test

### **Ecotoxicology Assessment**

Acute aquatic toxicity	
------------------------	--

#### : Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

rsion: 7.0	Revision Date: 05.09.2023	Print Date: 16/10/2023
Chronic aquatic toxicity	: Chronic aquatic toxicity Category harmful effects to aquatic life.	4; May cause long lasting
PHOSPHORODITHIOIC AC ZINC SALTS:	ID, MIXED O,O-BIS(1,3-DIMETHYLBU	JTYL AND ISO-PR) ESTERS,
Toxicity to daphnia and othe aquatic invertebrates (Chronic toxicity)	r : NOEC: 0.4 mg/l End point: Reproduction Test Exposure time: 28 d Species: Daphnia magna (Water Test substance: WAF Method: OECD Test Guideline 21	·
Ecotoxicology Assessmen	ht	
Acute aquatic toxicity	Not classified based on available	information.
Chronic aquatic toxicity	: Not classified based on available	information.
Reaction products of benz calcium salts:	enesulfonic acid, mono- C20-24 (eve	en)-sec-alkyl derivs. para-,
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rai Exposure time: 96 h	nbow trout)): > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 1,000 mg/l Exposure time: 96 h

### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

### BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS:

### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

ш

Revision Date: 05.09.2023

Print Date: 16/10/2023

### 12.2 Persistence and degradability

Components:

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B

PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 1.5 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B

Reaction products of benzenesulfonic acid, mono- C20-24 (even)-sec-alkyl derivs. para-, calcium salts:

Biodegradab	ility :	Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 301D

#### 12.3 Bioaccumulative potential

Components:

### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Partition coefficient: n-	:	log Pow: > 7.5
octanol/water		

# PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Partition coefficient: n-	: log Pow: 0.56
octanol/water	

### 12.4 Mobility in soil

ш

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0	Revision Date: 05.09.2023	Print Date: 16/10/2023
	very persistent and very bioaccun 0.1% or higher.	nulative (vPvB) at levels of
12.6 Other adverse effects		
Product:		
Endocrine disrupting potential	: The substance/mixture does not of considered to have endocrine dis to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	rupting properties according ssion Delegated regulation
Additional ecological information	: No data available	

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>	
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>	

### **SECTION 14: Transport information**

### 14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
		16/20



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0	Revision Date: 05.09.2023	Print Date: 16/10/2023
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.3 Transport hazard class(	es)	
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA_P (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a danger		

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great	:	Not applicable



Version: 7.0

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Print Date: 16/10/2023

Britain) Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer UK REACH List of substances subject to authorisation : Not applicable (Annex XIV) Control of Major Accident Hazards Regulations Not applicable

Revision Date: 05.09.2023

### Other regulations:

2015 (COMAH)

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	Not in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

### No data available

### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : H317 : H318 : H411 :	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviations		

# Aquatic Chronic:Long-term (chronic) aquatic hazardAsp. Tox.:Aspiration hazardEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic



according to Regulation (EC) No. 1907/2006 NAPA® NT102BK500L SHPD E9 15W40 Motor Oil

Version: 7.0

Revision Date: 05.09.2023

Print Date: 16/10/2023

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Internal information : 000000274352

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN