

according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name :	NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil
Product code :	902594
1.2 Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture :	Engine, gear & lubricating oil.
1.3 Details of the supplier of the sat	fety data sheet
Company :	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone :	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person : responsible for the SDS	SDS@valvolineglobal.com

1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt, 2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- xxxx	Asp. Tox. 1; H304	>= 25 - < 40
Benzenepropanoic acid,3,5-bis(1,1- dimethyl-ethyl)-4,4hydroxy-C7-C9 alkyl esters	125643-61-0 406-040-9406-040-9 607-530-00-7	Aquatic Chronic 4; H413	>= 2.5 - < 5
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	134758-95-5	Aquatic Chronic 4; H413	>= 2.5 - < 5
AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH 1,3-	147880-09-9	Aquatic Chronic 4; H413	>= 1 - < 2.5



Version: 4.0

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Print Date: 16/10/2023

	_		
DIOXOLAN-2-ONE AND SUCCINIC			
ANHYDRIDE			
MONOPOLYISOBUTENYL DERIVS.			
2,5-Furandione, polymer with 1-	873694-48-5	Skin Sens. 1B; H317	>= 1 - < 2.5
hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl)		Aquatic Chronic 4;	
ether and 2-methyl-1-propene, 4-		H413	
(phenylamino)phenyl imide			
Reaction products of Benzeneamine,	36878-20-3	Aquatic Chronic 4;	>= 1 - < 2.5
N-phenyl- with nonene (branched)	253-249-4	H413	
	01-2119488911-28-		
	XXXX		
Phosphorodithioic acid, mixed O,O-	68784-31-6	Eye Dam. 1; H318	>= 1 - < 2.5
bis(sec-Bu and 1,3-dimethylbutyl)	272-238-5	Aquatic Chronic 2;	
esters, zinc salts	01-2119657973-23- xxxx	H411	
Benzenesulfonic acid methyl-, mono	722503-69-7	Aquatic Chronic 4;	>= 1 - < 2.5
C20-26 branched alkyl derivs.,	122000 00 1	H413	2-1 22.0
calcium salt			
Coconut oil, reaction products with	1428353-74-5	Eye Irrit. 2; H319	>= 1 - < 2.5
boric acid (H3BO3), diethanolamine		Skin Sens. 1B;	
and glycerol	01-2120067755-46-	H317	
	XXXX	Aquatic Chronic 2;	
Deprese ulferie esid methud mene	700500 00 7	H411	. 0.4 .0.05
Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs.,	722503-69-7	Skin Sens. 1; H317 Aquatic Chronic 4;	>= 0.1 - < 0.25
calcium salt		H413	
Benzenesulfonic acid, methyl-,	722503-68-6	Skin Sens. 1B;	>= 0.1 - < 0.25
mono-C20-24-branched alkyl derivs.,		H317	
calcium salts		Aquatic Chronic 4;	
		H413	

Revision Date: 25.07.2023

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023			
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a special	ist.			
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco If symptoms persist, call a physician.	onscious person.			
4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	: No symptoms known or expected.				
4.3 Indication of any immediate Treatment	medical attention and special treatment ne : No hazards which require special first aid				

Treat symptomatically.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	e substance or mixture
	Hazardous combustion	:	carbon dioxide and carbon monoxide
	products		Nitrogen oxides (NOx)
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
	Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

•	p protective measures listed in sections 7 and 8. rsonal protective equipment.
---	--

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up
- : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	J	
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage, i	nc	luding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)	: No data available	
	5 / 24	



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value		
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and 1,3- dimethylbutyl) esters, zinc salts	Workers	Inhalation	Long-term systemic effects	2.93 mg/m3		
	Remarks:RD TC	X - Repeated dose	toxicity			
	Workers	Dermal	Long-term systemic effects	10.42 mg/kg		
	Remarks:RD TC	Remarks:RD TOX - Repeated dose toxicity				
	Consumer use	Inhalation	Long-term systemic effects	11.75 mg/m3		
	Remarks:RD TOX - Repeated dose toxicity					
	Consumer use	Dermal	Long-term systemic effects	2.1 mg/kg		
	Remarks:RD TOX - Repeated dose toxicity					
	Consumer use	Oral	Long-term systemic effects	0.21 mg/kg		
	Remarks: RD TOX - Repeated dose toxicity					

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Phosphorodithioic acid, mixed	Sewage treatment plant	3.8 mg/l
O,O-bis(sec-Bu and 1,3-		
dimethylbutyl) esters, zinc salts		
	Fresh water sediment	0.0701 mg/kg
	Marine sediment	0.00701 mg/kg
	Soil	0.0548 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection	: Safety glasses
---------------------	------------------

Hand protection

Material : neoprene, nitrile rubber



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	R	evision Date: 25.07.2023	Print Date: 16/10/2023
Break through time Glove thickness Directive	:	>= 240 min >= 0.35 mm Equipment should conform to EN 374	
Remarks	:	The selected protective gloves have to specifications of Regulation (EU) 2016/ EN 374 derived from it. Gloves should replaced if there is any indication of der breakthrough. Please observe the instr permeability and breakthrough time wh the supplier of the gloves. Also take int specific local conditions under which th such as the danger of cuts, abrasion, a The data about break through time/stres standard values! The exact break through material has to be obtained from the pr protective glove.	425 and the standard be discarded and gradation or chemical uctions regarding ich are provided by o consideration the e product is used, nd the contact time. ength of material are ugh time/strength of
Skin and body protection	:	Protective suit	
Respiratory protection	:	No personal respiratory protective equi required.	pment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 202 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
		7 / 24



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Flammability (solid, gas)	: No data available	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 0.857 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility	: immiscible	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. 71 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information		
Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

10.2 Chemical stability No decomposition if stored and a	pplied as directed.
10.3 Possibility of hazardous reacti	ons
Hazardous reactions :	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid	
Conditions to avoid :	None known.
10.5 Incompatible materials	
Materials to avoid :	Strong acids Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg		
Acute inhalation toxicity :	LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.		
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose.		
Reaction products of Benzeneamine, N-phenyl- with nonene (branched):			
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Remarks: No mortality observed at this dose.		



sion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or m toxicity Remarks: The toxicological data h products of similar composition. 	
Phosphorodithioic acid	, mixed O,O-bis(sec-Bu and 1,3-dimethy	lbutyl) esters, zinc salts:
Acute oral toxicity	: LD50 (Rat, female): 2,900 mg/kg Method: OECD Test Guideline 40	
	LD50 (Rat, male): 3,400 mg/kg Method: OECD Test Guideline 40	01
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 40)2
Coconut oil, reaction pr	oducts with boric acid (H3BO3), diethar	olamine and glycerol:
Acute oral toxicity	: (Rat, female): > 200 mg/kg Method: OECD Test Guideline 42 Assessment: The substance or m toxicity	
Acute dermal toxicity	: LD50 (Rat, male and female): > 2 Method: OECD Test Guideline 40 Assessment: The substance or m toxicity)2
Skin corrosion/irritatior	I	
Not classified based on a	vailable information.	
Components:		
LUBRICATING OILS, PE	TROLEUM, C20-50, HYDROTREATED:	
Species Result	: Rabbit : No skin irritation	
Amines, polyethylenepo borated:	oly-, reaction products with succinic anh	nydride polyisobutenyl derivs
Result Remarks	No skin irritationExpected	
Reaction products of B	enzeneamine, N-phenyl- with nonene (b	ranched):
Species	: Rabbit	



sion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Result Remarks	 Mild skin irritation The toxicological data has been to composition. 	taken from products of similar
Phosphorodithioic a	acid, mixed O,O-bis(sec-Bu and 1,3-dimethy	ylbutyl) esters, zinc salts:
Species	: Rabbit	
Result	: Mild skin irritation	
Serious eye damage	e/eye irritation	
Not classified based	on available information.	
Product:		
Result	: No eye irritation	
Components:		
LUBRICATING OILS	S, PETROLEUM, C20-50, HYDROTREATED:	
Species	: Rabbit	
Result	: No eye irritation	
	: No eye irritation nepoly-, reaction products with succinic an	hydride polyisobutenyl deriv
Amines, polyethyle borated: Result	nepoly-, reaction products with succinic an : No eye irritation	hydride polyisobutenyl deriv
Amines, polyethyle borated:	nepoly-, reaction products with succinic an	hydride polyisobutenyl deriv
Amines, polyethyle borated: Result Remarks	nepoly-, reaction products with succinic an : No eye irritation	
Amines, polyethyle borated: Result Remarks Reaction products of Species	nepoly-, reaction products with succinic an : No eye irritation : Expected	
Amines, polyethyle borated: Result Remarks Reaction products of Species Result	nepoly-, reaction products with succinic an : No eye irritation : Expected of Benzeneamine, N-phenyl- with nonene (b : Rabbit : Slight, transient irritation	pranched):
Amines, polyethyle borated: Result Remarks Reaction products of Species	nepoly-, reaction products with succinic an : No eye irritation : Expected of Benzeneamine, N-phenyl- with nonene (b : Rabbit	pranched):
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks	nepoly-, reaction products with succinic an : No eye irritation : Expected of Benzeneamine, N-phenyl- with nonene (b : Rabbit : Slight, transient irritation : The toxicological data has been to composition.	branched): taken from products of similar
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a	nepoly-, reaction products with succinic an No eye irritation Expected of Benzeneamine, N-phenyl- with nonene (b Rabbit Slight, transient irritation The toxicological data has been to composition. acid, mixed O,O-bis(sec-Bu and 1,3-dimethy)	branched): taken from products of similar
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks	nepoly-, reaction products with succinic an : No eye irritation : Expected of Benzeneamine, N-phenyl- with nonene (b : Rabbit : Slight, transient irritation : The toxicological data has been to composition.	taken from products of similar
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species	 nepoly-, reaction products with succinic an No eye irritation Expected of Benzeneamine, N-phenyl- with nonene (be) Rabbit Slight, transient irritation The toxicological data has been to composition. acid, mixed O,O-bis(sec-Bu and 1,3-dimethy) Rabbit Irreversible effects on the eye Rabbit 	branched): taken from products of similar
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species Result	 nepoly-, reaction products with succinic an No eye irritation Expected of Benzeneamine, N-phenyl- with nonene (below is a composition) Rabbit Slight, transient irritation The toxicological data has been to composition. acid, mixed O,O-bis(sec-Bu and 1,3-dimethy) Rabbit Irreversible effects on the eye Rabbit 24 - 72 hrs 	branched): taken from products of similar
Amines, polyethylet borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species Exposure time Assessment	 nepoly-, reaction products with succinic an No eye irritation Expected of Benzeneamine, N-phenyl- with nonene (below is the second secon	taken from products of similar
Amines, polyethyle borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species Result	 nepoly-, reaction products with succinic an No eye irritation Expected of Benzeneamine, N-phenyl- with nonene (below is a composition) Rabbit Slight, transient irritation The toxicological data has been to composition. acid, mixed O,O-bis(sec-Bu and 1,3-dimethy) Rabbit Irreversible effects on the eye Rabbit 24 - 72 hrs 	taken from products of similar



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol:Result:Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment

: Does not cause skin sensitisation.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide:

Assessment : The product is a skin sensitiser, sub-category 1B.

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Remarks	:	The toxicological data has been taken from products of similar composition.

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol:

Assessment	:	The product is a skin sensitiser, sub-category 1B.



Global		
sion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Benzenesulfonic acid	methyl-, mono C20-26 branched alkyl de	erivs., calcium salt:
Assessment	: May cause sensitisation by skin of	contact.
Benzenesulfonic acid	l, methyl-, mono-C20-24-branched alkyl de	erivs., calcium salts:
Assessment	: The product is a skin sensitiser, s	sub-category 1B.
Germ cell mutagenici	ty	
Not classified based or	n available information.	
Components:		
Reaction products of	Benzeneamine, N-phenyl- with nonene (b	oranched):
Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative	
Phosphorodithioic ac	id, mixed O,O-bis(sec-Bu and 1,3-dimethy	ylbutyl) esters, zinc salts:
Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative	
Carcinogenicity		
Not classified based or	n available information.	
Components:		
LUBRICATING OILS,	PETROLEUM, C20-50, HYDROTREATED:	
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part :	
Reproductive toxicity	,	
Not classified based or		
STOT - single exposu		
Not classified based or		
STOT - repeated expo		
Not classified based or	available information.	



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Repeated dose toxicity

Components:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Species NOAEL Application Route Exposure time Method GLP

Rat, male and female 125 mg/kg : Oral 28 d : : oral (gavage) : yes

Aspiration toxicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

:

:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Ecotoxicology Assessment Acute aquatic toxicity	t :	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
Components:		

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Toxicity to fish LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l : Exposure time: 96 h

14/24



Version: 4.0	Re	vision Date: 25.07.2023	Print Date: 16/10/2023	
		Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubi	lity	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	0,000 mg/l	
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	green algae)): >=	
Toxicity to fish (Chronic toxicity)	:	NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow	trout)	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211		
Ecotoxicology Assessment				
Acute aquatic toxicity	:	Not classified based on available informa		
Chronic aquatic toxicity	:	Not classified based on available informa	tion.	
Benzenepropanoic acid,3,5-bis(1,1-dimethyl-ethyl)-4,4hydroxy-C7-C9 alkyl esters:				
Ecotoxicology Assessment Acute aquatic toxicity		Not classified based on available informa	tion.	
Chronic aquatic toxicity	:	Not classified based on available informa	tion.	



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTENYL DERIVS.:

Ecotoxicology Assessment

Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide:

Ecotoxicology Assessment Acute aquatic toxicity	:			
		Not classified based on available information.		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.		
Reaction products of Benzeneamine, N-phenyl- with nonene (branched):				
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test Remarks: The toxicological data has been taken from products of similar composition.		
		16 / 24		



rsion: 4.0	Re	evision Date: 25.07.2023	Print Date: 16/10/2023
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)) Exposure time: 48 h Test Type: static test Test substance: WAF	: > 100 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapita End point: Growth inhibition Exposure time: 72 h Test Type: static test	ata (algae)): 600 mg/l
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available info	ormation.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 4; harmful effects to aquatic life.	May cause long lasting
Phosphorodithioic acid, mix	xed	O,O-bis(sec-Bu and 1,3-dimethylbu	ityl) esters, zinc salts:
Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbor Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203	w trout)): 4.4 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	75 mg/l
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (g End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	green algae)): 410 mg/l
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Toxic to aquatic life.	
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting	effects.



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt:

Ecotoxicology Assessmen Acute aquatic toxicity	t :	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.
Coconut oil, reaction prod	ucts	with boric acid (H3BO3), diethanolamine and glycerol:
Ecotoxicology Assessmen Acute aquatic toxicity	t :	
		Not classified based on available information.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
		Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.
Benzenesulfonic acid meth	ıyl-,	mono C20-26 branched alkyl derivs., calcium salt:
Ecotoxicology Assessmen	t	
Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.
Benzenesulfonic acid, met	hyl-	, mono-C20-24-branched alkyl derivs., calcium salts:
Ecotoxicology Assessmen	t	
Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		18 / 24



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Revision Date: 25.07.2023

Print Date: 16/10/2023

Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Biodegradability		Result: Not readily biodegradable. Biodegradation: 2 - 4 %
		Exposure time: 28 d Method: OECD Test Guideline 301B

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Biodegradability		Result: Not readily biodegradable. Biodegradation: < 5 %
		Exposure time: 27 d
		Method: OECD Test Guideline 301D

Coconut oil, reaction prode	ucts	with boric acid (H3BO3), diethanolamine and glycerol:
Biodegradability	:	Result: Readily biodegradable.

iodegradability	:	Result: Readily biodegrad
-----------------	---	---------------------------

12.3 Bioaccumulative potential

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Partition coefficient: n-	:	log Pow: > 7.5
octanol/water		

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Partition coefficient: n-: log Pow: 4 octanol/water

Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol: F

Partition coefficient: n-	:	Pow: 3.57	(25 °C)	



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

P	ro	du	ct:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:		
Endocrine disrupting potential	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	:	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
14.2 UN proper shipping name)	
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.3 Transport hazard class(e	s)	
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA_P	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA_P (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revisio	on Date: 25.07.202	23		Print Date: 16/10/2023
concern (SVHC) for Authoris	ation				
	The Persistent Organic Pollutants Regulations (retained : Not applicable Regulation (EU) 2019/1021 as amended for Great Britain)				
Regulation (EC) No 1005/20 deplete the ozone layer	09 on sul	ostances that	:	Not applicabl	e
UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)				e	
Control of Major Accident Ha 2015 (COMAH)	zards Re	egulations	Not	applicable	
The components of this pr	oduct ar	e reported in the	follo	wing inventor	ies:
TCSI	: No	t in compliance wit	th the	e inventory	
TSCA	: All	substances listed	as a	ctive on the TS	CA inventory
AIIC	: No	t in compliance wit	th the	e inventory	
DSL	: All	components of thi	s pro	duct are on the	e Canadian DSL
ENCS	: No	t in compliance wit	th the	e inventory	
KECI	: No	t in compliance wit	th the	e inventory	
PICCS	: On	the inventory, or i	n cor	mpliance with t	he inventory
IECSC	: No	t in compliance wit	th the	e inventory	
NZIoC	: On	the inventory, or i	n cor	mpliance with t	he inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

SECTION 16: Other information

Full text of H-Statements

H319 H411 H413	 Causes serious eye duringe: Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life.
H304 H317 H318	 May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Causes serious eye damage.

Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Sens. :	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic



according to Regulation (EC) No. 1907/2006 NAPA® NT1321000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000277509

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN