

according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil
Product code	:	902592
1.2 Relevant identified uses of th	e s	ubstance or mixture and uses advised against
Use of the substance/mixture	:	Engine, gear & lubricating oil.
1.3 Details of the supplier of the	safe	ety data sheet
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	:	SDS@valvolineglobal.com

#### 1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt, 2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- xxxx	Asp. Tox. 1; H304	>= 25 - < 40
Benzenepropanoic acid,3,5-bis(1,1- dimethyl-ethyl)-4,4hydroxy-C7-C9 alkyl esters	125643-61-0 406-040-9406-040-9 607-530-00-7	Aquatic Chronic 4; H413	>= 2.5 - < 5
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	134758-95-5	Aquatic Chronic 4; H413	>= 2.5 - < 5
AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH 1,3-	147880-09-9	Aquatic Chronic 4; H413	>= 1 - < 2.5



Version: 4.0

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Print Date: 16/10/2023

	1		
DIOXOLAN-2-ONE AND SUCCINIC			
MONOPOLYISOBUTENYL DERIVS. 2,5-Furandione, polymer with 1-	873694-48-5	Skin Sens. 1B;	>= 1 - < 2.5
hexadecene, methyloxirane polymer	073034-40-3	H317	>= 1 - < 2.5
with oxirane bis (2-aminopropyl)		Aquatic Chronic 4;	
ether and 2-methyl-1-propene, 4-		H413	
(phenylamino)phenyl imide			
Reaction products of Benzeneamine,	36878-20-3	Aquatic Chronic 4;	>= 1 - < 2.5
N-phenyl- with nonene (branched)	253-249-4	H413	
	01-2119488911-28- xxxx		
Phosphorodithioic acid, mixed O,O-	68784-31-6	Eye Dam. 1; H318	>= 1 - < 2.5
bis(sec-Bu and 1,3-dimethylbutyl)	272-238-5	Aquatic Chronic 2;	2-1 (2.0
esters, zinc salts	01-2119657973-23-	H411	
	XXXX		
Benzenesulfonic acid methyl-, mono	722503-69-7	Aquatic Chronic 4;	>= 1 - < 2.5
C20-26 branched alkyl derivs., calcium salt		H413	
Coconut oil, reaction products with	1428353-74-5	Eye Irrit. 2; H319	>= 1 - < 2.5
boric acid (H3BO3), diethanolamine	1420000 74 0	Skin Sens. 1B;	>= 1 < 2.5
and glycerol	01-2120067755-46-	H317	
	XXXX	Aquatic Chronic 2;	
		H411	
Benzenesulfonic acid methyl-, mono	722503-69-7	Skin Sens. 1; H317	>= 0.1 - < 0.25
C20-26 branched alkyl derivs., calcium salt		Aquatic Chronic 4; H413	
Benzenesulfonic acid, methyl-,	722503-68-6	Skin Sens. 1B;	>= 0.1 - < 0.25
mono-C20-24-branched alkyl derivs.,	122000-00-0	H317	
calcium salts		Aquatic Chronic 4;	
		H413	

Revision Date: 25.07.2023

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023			
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a speciali	ist.			
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco If symptoms persist, call a physician.	onscious person.			
4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	: No symptoms known or expected.				
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment	: No hazards which require special first aid	I measures.			

Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	carbon dioxide and carbon monoxide Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

•	protective measures listed in sections 7 and 8. sonal protective equipment.
---	---

#### **6.2 Environmental precautions**

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

#### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up
- : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	J	
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage, in	ncl	luding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)	: No data available	
	5 / 24	



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and 1,3- dimethylbutyl) esters, zinc salts	Workers	Inhalation	Long-term systemic effects	2.93 mg/m3
	Remarks:RD TC	X - Repeated dose	toxicity	
	Workers	Dermal	Long-term systemic effects	10.42 mg/kg
	Remarks:RD TC	X - Repeated dose	toxicity	
	Consumer use	Inhalation	Long-term systemic effects	11.75 mg/m3
	Remarks:RD TC	X - Repeated dose	toxicity	
	Consumer use	Dermal	Long-term systemic effects	2.1 mg/kg
	Remarks:RD TC	X - Repeated dose	toxicity	
	Consumer use	Oral	Long-term systemic effects	0.21 mg/kg
	Remarks:RD TC	X - Repeated dose	toxicity	

#### **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
Phosphorodithioic acid, mixed	Sewage treatment plant	3.8 mg/l
O,O-bis(sec-Bu and 1,3-		
dimethylbutyl) esters, zinc salts		
	Fresh water sediment	0.0701 mg/kg
	Marine sediment	0.00701 mg/kg
	Soil	0.0548 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	: Safety glasses
---------------------	------------------

Hand protection

Material	:	neoprene,	nitrile rubber
----------	---	-----------	----------------



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Break through time Glove thickness Directive	<ul> <li>&gt;= 240 min</li> <li>&gt;= 0.35 mm</li> <li>Equipment should conform to</li> </ul>	EN 374
Remarks	EN 374 derived from it. Gloves	EU) 2016/425 and the standard s should be discarded and ion of degradation or chemical the instructions regarding time which are provided by take into consideration the which the product is used, brasion, and the contact time. time/strength of material are eak through time/strength of
Skin and body protection	: Protective suit	
Respiratory protection	: No personal respiratory protec required.	ctive equipment normally

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 202 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
		7/24



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Re	vision Date: 25.07.2023	Print Date: 16/10/2023
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	ca. 0.857 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility	:	immiscible	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	ca. 71 mm2/s (40 °C)	
Oxidizing properties	:	No data available	
9.2 Other information			
Self-ignition	:	No data available	

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

<b>10.2 Chemical stability</b> No decomposition if stored and a	applied as directed.
10.3 Possibility of hazardous react	tions
Hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid	
Conditions to avoid	: None known.
10.5 Incompatible materials	
Materials to avoid	: Strong acids Strong oxidizing agents

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg			
Acute inhalation toxicity :	LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.			
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose.			
Reaction products of Benzeneamine, N-phenyl- with nonene (branched):				
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Remarks: No mortality observed at this dose.			



sion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Acute dermal toxicity	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg Assessment: The substance or m toxicity Remarks: The toxicological data h products of similar composition.</li> </ul>	
Phosphorodithioic acid	l, mixed O,O-bis(sec-Bu and 1,3-dimethy	lbutyl) esters, zinc salts:
Acute oral toxicity	: LD50 (Rat, female): 2,900 mg/kg Method: OECD Test Guideline 40	)1
	LD50 (Rat, male): 3,400 mg/kg Method: OECD Test Guideline 40	01
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 40	02
Coconut oil, reaction p	roducts with boric acid (H3BO3), diethan	olamine and glycerol:
Acute oral toxicity	: (Rat, female): > 200 mg/kg Method: OECD Test Guideline 42 Assessment: The substance or m toxicity	
Acute dermal toxicity	: LD50 (Rat, male and female): > 2 Method: OECD Test Guideline 40 Assessment: The substance or m toxicity	02
Skin corrosion/irritation	ı	
Not classified based on a	available information.	
Components:		
LUBRICATING OILS, PE	ETROLEUM, C20-50, HYDROTREATED:	
Species Result	: Rabbit : No skin irritation	
Amines, polyethylenep borated:	oly-, reaction products with succinic anh	nydride polyisobutenyl derivs.,
Result Remarks	<ul><li>No skin irritation</li><li>Expected</li></ul>	
Reaction products of B	enzeneamine, N-phenyl- with nonene (bi	ranched):
Species	: Rabbit	



sion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Result Remarks	<ul><li>Mild skin irritation</li><li>The toxicological data has been t composition.</li></ul>	taken from products of similar
Phosphorodithioic a	ncid, mixed O,O-bis(sec-Bu and 1,3-dimethy	/lbutyl) esters, zinc salts:
Species Result	: Rabbit : Mild skin irritation	
Result		
Serious eye damage	e/eye irritation	
Not classified based of	on available information.	
Product:		
Result	: No eye irritation	
Components:		
LUBRICATING OILS	, PETROLEUM, C20-50, HYDROTREATED:	
Species	: Rabbit	
Result	: No eye irritation	
Result		hydride polyisobutenyl deriv
Result Amines, polyethyler	: No eye irritation	hydride polyisobutenyl deriv
Result Amines, polyethyler borated:	: No eye irritation	hydride polyisobutenyl deriv
Result Amines, polyethyler borated: Result Remarks	: No eye irritation nepoly-, reaction products with succinic an : No eye irritation	
Result Amines, polyethyler borated: Result Remarks	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> </ul>	
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b</li> <li>Rabbit</li> <li>Slight, transient irritation</li> </ul>	ranched):
Result Amines, polyethyler borated: Result Remarks Reaction products of Species	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b</li> <li>Cabbit</li> </ul>	ranched):
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> <li>acid, mixed O,O-bis(sec-Bu and 1,3-dimethy)</li> <li>Rabbit</li> <li>Irreversible effects on the eye</li> <li>Rabbit</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species Exposure time	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> <li>acid, mixed O,O-bis(sec-Bu and 1,3-dimethy)</li> <li>Rabbit</li> <li>Irreversible effects on the eye</li> <li>Rabbit</li> <li>24 - 72 hrs</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Exposure time Assessment	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> <li>acid, mixed O,O-bis(sec-Bu and 1,3-dimethy)</li> <li>Rabbit</li> <li>Irreversible effects on the eye</li> <li>Rabbit</li> <li>24 - 72 hrs</li> <li>Category 1</li> </ul>	ranched): taken from products of similar
Result Amines, polyethyler borated: Result Remarks Reaction products of Species Result Remarks Phosphorodithioic a Species Result Species Result Species Exposure time	<ul> <li>No eye irritation</li> <li>nepoly-, reaction products with succinic and</li> <li>No eye irritation</li> <li>Expected</li> <li>of Benzeneamine, N-phenyl- with nonene (b)</li> <li>Rabbit</li> <li>Slight, transient irritation</li> <li>The toxicological data has been to composition.</li> <li>acid, mixed O,O-bis(sec-Bu and 1,3-dimethy)</li> <li>Rabbit</li> <li>Irreversible effects on the eye</li> <li>Rabbit</li> <li>24 - 72 hrs</li> </ul>	ranched): taken from products of similar



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol:Result:Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Product:

Assessment

: Does not cause skin sensitisation.

#### **Components:**

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide:

Assessment : The product is a skin sensitiser, sub-category 1B.

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Remarks	:	The toxicological data has been taken from products of similar composition.
		composition.

#### Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol:

Assessment	:	The product is a skin sensitiser, sub-category 1B.
------------	---	--



Global		
ersion: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
Benzenesulfonic acid r	nethyl-, mono C20-26 branched alkyl de	erivs., calcium salt:
Assessment	: May cause sensitisation by skin of	contact.
Benzenesulfonic acid,	methyl-, mono-C20-24-branched alkyl de	erivs., calcium salts:
Assessment	: The product is a skin sensitiser, s	sub-category 1B.
Germ cell mutagenicity	,	
Not classified based on a	available information.	
Components:		
Reaction products of B	enzeneamine, N-phenyl- with nonene (b	ranched):
Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative	
Phosphorodithioic acid	l, mixed O,O-bis(sec-Bu and 1,3-dimethy	ylbutyl) esters, zinc salts:
Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative	
Carcinogenicity		
Not classified based on a	available information.	
Components:		
LUBRICATING OILS, P	ETROLEUM, C20-50, HYDROTREATED:	
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3	( <b>e</b>
Reproductive toxicity		
Not classified based on a	available information.	
STOT - single exposure		
Not classified based on a		
STOT - repeated expos Not classified based on a		



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### **Repeated dose toxicity**

#### **Components:**

#### Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Species NOAEL Application Route Exposure time Method GLP Rat, male and female
125 mg/kg
Oral
28 d
oral (gavage)
yes

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

May be fatal if swallowed and enters airways.

#### **Further information**

#### Product:

Remarks

: No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Ecotoxicology Assessment Acute aquatic toxicity	t :	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
Components:		

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h

14 / 24



Version: 4.0	Re	evision Date: 25.07.2023	Print Date: 16/10/2023
		Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubi	lity
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	),000 mg/l
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata ( 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	green algae)): >=
Toxicity to fish (Chronic toxicity)	:	NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow	trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available informa	ition.
Chronic aquatic toxicity	:	Not classified based on available information	ition.
Benzenepropanoic acid,3,5-bis(1,1-dimethyl-ethyl)-4,4hydroxy-C7-C9 alkyl esters:			
Ecotoxicology Assessment Acute aquatic toxicity	:	Not classified based on available informa	ition.
Chronic aquatic toxicity	:	Not classified based on available informa	ition.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

# AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTENYL DERIVS.:

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	
		Not classified based on available information.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide:

Ecotoxicology Assessment Acute aquatic toxicity	:			
		Not classified based on available information.		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.		
Reaction products of Benzeneamine, N-phenyl- with nonene (branched):				
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test Remarks: The toxicological data has been taken from products of similar composition.		
		16 / 24		



rsion: 4.0	Re	evision Date: 25.07.2023	Print Date: 16/10/2023
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: static test Test substance: WAF	00 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata ( End point: Growth inhibition Exposure time: 72 h Test Type: static test	algae)): 600 mg/l
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ation.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 4; May harmful effects to aquatic life.	cause long lasting
Phosphorodithioic acid, mix	ed	O,O-bis(sec-Bu and 1,3-dimethylbutyl)	esters, zinc salts:
Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203	out)): 4.4 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 75 Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	mg/l
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (gree End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	n algae)): 410 mg/l
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Toxic to aquatic life.	
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effe	ects.



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt:

Ecotoxicology Assessmen Acute aquatic toxicity	t :			
		Not classified based on available information.		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.		
Coconut oil, reaction produ	ucts	with boric acid (H3BO3), diethanolamine and glycerol:		
Ecotoxicology Assessmen Acute aquatic toxicity	t :			
		Not classified based on available information.		
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.		
		Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.		
Benzenesulfonic acid meth	yl-,	mono C20-26 branched alkyl derivs., calcium salt:		
Ecotoxicology Assessmen Acute aquatic toxicity	t :			
		Not classified based on available information.		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
		Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.		
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts:				
Ecotoxicology Assessmen	t			
Acute aquatic toxicity	:			
		Not classified based on available information.		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
		18 / 24		



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Revision Date: 25.07.2023

Print Date: 16/10/2023

Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

#### 12.2 Persistence and degradability

#### **Components:**

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 2 - 4 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B

#### Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: < 5 %
		Exposure time: 27 d
		Method: OECD Test Guideline 301D

Coconu	t oil, reaction product	s with	boric	acid (H	I3BO3)	, diethanolamine and glycerol:
		_				

Biodegradability : Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

#### **Components:**

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Partition coefficient: n-	:	log Pow: > 7.5
octanol/water		

#### Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Partition coefficient: n-: log Pow: 4 octanol/water

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol: F

Partition coefficient: n-	:	Pow: 3.57	(25 °C)	



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

octanol/water

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

P	ro	du	ct:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Product:		
Endocrine disrupting potential	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	:	No data available

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
14.2 UN proper shipping nam	e	
ADR	: Not regulated as a dangerous go	ood
RID	: Not regulated as a dangerous go	ood
IMDG	: Not regulated as a dangerous go	ood
IATA_P	: Not regulated as a dangerous go	ood
14.3 Transport hazard class(e	s)	
ADR	: Not regulated as a dangerous go	ood
RID	: Not regulated as a dangerous go	ood
IMDG	: Not regulated as a dangerous go	ood
IATA_P	: Not regulated as a dangerous go	ood
14.4 Packing group		
ADR	: Not regulated as a dangerous go	ood
RID	: Not regulated as a dangerous go	ood
IMDG	: Not regulated as a dangerous go	ood
IATA (Cargo)	: Not regulated as a dangerous go	ood
IATA_P (Passenger)	: Not regulated as a dangerous go	ood
14.5 Environmental hazards		

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

21 / 24			
UK REACH Candidate list of substances of very high	:	Not applicable	
UK REACH List of restrictions (Annex 17)	:	Not applicable	



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0	Revision Date: 25.07.2023	Print Date: 16/10/2023
concern (SVHC) for Authorisa	ation	
The Persistent Organic Pollut Regulation (EU) 2019/1021 a Britain)		le
Regulation (EC) No 1005/200 deplete the ozone layer	9 on substances that : Not applicab	le
UK REACH List of substance (Annex XIV)	s subject to authorisation : Not applicab	le
Control of Major Accident Ha 2015 (COMAH)	zards Regulations Not applicable	
The components of this pro	duct are reported in the following invento	ries:
TCSI	: Not in compliance with the inventory	
TSCA	: All substances listed as active on the TS	SCA inventory
AIIC	: Not in compliance with the inventory	
DSL	: All components of this product are on the	e Canadian DSL
ENCS	: Not in compliance with the inventory	
KECI	: Not in compliance with the inventory	
PICCS	: On the inventory, or in compliance with	the inventory
IECSC	: Not in compliance with the inventory	
NZIoC	: On the inventory, or in compliance with	the inventory

#### 15.2 Chemical safety assessment

#### No data available

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

#### **SECTION 16: Other information**

#### Full text of H-Statements

Full text of other abbreviations	
H413 :	May cause long lasting harmful effects to aquatic life.
H411 :	Toxic to aquatic life with long lasting effects.
H319 :	Causes serious eye irritation.
H318 :	Causes serious eye damage.
H317 :	May cause an allergic skin reaction.
H304 :	May be fatal if swallowed and enters airways.

Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Sens. :	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic



according to Regulation (EC) No. 1907/2006 NAPA® NT132BK1000L EURO FE PLUS 5W30 LS Synthetic Motor Oil

Version: 4.0

Revision Date: 25.07.2023

Print Date: 16/10/2023

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Internal information : 000000277509

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN