

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22-5-2018 Revision date: 19-6-2024 Supersedes version of: 10-11-2023 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : STALHART VELUM ATF VI Product code : STALHART VELUM ATF VI

Type of product : Lubricants : Trade product Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use, Consumer use Main use category

: Transmission oil Use of the substance/mixture

1.2.2. Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Smeermiddelen-Industrie De Oliebron B.V.

Merwedeweg 17

3336 LG ZWIJNDRECHT (NL)

info@stalhart.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
reland	National Poisons Information Centre	PO Box 1297	+353 1 809 2566	
	Beaumont Hospital	Beaumont Road 9	(Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service	Penlan Road	0344 892 0111	Only for healthcare
· ·	(Cardiff Centre) University Hospital Llandough	CF64 2XX		professionals

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

19-6-2024 (Revision date) 19-6-2024 (Printing date) EN (English) 1/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)

: P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29	25 - 50	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878-	1 - 2,5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	0,3 - 2,5	Asp. Tox. 1, H304
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11- isoalkyloxy) derivatives, C10-rich	CAS-No.: 398141-87-2 EC-No.: 800-172-4 REACH-no: 01-2119969520- 35	0,3 - 2,5	Aquatic Chronic 2, H411
Dimantine	CAS-No.: 124-28-7 EC-No.: 204-694-8 REACH-no: 01-2119486676- 20	< 0,3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	100000000000000000000000000000000000000	100000000000000000000000000000000000000	0000000		
\sim	\sim		$\overline{}$	_	
$\overline{}$		-			
ST	ㅁㄴ	_	п	$\overline{}$	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	CAS-No.: 1218787-32-6 EC-No.: 620-540-6 REACH-no: 01-2119510877- 33	< 0,3	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	EC-No.: 939-485-7 REACH-no: 01-2119974116- 35	< 0,1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 27136-73-8 EC-No.: 202-414-9 REACH-no: 01-2119777867- 13	< 0,1	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:			
Name Product identifier Specific concentration limits (%)			
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 27136-73-8 EC-No.: 202-414-9 REACH-no: 01-2119777867- 13	(10 ≤ C < 100) STOT RE 2, H373	

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346. Comments

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. :

First-aid measures after skin contact Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. : None under normal conditions. Symptoms/effects after eye contact Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

19-6-2024 (Revision date) EN (English) 4/16
19-6-2024 (Printing date)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat.

Storage temperature : 0 - 40 °C

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

STALHART VELUM ATF VI

EU - Indicative Occupational Exposure Limit (IOEL)

Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended

5 mg/m3 - ACGIH TLV (inhalable fraction).

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection

Materials for protective clothing: Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red.

Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable

Freezing point : -48 °C - ASTM D5950 (pour point)

Boiling point : Not available Flammability : Not applicable

Explosive properties : Presents no particular fire or explosion hazard.

Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 212 °C - ASTM D92 (COC)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available

Viscosity, kinematic : 29,6 mm²/s (40 °C) - ASTM D7042 Solubility : Water: Insoluble / Slightly miscible

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 0,845 kg/l (15 °C) - ASTM D4052

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products


No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified


3-((C9-11-iso,C10-rich)alkyloxy)propa	n-1-amine	
LD50 oral rat	300 - 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other:	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl	ethanol (27136-73-8)	
LD50 oral rat	1265 mg/kg	
Distillates (petroleum), solvent-dewaxed	heavy paraffinic (64742-65-0)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
Dimantine (124-28-7)		
LD50 oral rat	1230 mg/kg	
LD50 dermal rabbit	8000 mg/kg	
Distillates (petroleum), hydrotreated ligh	t paraffinic (64742-55-8)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) A2,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/female, 2 years) S2,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified STOT-siple exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) A20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) = 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Bepeated Dose 90-Day Oral Toxicity Study in Rodents)	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-	11-isoalkyloxy) derivatives, C10-rich (398141-87-2)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral rat 5000 mg/kg (OECD 401 method)	LD50 oral rat	10 ml/kg
LD50 oral rat 5 5000 mg/kg (OECD 401 method) LD50 demail rabbit 5 2000 mg/kg (OECD 402 method) 5 553 mg/ (OECD 403 method) 5 554 mg/ (OECD 403 method) 5 555 mg/ (OECD 403 method) 5 55	LD50 dermal rabbit	> 4000 mg/kg bodyweight
LD50 dermal rabbit	Lubricating oils (petroleum), C15-30, hydrotre	eated neutral oil-based (72623-86-0)
LC50 Inhalation - Rat > 5,53 mg/l (OECD 403 method) Skin corrosion/inftation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-y/)ethanol (27136-73-8) pH 11,1 Remarks on result: 'other.'	LD50 oral rat	> 5000 mg/kg (OECD 401 method)
Skin corrosion/irritation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH	LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH 11,1 Remarks on result: 'other.' Pimantine (124-28-7) pH 10,1 Temp.: 20 °C Concentration: 5 other: Serious eye damage/irritation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH 11,1 Remarks on result: 'other.' Dimantine (124-28-7) pH 10,1 Temp.: 20 °C Concentration: 5 other: Respiratory or skin sensitisation : Not classified 3-m cell mutagenicity : Not classified 4-(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Not classified 3-m cell mutagenicity : Not	LC50 Inhalation - Rat	> 5,53 mg/l (OECD 403 method)
pH 11,1 Remarks on result: other: pH 10,1 Temp.: 20 °C Concentration: 5 other: Serious eye damage/irritation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH 11,1 Remarks on result: other: Dimantine (124-28-7) pH 10,1 Temp.: 20 °C Concentration: 5 other: Bespiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/male, 2 years) (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 40 desposure (oral). STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified : Not classified STOT-repeated	Skin corrosion/irritation	: Not classified
Dimantine (124-28-7) pH	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	ol (27136-73-8)
pH 10,1 Temp.: 20 °C Concentration: 5 other: Serious eye damage/irritation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH 11,1 Remarks on result: 'other:' Dimantine (124-28-7) pH 10,1 Temp.: 20 °C Concentration: 5 other: Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) 42,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified STOT-repeated exposure : Not classif	рН	11,1 Remarks on result: 'other:'
Serious eye damage/irritation : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) pH	Dimantine (124-28-7)	4_
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27-136-73-8) pH	рН	10,1 Temp.: 20 °C Concentration: 5 other:
pH 11,1 Remarks on result: 'other.' Dimantine (124-28-7) pH 10,1 Temp.: 20 °C Concentration: 5 other: Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) 42,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/female, 2 years) 52,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: STOT-repeated exposure : Not classified (STOT-single exposure : N	Serious eye damage/irritation	: Not classified
Dimantine (124-28-7) pH	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	ol (27136-73-8)
pH 10,1 Temp.: 20 °C Concentration: 5 other: Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) 42,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/male, 2 years) 52,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Tes Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) = 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Dermal Toxicity: 21/28-Day Study)	рН	11,1 Remarks on result: 'other:'
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Garcinogenicity Studies, Remarks on results: other: NoAEL (chronic, oral, animal/male, 2 years)	Dimantine (124-28-7)	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Dimantine (124-28-7) NOAEL (chronic, oral, animal/male, 2 years) A2,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/female, 2 years) 52,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Tes Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 21000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Pepeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 21000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Pepeated Dose 90-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Pepeated Dose 90-Day Study)	рН	10,1 Temp.: 20 °C Concentration: 5 other:
NOAEL (chronic, oral, animal/male, 2 years) 42,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/female, 2 years) 52,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 46 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity 1 Not classified STOT-single exposure 2 Not classified STOT-repeated exposure 3 Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Tes Guideline: other: STOT-repeated exposure Any cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: ratbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dermal Toxicity: 21/28-Day Study)	Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified
(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: NOAEL (chronic, oral, animal/female, 2 years) 52.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Tes Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dermal Toxicity: 21/28-Day Study)	Dimantine (124-28-7)	
Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) = 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	NOAEL (chronic, oral, animal/male, 2 years)	42,3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
STOT-single exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 21000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dermal Toxicity: 21/28-Day Study)	NOAEL (chronic, oral, animal/female, 2 years)	52,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (64742-55-8)		
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (27136-73-8) NOAEL (oral, rat, 90 days) 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeate Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 20 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Study)		Despection on design to
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test Guideline: other: STOT-repeated exposure May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408		
exposure (oral). Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	STOT-repeated exposure	에 되었다고 있는데 있는데 이번 경기를 하는데
(Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	Distillates (petroleum), solvent-dewaxed hea	avy paraffinic (64742-65-0)
Dermal Toxicity: 21/28-Day Study) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	LOAEL (oral, rat, 90 days)	
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
	Distillates (petroleum), hydrotreated light para	ffinic (64742-55-8)
It is because a sea and and it is to many in the second	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STALHART VELUM ATF VI		
Viscosity, kinematic	29,6 mm²/s (40 °C) - ASTM D7042	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)etha	nol (27136-73-8)	
Viscosity, kinematic	35,85 mm²/s Temp.: '40°C' Parameter: 'm²/sm2/s'	
Distillates (petroleum), solvent-dewaxed hea	avy paraffinic (64742-65-0)	
Viscosity, kinematic	< 20,5 mm²/s @40°C	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Distillates (petroleum), hydrotreated light pa	raffinic (64742-55-8)	
Viscosity, kinematic	< 20,5 mm²/s	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Lubricating oils (petroleum), C15-30, hydrot	reated neutral oil-based (72623-86-0)	
Viscosity, kinematic	< 20,5 mm²/s (40 °C) - ASTM D7042	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Harmful to aquatic life with long lasting effects. :

Hazardous to the aquatic environment, short-term

Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-	amine
LC50 - Fish [1]	2,22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	2,14 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1,05 mg/l
EC50 - Other aquatic organisms [1]	23,6 mg/l
ErC50 algae	0,0544 mg/l
NOEC chronic crustacea	0,738 mg/l
NOEC chronic algae	0,0421 mg/l
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)eth	nanol (27136-73-8)
LC50 - Fish [1]	0,33 mg/l
EC50 - Crustacea [1]	0,163 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [2]	0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	0,03 mg/l
NOEC chronic algae	0,014 mg/l



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dimantine (124-28-7)	
LC50 - Fish [1]	0,26 mg/l (96 h, Danio rerio)
EC50 - Crustacea [1]	0,0558 mg/l (48 h, Daphnia magna)
EC50 72h - Algae [1]	0,0165 mg/l (72 h, Algae)
LOEC (chronic)	0,108 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0,036 mg/l (21 d, Daphnia, magna)
NOEC chronic crustacea	0,036 mg/l (72 h, Daphnia magna)
NOEC chronic algae	0,00256 mg/l 72 hours
Distillates (petroleum), hydrotreated l	ight paraffinic (64742-55-8)
LC50 - Fish [1]	> 100 mg/l 96h
EC50 - Crustacea [1]	> 10000 mg/l
EC50 72h - Algae [1]	≥ 100 mg/l
NOEC chronic crustacea	10 mg/l 21d
Thiophene, tetrahydro-, 1,1-dioxide,	3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)
LC50 - Fish [1]	2,4 mg/l
EC50 - Crustacea [1]	4,6 mg/l
EC50 72h - Algae [1]	63 mg/l
NOEC chronic algae	0,313 mg/l
Lubricating oils (petroleum), C15-30,	hydrotreated neutral oil-based (72623-86-0)
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 10000 mg/l
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)
NOEC chronic fish	> 1000 mg/l
NOEC chronic crustacea	> 10 mg/l (Daphnia magna, 21d) (OECD 211 method)
NOEC chronic algae	≥ 100 mg/l
2,2'-(C16-18 (evennumbered, C18 ur	nsaturated) alkyl imino) diethanol (1218787-32-6)
LC50 - Fish [1]	0,1 mg/l
EC50 - Crustacea [1]	0,043 mg/l
EC50 72h - Algae [1]	0,0538 mg/l
ErC50 algae	0,0538 mg/l
NOEC chronic crustacea	0,0107 mg/l
NOEC chronic algae	0,0156 mg/l

12.2. Persistence and degradability

STALHART VELUM ATF VI		
Persistence and degradability	Not rapidly degradable	
3-((C9-11-iso,C10-rich)alkyloxy)propan	n-1-amine	
Persistence and degradability	Not rapidly degradable	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-heptadec-8-enyl-2-imidazolin-1-)	yl)ethanol (27136-73-8)		
Persistence and degradability	Not rapidly degradable		
Distillates (petroleum), solvent-dewa	xed heavy paraffinic (64742-65-0)		
Persistence and degradability	Not rapidly degradable		
Dimantine (124-28-7)			
Persistence and degradability	Rapidly degradable		
Distillates (petroleum), hydrotreated lig	ght paraffinic (64742-55-8)		
Persistence and degradability	Not established.		
Biodegradation	31 % (OECD 301F method)		
Thiophene, tetrahydro-, 1,1-dioxide, 3	-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)		
Persistence and degradability	Not rapidly degradable		
Biodegradation	9,6 % MITI 1 (28d)		
Lubricating oils (petroleum), C15-30, h	nydrotreated neutral oil-based (72623-86-0)		
Persistence and degradability	Not readily biodegradable.		
Biodegradation	31 % (28d) (OECD 301F method)		
2,2'-(C16-18 (evennumbered, C18 uns	saturated) alkyl imino) diethanol (1218787-32-6)		
Persistence and degradability	Rapidly degradable		
Biodegradation	63 % (28d)		

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated light para	affinic (64742-55-8)		
Partition coefficient n-octanol/water (Log Pow)	> 6		
Bioaccumulative potential	Not established.		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11	-isoalkyloxy) derivatives, C10-rich (398141-87-2)		
Bioconcentration factor (BCF REACH)	1,4 (28 d)		
Partition coefficient n-octanol/water (Log Kow)	4,1 octanol/water coefficient (0,1 d)		
Lubricating oils (petroleum), C15-30, hydrotre	eated neutral oil-based (72623-86-0)		
Partition coefficient n-octanol/water (Log Kow)	> 6		
Bioaccumulative potential	Bioaccumulative potential.		

12.4. Mobility in soil

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
Ecology - soil	Insoluble in water.

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW, EC 2000/532)

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Do not re-use empty containers.
- : 13 02 06* synthetic engine, gear and lubricating oils
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or

more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID nu	umber			
Not regulated for transport				
14.2. UN proper shipping	name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard c	lass(es)			*
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haza	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Reference code	Applicable on	Entry title or description
3(b)	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	STALHART VELUM ATF V iso,C10- rich)alkyloxy)propan-1- amine; 2-(2-heptadec-8- enyl-2-imidazolin-1- yl)ethanol; Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich; 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	; 3-((C9-11- Substances or mixtures fulfilling the criteria for any of the following hazard class categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations


No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of ch	nanges		
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
	Type of product	Added	
1.2	Function or use category	Removed	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
4.1	First-aid measures general	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects after inhalation	Added	
5.2	Explosion hazard	Added	
5.2	Hazardous decomposition products in case of fire	Modified	
5.3	Firefighting instructions	Added	
6.1	Emergency procedures	Added	
6.1	Protective equipment	Added	
6.1	General measures	Added	
6.3	For containment	Added	
7.1	Additional hazards when processed	Added	
7.2	Technical measures	Added	
7.2	Packaging materials	Added	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
8.2	Personal protective equipment	Added		
10.3	Possibility of hazardous reactions	Modified		
13.1	Sewage disposal recommendations	Added		
13.1	Additional information	Added		
13.1	Regional waste regulation	Added		
13.1	H code	Added		

Abbreviations ar	d acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations a	and acronyms:	
voc	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
STOT RE 2	Specific target organ toxicity - Repeated exposure, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.