

AUTOMATIC TIRE CHANGER 13"-28" 2 SPEED SYSTEM 400V

Reference : DM 2000



Item name	AUTOMATIC TIRE CHANGER 13"-28" 2 SPEED SYSTEM 400V
EAN code	3700461458828
Intro	Automatic 2-speed tire changer with integrated tubeless inflator designed for effortless mounting of tires (3rd arm) and head quick fastening connection for alu/steel rim.
Text	Integrated tubeless inflation (2 tanks of 6 liters) Integrated valve locker Air cleaner and oil lubricator Metal spool cylinder: reliability and durability Arched platform with anti-pinch safety device and inflation nozzle 2 position telescopic and swivel take-off shovel and double acting cylinder
Product highlight	Tubeless inflator Delivered assembled
Specifications	Specifications: - horizontal arm moving on a roller for easy translation - max. wheel diameter: 1180mm - turntable with anti-pinch device and jaw with inflating nozzle - outside clamp: 13"-24" - 2 speed without switch: Turntable rotation speed 1: 6.5rpm Turntable rotation speed 2: 13rpm - ergonomic foot pedal - adjustable bead breaker blade with protection and double action cylinder jack

- tubeless tire inflation is pedal-operated with a precision gauge
- working air pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflator safety valve: 3.5bar
- tubeless tank safety valve: 10bar
- sound level < 70 dB
- power supply voltage: 400V-50Hz
- power: 0.85-1.1kW
- bead breaker arm power: 2500kg
- tire changer weight: 465kg
- dimensions: 2000x1950x2450mm

Contents

Supplied with:

- DM1102: dual head quick fastening connection for alu/steel
- SA8902: 5 protection covers for steel heads
- SA8903: 5 protection clips for steel heads
- SA8904: 1 blade protection cover
- SA8906: set of 4 alu jaw covers
- 1 lever with protection for alu rims

Options

Installation et mise en service, nous consulter.

Dans le cadre de la garantie, installation et mise en service doivent être effectuées par un professionnel.

Warranty period

2 years

Power

1100W

Tension

400V

Length

2,000.00 mm

Width

1,950.00 mm

Height

2,450.00 mm

Product weight

458.00 kg

Video link

<https://www.youtube.com/watch?v=JMD1tZ9KrC8>

Tariff code

Tariff Equipment (TE)

Warranty Procedure

INTERVENTION

Video mise en service

<https://www.youtube.com/watch?v=Lkv5FfXCNtw>

Vidéo démontage jante tôle

<https://www.youtube.com/watch?v=JMD1tZ9KrC8>

Vidéo démontage jante alu

https://www.youtube.com/watch?v=4YmAj4OA_4U



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to
12h30 and from 14h to 17h30
(16h30 on Friday)