

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 24 Jan 2024

**Print date:** 24 Jan 2024

**Version:** 5

Page 1/10

## Supersint FS 5W40

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

Supersint FS 5W40

**Article No.:**

1210

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**EMKA Schmiertechnik GmbH**

Schmalbachstr. 19

D-74626 Bretzfeld-Schwabbach

Germany

**Telephone:** +49 7946 944700

**Telefax:** +49 7946 9447070

**E-mail:** info@emka-oil.de

**Website:** www.emka-oil.de

**E-mail (competent person):** info@emka-oil.de

#### 1.4. Emergency telephone number

+49 551 19240 (24h/EN/DE) Giftinformationszentrale-Nord

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

**Hazard statements:** none

**Supplemental hazard information:** none

**Precautionary statements:** none

#### 2.3. Other hazards

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5



Page 2/10

## Supersint FS 5W40

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

| Product identifiers  | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]   | Concentration        |
|--|--|----------------------|
| CAS No.: 64742-54-7<br>EC No.: 265-157-1<br>REACH No.:<br>01-2119484627-25 | <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b><br>Asp. Tox. 1 (H304)<br> Danger                                  | 5 - ≤ 10<br>weight-% |
| CAS No.: 68649-42-3<br>EC No.: 272-028-3                                   | <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts</b><br>Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319)<br> Warning | 0 - ≤ 1<br>weight-%  |

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

##### Following inhalation:

Provide fresh air. Consult a doctor immediately.

##### In case of skin contact:

Consult a doctor immediately.

##### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### Following ingestion:

Rinse mouth thoroughly with water. Consult a doctor immediately. Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

##### Self-protection of the first aider:

First aider: Pay attention to self-protection!

#### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Use water spray jet to protect personnel and to cool endangered containers. Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media:

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point Combustible

##### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 24 Jan 2024

**Print date:** 24 Jan 2024

**Version:** 5

Page 3/10

## Supersint FS 5W40

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

##### Emergency procedures:

Remove persons to safety.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Use personal protection equipment. Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

##### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

### 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment (refer to section 8).

##### Fire prevent measures:

No special fire protection measures are necessary. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 4/10

## Supersint FS 5W40

### Environmental precautions:

See section 8.

### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

#### Hints on storage assembly:

not required

**Storage class (TRGS 510, Germany):** 10 – Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

### 7.3. Specific end use(s)

#### Recommendation:

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

| Limit value type<br>(country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|---|--|--|
| TRGS 900 (DE)<br>from 30 Nov 2017       | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 300 mg/m <sup>3</sup><br>② 600 mg/m <sup>3</sup><br>⑤ (C9-C14 Aliphaten)   |
| DFG (DE)<br>from 1 Jul 2015             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 5 mg/m <sup>3</sup><br>② 20 mg/m <sup>3</sup><br>⑤ (Aerosol, alveolengängige Fraktion)   |
| TRGS 900 (DE)<br>from 29 Mar 2019       | <b>diphenylamine</b><br>CAS No.: 122-39-4<br>EC No.: 204-539-4   | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (kann über die Haut aufgenommen werden) DFG, Y, H   |

#### 8.1.2. Biological limit values

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 5/10

## Supersint FS 5W40

### 8.1.3. DNEL-/PNEC-values

| Substance name   | DNEL value            | ① DNEL type<br>② Exposure route                             |
|--|-----------------------|---|
| <b>zinc bis[O,O-bis(2-ethylhexyl)]<br/>bis(dithiophosphate)</b><br>CAS No.: 4259-15-8<br>EC No.: 224-235-5 | 6.6 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term – inhalation, systemic effects |

| Substance name  | PNEC Value | ① PNEC type                |
|---|------------|----------------------------|
| <b>Distillates (petroleum), solvent-<br/>refined heavy paraffinic</b><br>CAS No.: 64741-88-4<br>EC No.: 265-090-8 | 9.33 mg/kg | ① PNEC secondary poisoning |
| <b>Distillates (petroleum), solvent-<br/>dewaxed heavy paraffinic</b><br>CAS No.: 64742-65-0<br>EC No.: 265-169-7 | 9.33 mg/kg | ① PNEC secondary poisoning |

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

During transfer: Eye glasses with side protection

Wear eye/face protection. EN 166

##### Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: ≥ 0,4 mm

Breakthrough time: 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

##### Respiratory protection:

Usually no personal respiratory protection necessary.

#### 8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

### 8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m<sup>3</sup>, ACGIH STEL - value of 10 mg / m<sup>3</sup>

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** yellow

**Odour:** not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 6/10

## Supersint FS 5W40

### Safety relevant basis data

| Parameter                                    | Value             | at °C | ① Method<br>② Remark |
|--|-------------------|-------|----------------------|
| pH   | No data available | 20 °C |                      |
| Melting point                                | No data available |       |                      |
| Freezing point                               | -39 °C            |       |                      |
| Initial boiling point and boiling range      | No data available |       |                      |
| Flash point                                  | 234 °C            |       |                      |
| Evaporation rate                             | No data available |       |                      |
| Auto-ignition temperature                    | No data available |       |                      |
| Upper/lower flammability or explosive limits | No data available |       |                      |
| Vapour pressure                              | No data available |       |                      |
| Vapour density                               | No data available |       |                      |
| Density                                      | 857 kg/m³         | 15 °C |                      |
| Bulk density                                 | not applicable    |       |                      |
| Water solubility                             | No data available |       |                      |
| Dynamic viscosity                            | No data available |       |                      |
| Kinematic viscosity                          | 82 mm²/s          | 40 °C |                      |

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions. Combustible

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### 10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/ vapours, toxic

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>LD<sub>50</sub> oral:</b> 5,000 mg/kg (Rat) OECD 401  |
| <b>LD<sub>50</sub> dermal:</b> 5,000 mg/kg (Rabbit) OECD 402   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> 5.53 mg/L 4 h (Rat) OECD 403                                       |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts</b> CAS No.: 68649-42-3 EC No.: 272-028-3                       |
| <b>LD<sub>50</sub> oral:</b> >2,154 - <3,100 mg/kg (Rat)   |
| <b>LD<sub>50</sub> dermal:</b> >6,965 mg/kg (Rabbit)   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >5,000 mg/L (Mouse)  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 7/10

## Supersint FS 5W40

**Acute oral toxicity:**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity:**

Based on available data, the classification criteria are not met.

**Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation:**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Based on available data, the classification criteria are not met.

**Additional information:**

No data available

### 11.2. Information on other hazards

**Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## SECTION 12: Ecological information

### 12.1. Toxicity

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>LC<sub>50</sub>:</b> 100 mg/L 4 d (fish)  |
| <b>LC<sub>50</sub>:</b> 10,000 mg/L 4 d (crustaceans)  |
| <b>EC<sub>50</sub>:</b> 10,000 mg/L 2 d (crustaceans)  |
| <b>NOEC:</b> 100 mg/L 4 d (fish)   |
| <b>NOEC:</b> 100 mg/L 3 d (Algae/water plant)  |
| <b>NOEC:</b> ≥100 mg/L 3 d (Algae/water plant, Algen)  |

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 8/10

## Supersint FS 5W40

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts CAS No.: 68649-42-3 EC No.: 272-028-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

#### Waste treatment options

##### Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package:

Non-contaminated packages may be recycled.

### 13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## SECTION 14: Transport information

| Land transport (ADR/RID)                                   | Inland waterway craft (ADN)                                | Sea transport (IMDG)                                       | Air transport (ICAO-TI / IATA-DGR)                         |
|--|--|--|--|
| <b>14.1. UN number or ID number</b>                        |  |  |  |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.2. UN proper shipping name</b>                       |  |  |  |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.3. Transport hazard class(es)</b>                    |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.4. Packing group</b>                                 |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.5. Environmental hazards</b>                         |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.6. Special precautions for user</b>                  |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Other regulations (EU):

This product is not assigned to a hazard category.

Safety data sheet available for professional user on request.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 24 Jan 2024

Print date: 24 Jan 2024

Version: 5

Page 9/10

## Supersint FS 5W40

### 15.1.2. National regulations

 [DE] National regulations

#### Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

To follow: 5.2.5

#### Water hazard class

WGK:

1 - slightly hazardous to water

Source:

Self-classification (mixture; calculation rule).

#### Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

#### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### \* 16.1. Indication of changes

|       |  |
|-------|--|
| 9.1.  | Information on basic physical and chemical properties  |
| 15.1. | Safety, health and environmental regulations/legislation specific for the substance or mixture |
| 16.1. | Indication of changes  |
| 16.2. | Abbreviations and acronyms   |

### \* 16.2. Abbreviations and acronyms

|                  |   |
|------------------|---|
| ACGIH            | American Conference of Governmental Industrial Hygienists                                       |
| ADN              | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR              | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| CAS              | Chemical Abstracts Service  |
| CLP              | Classification, Labelling and Packaging   |
| DNEL             | derived no-effect level   |
| EC <sub>50</sub> | Effective Concentration 50%   |
| ES               | Exposure scenario   |
| ICAO             | International Civil Aviation Organization   |
| IMDG             | International Maritime Dangerous Goods  |
| IMO              | International Maritime Organization   |
| LC <sub>50</sub> | Lethal (fatal) Concentration 50%  |
| LD <sub>50</sub> | Lethal (fatal) Dose 50%   |
| MAK              | Maximum concentration in the workplace air (CH)   |
| NFPA             | National Fire Protection Association  |
| NIOSH            | National Institute for Occupational Safety & Health   |
| NOEC             | No Observed Effect Concentration  |
| OECD             | Organisation for Economic Cooperation and Development   |
| OSHA             | Occupational Safety & Health Administration   |
| PBT              | persistent and bioaccumulative and toxic  |
| PEL              | Permissible Exposure Limit  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 24 Jan 2024

**Print date:** 24 Jan 2024

**Version:** 5

Page 10/10

## Supersint FS 5W40

PNEC Predicted No Effect Concentration  
REACH Registration, Evaluation and Authorization of Chemicals  
RID Dangerous goods regulations for transport by rail  
STEL Short-term Exposure Limit  
TRGS Technische Regeln für Gefahrstoffe  
UN United Nations  
ZNS central nervous system

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements |  |
|-------------------|--|
| H304              | May be fatal if swallowed and enters airways.      |
| H319              | Causes serious eye irritation.                     |
| H400              | Very toxic to aquatic life.                        |
| H412              | Harmful to aquatic life with long lasting effects. |

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.